New pattern

TRUEMAN'S

# BIOLOGY

FORNEET

(National Eligibility cum Entrance Test)

BY NATIONAL TESTING AGENCY



- DR. TYAGI
- DR. GOYAL

A Trueman Publication www.freejobsportal.in

## TRUEMAN'S Specific Series®

#### THE LIVING WORLD

hydrogen from organic compounds

		es in the [1990]		•		xygen in
<ul><li>(a) Euthenics</li><li>(c) Euphenics</li></ul>	<ul><li>(b) Eugenics</li><li>(d) Ethnology</li></ul>			•	tant feature of all liv	ing sys- [ <b>2000</b> ]
Pedology is science	e of	[1991]			-	-
(a) earth	(b) soil			_		ı
(c) diseases	(d) pollution					( . 1 1: .
•		[1991]		(d) utilize sola activities	ar energy for me	tabolic
<ul><li>(a) Palaeontology</li><li>(c) Saurology</li></ul>					organic compound	on earth [ <b>2001</b> ]
Glycogen is a poly	mer of	[1998]		_	(b) cellulose	[2001]
(a) galactose	(b) glucose			· / •		
(c) fructose	(d) sucrose		10	-		a [2001]
Adenine is		[1992]	10.		sity in iiving being i	S [2001]
(a) purine	(b) pyrimidine			` '	ngo	
(c) nucleoside	(d) nucleotide				· ·	
The CO. content h	ov volume, in the	atmos-		-	•	
		[1997]	11		, c	[2001]
-	(b) 0.34 %		11.			[2001]
(c) 3.34 %	(d) 4 %			-		
If there was no CO	in the earth's atmo	osohere			лиория	
-		_		•	onhs	
1		[1998]			•	[8004]
(a) higher than the	e present		12.			[2001]
	•					
	improvement of he  (a) Euthenics (c) Euphenics Pedology is science (a) earth (c) diseases Study of fossils is (a) Palaeontology (c) Saurology Glycogen is a poly (a) galactose (c) fructose Adenine is (a) purine (c) nucleoside The CO <sub>2</sub> content be pheric air is about (a) 0.0314 % (c) 3.34 %  If there was no CO <sub>2</sub> the temperature of	improvement of human race is  (a) Euthenics (b) Eugenics (c) Euphenics (d) Ethnology  Pedology is science of  (a) earth (b) soil (c) diseases (d) pollution  Study of fossils is  (a) Palaeontology (b) Herpetology (c) Saurology (d) Organic evol  Glycogen is a polymer of  (a) galactose (b) glucose (c) fructose (d) sucrose  Adenine is  (a) purine (b) pyrimidine (c) nucleoside (d) nucleotide  The CO <sub>2</sub> content by volume, in the pheric air is about  (a) 0.0314 % (b) 0.34 % (c) 3.34 % (d) 4 %  If there was no CO <sub>2</sub> in the earth's atmospherics are series and series at the content of the conte	(a) Euthenics (b) Eugenics (c) Euphenics (d) Ethnology  Pedology is science of [1991] (a) earth (b) soil (c) diseases (d) pollution  Study of fossils is [1991] (a) Palaeontology (b) Herpetology (c) Saurology (d) Organic evolution  Glycogen is a polymer of [1998] (a) galactose (b) glucose (c) fructose (d) sucrose  Adenine is [1992] (a) purine (b) pyrimidine (c) nucleoside (d) nucleotide  The CO <sub>2</sub> content by volume, in the atmospheric air is about [1997] (a) 0.0314 % (b) 0.34 % (c) 3.34 % (d) 4 %  If there was no CO <sub>2</sub> in the earth's atmosphere the temperature of earth's surface would be [1998] (a) higher than the present	improvement of human race is [1990]  (a) Euthenics (b) Eugenics (c) Euphenics (d) Ethnology  Pedology is science of [1991]  (a) earth (b) soil (c) diseases (d) pollution  Study of fossils is [1991]  (a) Palaeontology (b) Herpetology (c) Saurology (d) Organic evolution  Glycogen is a polymer of [1998]  (a) galactose (b) glucose (c) fructose (d) sucrose  Adenine is [1992]  (a) purine (b) pyrimidine (c) nucleoside (d) nucleotide  The CO <sub>2</sub> content by volume, in the atmospheric air is about [1997]  (a) 0.0314 % (b) 0.34 %  (c) 3.34 % (d) 4 %  If there was no CO <sub>2</sub> in the earth's atmosphere the temperature of earth's surface would be [1998]  (a) higher than the present	improvement of human race is [1990]  (a) Euthenics (b) Eugenics (c) Euphenics (d) Ethnology  Pedology is science of [1991]  (a) utilize oxyge (b) replicate the (c) diseases (d) pollution  Study of fossils is [1991]  (a) Palaeontology (b) Herpetology (c) Saurology (d) Organic evolution  Glycogen is a polymer of [1998]  (a) galactose (b) glucose (c) fructose (d) sucrose  Adenine is [1992]  (a) Pyrimidine (c) nucleoside (d) nucleotide  The CO <sub>2</sub> content by volume, in the atmospheric air is about [1997]  (a) 0.0314 % (b) 0.34 % (c) 3.34 % (d) 4 %  If there was no CO <sub>2</sub> in the earth's atmosphere the temperature of earth's surface would be [1998]  (a) Euthenics (b) Eugenics (a) utilize oxyge (b) replicate the (c) produce gan (d) utilize sola activities  (a) utilize oxyge (d) utilize oxyge (d) utilize sola activities  (a) protein (c) lipids  10. Reason of divers (a) mutation (b) gradual chart (c) long term even (d) short term even (d) short term even (d) short term even (d) short term even (e) cautotrophs (d) photoautore (c) autotrophs (d) photoautore (e) Obtain one	improvement of human race is [1990]  (a) Euthenics (b) Eugenics (c) Euphenics (d) Ethnology  Pedology is science of [1991]  (a) earth (b) soil (c) diseases (d) pollution  Study of fossils is [1991]  (a) Palaeontology (b) Herpetology  (c) Saurology (d) Organic evolution  Glycogen is a polymer of [1998]  (a) galactose (b) glucose (c) fructose (d) sucrose  Adenine is [1992]  (a) purine (b) pyrimidine (c) nucleoside (d) nucleotide  The CO <sub>2</sub> content by volume, in the atmospheric air is about [1997]  (a) 0.0314 % (b) 0.34 % (c) 3.34 % (d) 4 %  If there was no CO <sub>2</sub> in the earth's atmosphere the temperature of earth's surface would be [1998]  (a) Euthenics (b) Eugenics (a) utilize oxygen to generate energy (b) replicate the genetic information (c) produce gametes  (d) utilize solar energy for me activities  9. Most abundant organic compound (a) protein (b) cellulose (c) lipids (d) steroids  (a) protein (b) cellulose (c) lipids (d) steroids  (a) mutation (b) gradual change (c) long term evolutionary change (d) short term evolutionary change (d) short term evolutionary change (d) short term evolutionary change (c) long term evolutionary change (d) short term evolutionary change (d) photoautotrophs  11. First life on earth was (a) cyanobacteria (b) chemoheterotrophs (c) autotrophs  (a) higher than the present

(c) the same

#### Trueman's AIPMT Biology Rebooster Specific

- (b) Obtain energy from radiations and hydrogen from inorganic compounds
- (c) Obtain energy from organic compounds
- (d) Obtain energy from inorganic compounds
- **13.** There is no life on moon due to the absence of [2002]
  - (a) O<sub>2</sub>

2

- (b) water
- (c) light
- (d) temperature
- **14.** According to Oparin, which one of the following was not present in the primitive atmosphere of the earth? [2004]
  - (a) Methane
- (b) Oxygen
- (c) Hydrogen
- (d) Water vapour
- **15.** More then 70% of world's fresh water is contained in **[2005]** 
  - (a) Antarctica
  - (b) Greenland
  - (c) Glaciers and Mountains
  - (d) Polar ice
- **16.** Carbohydrates, the most abundant bio-molecules on earth, are produced by **[2005]** 
  - (a) all bacteria, fungi and algae
  - (b) fungi, algae and green plant cells
  - (c) some bacteria, algae and green plant cells
  - (d) viruses, fungi and bacteria
- **17.** Which one of the following is not a living fossil? [2006]
  - (a) King crab
- (b) Sphenodon
- (c) Archaeopteryx (d) Peripatus
- **18.** Which one of the following is an example of negative feedback loop in humans? [2007]

- (a) Constriction of skin blood vessels and contraction of skeletal muscles when it is too cold
- (b) Secretion of tears after falling of sand particles into the eye
- (c) Salivation of mouth at the sight of delicious food
- (d) Secretion of sweat glands and constriction of skin blood vessels when it is too hot
- 19. Biological organization starts with [2007]
  - (a) submicroscopic molecular level
  - (b) cellular level
  - (c) organismic level
  - (d) atomic level
- 20. The living organisms can be unexceptionally distinguished from the non-living things on the basis of their ability for [2007]
  - (a) responsiveness to touch
  - (b) interaction with the environment and progressive evolution
  - (c) reproduction
  - (d) growth and movement
- **21.** Which one of the following aspects is an exclusive characteristic of living things?

#### [Mains 2011]

- (a) Increase in mass by accumulation of material both on surface as well as internally.
- (b) Isolated metabolic reactions occur in *vitro*.
- (c) Increase in mass from inside only
- (d) Perception of events happening in the environment and their memory.

#### 1-b 2 -b 3 -a 4 -b 5 -a 6 -a 7 -b 8 -b 9 -b 10 -c 11 -b 12 -b 13 -b 14 -b 19 -d 20 -c 15 -d 16 -c 17 -c 18 -a 21 -c



# BIOLOGICAL CLASSIFICATION – Systematics

- 1. Basic unit or smallest taxon of taxonomy/ classification is [1990]
  - (a) species
- (b) kingdom
- (c) family
- (d) variety
- 2. Linnaeus evolved a system of nomenclature called [1990, 93, 94]
  - (a) mononomial
- (b) vernacular
- (c) binomial
- (d) polynomial
- **3.** A taxon is

[1990, 96]

- (a) a group of related families
- (b) a group of related species
- (c) a type of living organisms
- (d) a taxonomic group of any ranking
- **4.** An important criterion for modern day classification is **[1991]** 
  - (a) resemblances in Morphology
  - (b) anatomical and physiological traits
  - (c) breeding habits
  - (d) presence or absence of notochord
- **5.** Sequence of taxonomic categories is [1992]
  - (a) class-phylum-tribe-order-family-genusspecies
  - (b) division-class-family-tribe-order-genusspecies
  - (c) division-class-order-family-tribe-genusspecies
  - (d) phylum-order-class-tribe-family-genusspecies

- **6.** The term "Phylum" was given by [1992]
  - (a) Cuvier
- (b) Haeckel
- (c) Theophrastus (d) Linnaeus
- 7 Diagonial access de (.....
- 7. Binomial nomenclature means [1993]
  - (a) one name given by two scientists
  - (b) one scientific name consisting of a generic and a specific name
  - (c) two names, one Latinised, other of a person
  - (d) None of the above
- **8.** "Taxonomy without phylogeny is similar to bones without flesh" is the statement of

[1994]

- (a) Oswald Tippo
- (b) John Hutchinson
- (c) Takhtajan
- (d) Bentham and Hooker
- Binomial nomenclature consists of two words [1994]
  - (a) genus and species
  - (b) order and family
  - (c) family and genus
  - (d) species and variety
- 10. Phylogenetic classification is based on

[1994]

- (a) utilitarian system
- (b) habits

#### Trueman's AIPMT Biology Rebooster Specific 4 (c) overall similarities (a) species (b) genus (d) common evolutionary descent (c) family (d) class [1994,2003] **19.** What is true for individuals of same species? 11. Species is [2002] (a) basic unit of classification (a) live in same niche (b) unit in the evolutionary history of a tree (b) Live in same habitat (c) specific class of evolution (c) Interbreeding (d) not related to evolution (d) live in different habitat 12. The closely related morphologically similar sympatric populations, but reproductively 20. In five-kingdom system, the main basis of isolated, are designated as [1995] classification is [2002] (a) clines (a) structure of nucleus (b) demes (b) mode of nutrition (c) clones (d) sibling species (c) structure of cell wall 13. If two or more species occupy overlapping (d) asexual reproduction areas, they are [1996] (a) sibling (b) allochronic 21. Biosystematics aims at [2003] (c) keystone (d) sympatric (a) identification and arrangement of organisms on the basis of their cytological char-**14.** In the five-kingdom system of classification, acteristics which single kingdom out of the following (b) the classification of organisms based on can include blue-green algae, nitrogen-fixbroad morphological characters ing bacteria and methanogenic archaebacteria? [1998] (c) delimiting various taxa of organisms and (b) Plantae establishing their relationships (a) Fungi (d) the classification of organisms based on (d) Monera (c) Protista their evolutionary history and establish-**15.** A system of classification in which a large ing their phylogeny on the totality of varnumber of traits are considered, is ious parameters from all fields of studies (a) artificial system 22. In which kingdom would you classify the (b) synthetic system archaebacteria and nitrogen-fixing organ-(c) natural system isms, if the five kingdom system of classifi-(d) phylogenetic system cation is used? [2003] **16.** The book "Genera Plantarum" was written (a) Monera (b) Plantae by [1999] (d) Protista (c) Fungi (a) Bessey 23. Plants reproducing by spores such as mosses (b) Hutchinson

- and ferns are grouped under the general term [2003]
  - (a) thallophytes (b) cryptogams (c) bryophytes (d) sporophytes

  - 24. Phenetic classification is based on

(a) sexual characteristics

(b) the ancestral lineage of existing organisms

[2003]

### www.freejobsportal.in

[1999]

[2001]

(c) Engler and Prantl

(a) sibling

(c) allopatric

linked organisms

(d) Bentham and Hooker

17. Species restricted to a given area are called

**18.** One of the following includes most closely

(b) sympatric

(d) endemic

#### Trueman's AIPMT Biology Rebooster Specific

- (c) observable characteristics of existing organisms
- (d) dendrograms based on DNA characteristics
- **25.** Which of the following is not true for a species? [2005]
  - (a) Members of a species can interbreed
  - (b) Gene flow does not occur between the populations of a species
  - (c) Each species is reproductively isolated from every other species
  - (d) Variations occur among members of a species
- **26.** ICBN stands for [2007]
  - (a) Indian Congress of Biological Names
  - (b) International Code of Botanical Nomenclature
  - (c) International Congress of Biological Names
  - (d) Indian Code of Botanical Nomenclature
- 27. Two plants can be conclusively said to belong to the same species if they [2007]
  - (a) can reproduce freely with each other and form seeds
  - (b) have more than 90% similar genes
  - (c) look similar and possess identical secondary metabolites
  - (d) have same number of chromosomes
- **28.** Phylogenetic system of classification is based on: [2009]

- (a) Chemical constituents
- (b) Floral characters
- (c) Evolutionary relationships
- (d) Morphological features
- **29.** Which one of the following animals is correctly matched with its particular named taxonomic category? [Pre 2011]
  - (a) Tiger tigris, the species
  - (b) Cuttlefish Mollusca, a class
  - (c) Humans Primata, the family
  - (d) Housefly Musca, an order
- **30.** Which one of the following is not a correct statement? **[NEET 2013]** 
  - (a) Herbarium houses dried, pressed and preserved plant specimens
  - (b) Botanical gardens have collection of living plants for reference
  - (c) A museum has collection of photographs of plants and animals
  - (d) Key is a taxonomic aid for identification of specimens
- **31.** Five kingdom system of classification suggested by R.H. Whittaker is not based on **[AIPMT 2014]** 
  - (a) Presence or absence of a well defined nucleus
  - (b) Mode of reproduction
  - (c) Mode of nutrition
  - (d) Complexity of body organization

#### Answers 1-a 4-b 5-c 7-b 8-c 10-d 2-c 3-d 6-a 9-a 11-a 12-d 13-d 14-d 15-c 16-d 17-d 18-a 19-c 20-b 22-a 27-a 21-d 23-b 24-c 25-b 26-b 28-c 29-a 30-c 31-a

5

# BIOLOGICAL CLASSIFICATION – KINGDOM PROTISTA

1.	The vector for sleeping sickness is	[1989]	8. What is true about Trypanosoma? [1990]
	(a) house fly (b) tse-tse fly		(a) Polymorphic (b) Monogenetic
	(c) sand fly (d) fruit fly		(c) Facultative parasite
2.	The infective state of malarial parasi	te Plas-	(d) Non-pathogenic
	modium that enters human body is		9. African sleeping sickness is due to [1991]
	(a) merozoite (b) sporozoite		(a) Plasmodium vivax transmitted by tse-tse
	(c) trophozoite (d) minuta form		fly
3.	Trypanosoma belongs to class	[1989]	(b) Trypanosoma lewsii transmitted by bed bug
	<ul><li>(a) Sarcodina</li><li>(b) Zooflagellata</li><li>(c) Ciliata</li><li>(d) Sporozoa</li></ul>	a	(c) Trypanosoma gambiense transmitted by Glossina palpalis
4.	Malaria fever coincides with liberati	ion of	(d) Entamoeba gingivalis spread by house fly
	<ul><li>(a) cryptomerozoites</li><li>(b) metacryptomerozoites</li><li>(c) merozoites</li><li>(d) trophozoites</li></ul>		10. Who discovered Plasmodium in RBC of human beings? [1991]
5	Plasmodium, the malarial parasite, l		(a) Ronald Ross (b) Mendel (c) Laveran (d) Stephen
٥.	to class	[1990]	
	(a) Sarcodina (b) Ciliata	1	11. Malignant tertian malaria is caused by [1991]
	(c) Sporozoa (d) Dinophyceae	e	<ul><li>(a) Plasmodium falciparum</li><li>(b) P. vivax</li></ul>
6.	Amoebiasis is prevented by	[1990]	(c) P. ovale (d) P. malariae
	<ul><li>(a) eating balanced food</li><li>(b) eating plenty of fruits</li><li>(c) drinking boiled water</li><li>(d) using mosquito nets</li></ul>	1	12. In Amoeba and Paramecium osmoregulation occurs through [1991, 2002]  (a) pseudopodia (b) nucleus  (c) contractile vacuole (d) general surface
7.	Genetic information in Paramecium tained in  (a) micronucleus (b) macronucleus (c) Paril (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	[ <b>1990</b> ]	13. The part of life cycle of malarial parasite Plasmodium vivax, that is passed in female Anopheles is [1992]
	(c) Both (a) & (b) (d) mitochondri	a	(a) sexual cycle

#### Trueman's AIPMT Biology Rebooster Specific

- (b) pre-erythrocytic schizogony
- (c) exo-erythrocytic schizogony
- (d) post-erythroeytic schizogony
- **14.** If all ponds and puddles are destroyed, the organism likely to be destroyed is **[1993]** 
  - (a) Leishmania
- (b) Trypanosoma
- (c) Ascaris
- (d) Plasmodium
- **15.** Entamoeba coli causes
- [1994]

- (a) pyorrhoea(c) dysentery
- (b) diarrhoea(d) None of these
- **16.** Protists obtain food as

[1994]

- (a) photosynthesizers, symbionts and holotrophs
- (b) photosynthesizers
- (c) chemosynthesizers (d) holotrophs
- 17. Protistan genome has

[1994]

- (a) membrane bound nucleoproteins embedded in cytoplasm
- (b) free nucleic acid aggregates
- (c) gene containing nucleoproteins condensed together in loose mass
- (d) nucleoprotein in direct contact with cell substance
- **18.** Macro and micronucleus are the characteristic feature of [1995, 2002, 05]
  - (a) Paramecium and Vorticella
  - (b) Opalina and Nictotherus
  - (c) Hydra and Balantidium
  - (d) Vorticella and Nictotherus
- **19.** Excretion in Amoeba occurs through [1995]
  - (a) lobopodia
- (b) uroid portion
- (c) plasma membrane
- (d) contractile vacuole

- **20.** Which of the following organisms possesses characteristics of both a plant and an animal?
  - (a) Bacteria
- (b) Mycoplasma [1995]
- (c) Euglena
- (d) Paramecium
- **21.** The chief advantage of encystment to an Amoeba is [2003]
  - (a) the chance to get rid of accumulated waste products
  - (b) the ability to survive during adverse physical conditions
  - (c) the ability to live for some time without ingesting food
  - (d) protection from parasites and predators
- **22.** When a fresh water protozoan possessing a contractile vacuole is placed in a glass containing marine water, the vacuole will [2004]
  - (a) increase in number (b) disappear
  - (c) increase in size
- (d) decrease in size
- **23.** What is common about Trypanosoma, Noctiluca, Monocystis and Giardia [2006]
  - (a) These are all unicellular protists
  - (b) They have flagella
  - (c) They produce spores
  - (d) These are all parasites
- 24. Single-celled eukaryotes are included in
  - (a) Protista
- (b) Fungi

[2010]

- (c) Archaea
- (d) Monera
- **25.** Which one of the following organisms is not an example of eukaryotic cells? [2011]
  - (a) Paramecium caudatum
  - (b) Escherichia coli
  - (c) Euglena viridis
  - (d) Amoeba proteus
- **26.** Which of the following sets of items in option 1-4 are correctly categorized with one exception in it?

Items	Category	Exception
(a) Kangaroo, Koala, Wombat	Australian marsupials	Wombat
(b) Plasmodium, Cuscuta, Trypanosoma	Protozoan parasites	Cuscuta
(c) Typhoid, Pneumonia, Diphtheria	Bacterial diseases	Diphtheria
(d) UAA, UAG, UGA	Stop codons	UAG

### www.freejobsportal.in

7

#### Trueman's AIPMT Biology Rebooster Specific

- 27. In which group of organisms the cells walls form two thin overlapping shells which fit together? [RE-AIPMT 2015]
  - (a) Slime moulds
  - (b) Chrysophytes
  - (c) Euglenoids

8

(d) Dinoflagellates

- **28.** Which of the following diseases is caused by a protozoan? **[RE-AIPMT 2015]** 
  - (a) Blastomycosis
  - (b) Syphilis
  - (c) Influenza
  - (d) Babesiosis

1-b 11-a	nswers .								
1-b	2 -b	3 <b>-</b> b	4 -c	5 -c	6 <b>-</b> c	7 -a	8 <b>-</b> a	9 <b>-</b> c	10 -c
11 -a	12 -c	13 -a	14 -d	15 -b	16 <b>-</b> a	17 -a	18 <b>-</b> a	19 -d	20 -с
	22 -b								

### **2C**

# BIOLOGICAL CLASSIFICATION – KINGDOM MONERA

(b) cell organization

(a) Azotobacter

(c) soil fungi

(c) mitochondrial structure

11. Non-symbiotic nitrogen fixers are

(d) homopolar bonds in their proteins

12. Nitrogen fixer soil organisms belong to

(b) Pseudomonas

(d) blue-green algae

[1994]

[1990] **1.** Which one belongs to Monera? (b) RNA and histones (c) a single double stranded DNA (a) Amoeba (b) Escherichia (d) a single stranded DNA (c) Gelidium (d) Spirogyra 7. Escherichia coli is used extensively in bio-2. A non-photosynthetic aerobic nitrogen fix-[1990,94, 97] logical research as it is [1993] ing soil bacterium is (a) easily cultured (b) easily available (a) Rhizobium (b) Clostridium (c) easy to handle (c) Azotobacter (d) Klebsiella (d) easily multiplied in host 3. The main difference in Gram (+)ve and Gram (-)ve bacteria resides in their [1990, 2001] **8.** Rickettsiae constitute a group under [1994] (a) cell wall (b) cell membrane (a) bacteria (b) viruses (d) flagella (c) cytoplasm (c) independent group between bacteria and viruses 4. Bacteria lack alternation of generation be-(d) fungi cause there is (a) neither syngamy nor reduction division 9. The term antibiotic was first used by [1994] (b) distinct chromosomes are absent (b) Pasteur (a) Fleming (c) no conjugation (c) Waksman (d) Lister (d) no exchange of genetic material 10. Temperature tolerance of thermal blue-green 5. Name the organisms which do not derive algae is due to [1994] energy directly or indirectly from sun (a) cell wall structure

[1991]

[1993]

(a) chemosynthetic bacteria

(a) histones and nonhistones

**6.** Genophore bacterial genome or nucleoid is

(b) pathogenic bacteria

(c) symbiotic bacteria

(d) mould

made of

- (a) mosses
- (b) bacteria
- (c) green algae
- (d) soil fungi
- 13. The plasmid

[1995]

- (a) helps in respiration
- (b) genes found inside nucleus
- (c) is a component of cell wall of bacteria
- (d) is the genetic part in addition to DNA in micro-organisms
- **14.** Azotobacter and Bacillus polymyxa are the examples of [1996]
  - (a) symbiotic nitrogen-fixers
  - (b) non-symbiotic nitrogen-fixers
  - (c) ammonifying bacteria
  - (d) disease-causing bacteria
- **15.** In bacterial chromosomes, the nucleic acid polymers are **[1996]** 
  - (a) linear DNA molecule
  - (b) circular DNA molecule
  - (c) of two types-DNA and RNA
  - (d) linear RNA molecule
- **16.** Sex factor in bacteria is

[1996]

- (a) chromosomal replicon
- (b) F-replicon
- (c) RNA
- (d) sex-pilus
- **17.** The site of respiration in bacteria is [1997]
  - (a) episome
- (b) mesosome
- (c) ribosome
- (d) microsome
- **18.** The hereditary material present in the bacterium Escherichia coli is [1997,98]
  - (a) single stranded DNA
  - (b) deoxyribose sugar
  - (c) double stranded DNA
  - (d) single stranded.RNA
- **19.** The main role of bacteria in the carbon cycle involves [1998]
  - (a) photosynthesis
  - (b) chemosynthesis
  - (c) digestion or breakdown of organic compounds
  - (d) assimilation of nitrogenous compounds

- **20.** Two bacteria found to be very useful in genetic engineering experiments are **[1998]** 
  - (a) Escherichia and Agrobacterium
  - (b) Nitrobacter and Azotobacter
  - (c) Rhizobium and Diplococcus
  - (d) Nitrosomonas and Klebsiella
- 21. Transfer of genetic information from one bacterium to another in the transduction process is through [1998]
  - (a) conjugation
  - (b) bacteriophages released from the donor bacterial strain
  - (c) another bacterium
  - (d) physical contact between donor and recipient strain
- **22.** A few organisms are known to grow and multiply at temperatures of 100-105°C. They belong to [1998]
  - (a) marine archaebacteria
  - (b) thermophilic sulphur bacteria
  - (c) hot-spring blue-green algae (cyanobacteria)
  - (d) thermophilic, subaerial fungi
- 23. Due to which of the following organisms, yield of rice has been increased? [1998]
  - (a) Anabaena
  - (b) Bacillus papilliae
  - (c) Sesbania
  - (d) Bacillus polymyxa
- **24.** Photosynthetic bacteria have pigments in **[1999]** 
  - (a) leucoplasts
- (b) chloroplasts
- (c) chromoplasts (d) chromatophores
- 25. Plasmid is

[2000,01]

- (a) fragment of DNA which acts as vector
- (b) fragment which joins two genes
- (c) mRNA which acts as carrier
- (d) autotrophic fragment
- **26.** What is true for cyanobacteria?

[2001]

- (a) Oxygenic with nitrogenase
- (b) Oxygenic without nitrogenase

- (c) Non-oxygenic with nitrognase
- (d) Non-oxygenic without nitrogenase
- **27.** What is true for archaebacteria? [2001]
  - (a) All halophiles (b) All photosynthetic
  - (c) All fossils
- (d) Oldest living beings
- 28. The semilog of per minute growing bacteria is plotted against time. What will be the shape of graph? [2002]
  - (a) Sigmoid
- (b) Hyperbola
- (c) Ascending straight line
- (d) Descending straight line
- **29.** Which statement is correct for bacterial transduction? [2002]
  - (a) Transfer of some genes from one bacteria to another bacteria through virus
  - (b) Transfer of genes from one bacteria to another bacteria by conjugation
  - (c) Bacteria obtained its DNA directly
  - (d) Bacteria obtained DNA from other external source
- **30.** In bacteria, plasmid is

[2002]

- (a) extra-chromosomal material
- (b) main DNA
- (c) non-functional DNA
- (d) repetitive gene
- **31.** Which bacteria is utilized in gobar gas plant? [2002]
  - (a) Methanogens
  - (b) Nitrifying bacteria
  - (c) Ammonifying bacteria
  - (d) Denitrifying bacteria
- **32.** Choose the correct sequence of stages of growth curve for bacteria [2002]
  - (a) lag, log, stationary, decline phase
  - (b) lag, log, stationary phase
  - (c) stationary, lag, log, decline phase
  - (d) decline, lag, log phase
- **33.** Chromosomes in a bacterial cell can be 1-3 in number and **[2003]** 
  - (a) can be circular as well as linear within the same cell

- (b) are always circular
- (c) are always linear
- (d) can be either circular or linear, but never both within the same cell
- **34.** The most thoroughly studied of the known bacteria-plant interactions is the **[2004]** 
  - (a) cyanobacterial symbiosis with some aquatic ferns
  - (b) gall formation on certain angiosperms by Agrobacterium
  - (c) nodulation of Sesbania stems by nitrogen fixing bacteria
  - (d) plant growth stimulation by phosphate solublising bacteria
- **35.** Which one of the following pairs is not correctly matched? **[2004]** 
  - (a) Streptomyces Antibiotic
  - (b) Serratia Drug addiction
  - (c) Spirulina Single cell protein
  - (d) Rhizobium Biofertilizer
- **36.** For retting of jute the fermenting microbe used is [2005]
  - (a) Methophilic bacteria
  - (b) Butyric acid bacteria
  - (c) Helicobacter pylori
  - (d) Streptococcus lactis
- 37. All of the following statements concerning the Actinomycetes filamentous soil bacterium and Frankia are correct except that Frankia [2005]
  - (a) can induce root nodules on many plant species
  - (b) cannot fix nitrogen in the free-living state
  - (c) forms specialized vesicles in which the nitrogenase is protected from oxygen by a chemical involving triterpene hepanoids
  - (d) like Rhizobium, it usually infects its host plant through root hair deformation and stimulates cell proliferation in the host's cortex

- **38.** Basophilic prokaryotes
- [2005]
- (a) grow slowly in highly alkaline frozen lakes at high altitudes
- (b) occur in water containing high concentrations of barium hydroxide
- (c) grow and multiply in very deep marine sediments
- (d) readily grown and divides in sea water enriched in any soluble salt of barium
- **39.** Which antibiotic inhibits interaction between tRNA and mRNA during bacterial protein synthesis? [2006]
  - (a) Neomycin
- (b) Streptomycin
- (c) Tetracycline
- (d) Erythromycin
- **40.** The bacterium (Clostridium botulinum) that causes botulism is **[2006]** 
  - (a) a facultative anaerobe
  - (b) an obligate anaerobe
  - (c) a facultative aerobe
  - (d) an obligate aerobe
- **41**. Which one of the following pairs is not correct matched? **[2007]** 
  - (a) Methanogens Gobar gas
  - (b) Yeast Ethanol
  - (c) Streptomycetes Antibiotic
  - (d) Coliforms Vinegar
- **42.** Which one of the following statements about mycoplasma is wrong? [2007]
  - (a) They are also called PPLO
  - (b) They are pleomorphic
  - (c) They are sensitive to penicillin
  - (d) They cause disease in plants
- 43. In the light of recent classification of living organisms into three domains of life (bacteria, archaea and eukarya), which one of the following statement is true about archaea?
  - [2008]
  - (a) Archaea resemble eukarya in all respects
  - (b) Archaea have some novel features that are absent in other prokaryotes and eukaryotes

- (c) Archaea completely differ from both prokaryotes and eukaryotes
- (d) Archaea completely differ from prokaryotes
- **44.** Thermococcus, Methanococcus and Methanobacterium exemplify **[2008]** 
  - (a) archaebacteria that contain protein homologous to eukaryotic core histones
  - (b) archaebacteria that lack any histones resembling those found in eukaryotes but whose DNA is negatively supercoiled
  - (c) bacteria whose DNA is relaxed or positively supercoiled but which have a cytoskeleton as well as mitochondria
  - (d) bacteria that contain a cytoskeleton and ribosomes
- **45.** Bacterial leaf blight of rice is caused by a species of [2008]
  - (a) Xanthomonas (b) Pseudomonas
  - (c) Alternaria
- (d) Erwinia
- **46.** Consider the following four measures (A-D) that could be taken to successfully grow chick pea in an area where bacterial blight disease is common [2008]
  - (A) Spray with Bordeaux mixture
  - (B) Control of the "insect vector of the disease pathogen"
  - (C) Use of only disease-free seeds
  - (D) Use of varieties resistant to the disease Which two of the above measures can control the disease?
  - (a) B and C
- (b) A and B
- (c) C and D
- (d) A and D
- **47.** Membrane-bound organelles are absent in : [Pre. 2010]
  - (a) Saccharomyces
- (b) Streptococcus
- (c) Chlamydomonas
- (d) Plasmodium
- **48.** Some hyperthermophilic organisms that grow in highly acidic (pH=2) habitats belong to the two groups: **[Pre. 2010]** 
  - (a) Eubacteria and archaea
  - (b) Cyanobacteria and diatoms

- (c) Protists and mosses
- (d) Liverworts and yeasts
- **49.** Which one of the following is a wrong matching of a microbe and its industrial product, while the remaining three are correct? [Pre. 2011]
  - (a) Aspergillus niger citric acid
  - (b) Yeast Statins
  - (c) Acetobacter aceti- acetic acid
  - (d) Clostridium butylicum lactic acid
- **50.** Which of the following are used in gene cloning? **[Mains 2010]** 
  - (a) Lomasomes
- (b) Mesosmes
- (c) Plasmids
- (d) Nucleoids
- **51.** Which one of the following cannot be used for preparation of vaccines against plague? [Mains 2010]
  - (a) Avirulent live bacteria
  - (b) Synthetic capsular polysaccharide material
  - (c) Heat-killed suspension of virulent bacteria
  - (d) Formalin-inactivated suspensions of virulent bacteria
- **52.** Select the correct combination of the statement (a-d) regarding the *characteristics* of certain organisms [Mains 2010]
  - (1) Methanogens are Archaebacteria which produce methane in marshy areas
  - (2) Nostoc is filamentous blue-green alga which fixes atmospheric nitrogen
  - (3) Chemosynthetic autotrophic bacteria synthesize cellulose from glucose
  - (4) Mycoplasma lack cell wall and can survive without oxygen

The correct statements are:

- (a) (1), (2), (3)
- (b) (2), (3), (4)
- (c) (1), (2), (4)
- (d) (2), (3)
- **53.** A prokaryotic autotrophic nitrogen fixing symbiont is found in **[Pre. 2011]** 
  - (a) Alnus
- (b) Cycas
- (c) Cicer
- (d) Pisum

- **54.** In eubacteria, a cellular component that resemble eukaryotic cell is:- [Pre. 2011]
  - (a) Plasma membrane (b) Nucleus
  - (c) Ribosomes
- (d) Cell wall
- **55.** Organisms called Methanogens are most abundant in a **[Pre. 2011]** 
  - (a) Sulphur rock
- (b) Cattle yard
- (c) Polluted stream
- (d) Hot spring
- **56.** Maximum nutritional diversity is found in the group [Pre. 2012]
  - (a) Monera
- (b) Plantae
- (c) Fungi
- (d) Animalia
- 57. Nuclear membrane is absent in [Pre. 2012]
  - (a) Volvox
- (b) Nostoc
- (c) Penicillium
- (d) Agaricus
- **58.** Which one of the following does not differ in *E.coli* and *Chlamydomonas*? [Pre. 2012]
  - (a) Cell wall
- (b) Cell membrane
- (c) Ribosomes
- (d) Chromosomal Organization
- **59.** The cyanobacteria are also referred to as
  - (a) Slime moulds

[Pre. 2012]

- (b) Blue green algae
- (c) Protists
- (d) Golden algae
- **60.** The most abundant prokaryotes helpful to humans in making curd from milk and in production of antibiotics are ones categorised as **[Pre. 2012]** 
  - (a) Chemosynthetic autotrophs
  - (b) Heterotrophic bacteria
  - (c) Cyanobacteria
  - (d) Archaebacteria
- **61.** Besides paddy fields, cyanobacteria are also found inside vegetative part of **[2013]** 
  - (a) Pinus
- (b) Cycas
- (c) Equisetum
- (d) Psilotum
- **62.** Pigment-containing membranous extensions in some cyanobacteria are **[2013]** 
  - (a) Heterocysts
- (b) Basal bodies
- (c) Pneumatophores
- (d) Chromatophores

#### Trueman's AIPMT Biology Rebooster Specific

- **63.** Which of the following are likely to be present in deep sea water? [2013]
  - (a) Archaebacteria

14

- (b) Eubacteria
- (c) Blue-green algae
- (d) Saprophytic fungi
- **64.** Archaebacteria differ from eubacteria in **[AIPMT 2014]** 
  - (a) Cell membrane structure
  - (b) Mode of nutrition
  - (c) Cell shape
  - (d) Mode of reproduction
- **65.** Which one of the following living organisms completely lacks a cell wall? [AIPMT 2014]
  - (a) Cyanobacteria (b) Sea fan (Gorgonia)
  - (c) Saccharomyces
  - (d) Blue green algae
- **66.** The motile bacteria are able to move by **[AIPMT 2014]** 
  - (a) Fimbriae
- (b) Flagella
- (c) Cilia
- (d) Pili

- **67.** True nucleus is absent in: [AIPMT 2015]
  - (a) Mucor
- (b) Vaucheria
- (c) Volvox
- (d) Anabaena
- **68.** Cell wall is absent in: **[RE-AIPMT 2015]** 
  - (a) Nostoc
- (b) Aspergillus
- (c) Funaria
- (d) Mycoplasma
- **69.** The structures that help some bacteria to attach to rocks and/or host tissues are:

#### [RE-AIPMT 2015]

- (a) Holdfast
- (b) Rhizoids
- (c) Fimbriae
- (d) Mesosomes
- **70.** Pick up the wrong statement:

#### [RE-AIPMT 2015]

- (a) Nuclear membrane is present in Monera
- (b) Cell wall is absent in Animalia
- (c) Protista have photosynthetic and heterotrophic modes of nutrition
- (d) Some fungi are edible

	nswers_								
1-b	2 -c	3 -a	4 -a	5 -a	6 -c	7 -a	8 -a	9 <b>-</b> c	10 -a
11 -a	12 -b	13 -d	14 -b	15 -b	16 -b	17 -b	18 -c	19 <b>-</b> c	20 -a
21 -b	22 -a	23 -a	24 -d	25 -a	26 -a	27 -d	28 -c	29 -a	30 -a
31 -a	32 -a	33 -b	34 -b	35 -b	36 -b	37 -b	38 -c	39 -a	40 -b
41 -d	42 -c	43 -b	44 -a	45 -a	46 -c	47 -b	48 -a	49 -d	50 -c
51 -c	52 -c	53 -b	54 -a	55 -b	56 -a	57 -b	58 -b	59 -b	60 <b>-</b> b
61 -b	62 -d	63 -a	64 - a	65 -b	66 - b	67 - d	68 - d	69 <b>-</b> c	70 -a



# BIOLOGICAL CLASSIFICATION – KINGDOM FUNGI

- 1. Absorptive heterotrophic nutrition is exhibited by [1990]
  - (a) algae
- (b) fungi
- (c) bryophytes
- (d) pteridophytes
- 2. Ustilago caused plant diseases are called smuts because [1994]
  - (a) they parasitise cereals
  - (b) mycelium is black
  - (c) they develop sooty masses of spores
  - (d) affected parts become completely black
- **3.** Decomposers are organisms that [1994]
  - (a) elaborate chemical substances, causing death of tissues
  - (b) operate in living body and simplifying organic substances of cells step by step
  - (c) attack and kill plants as well as animals
  - (d) operate in relay terms, simplifying step by step the organic constituents of dead body
- **4.** Claviceps purpurea is causal organism of **[1994]** 
  - (a) smut of barley
  - (b) rust of wheat
  - (c) ergot of rye
  - (d) powdery mildew of pea
- 5. The chemical compounds produced by the host plants to protect themselves against fungal infection is [1995]

- (a) phytotoxin
- (b) pathogen
- (c) phytoalexins
- (d) hormone
- **6.** White rust disease is caused by
- [1995]

- (a) Claviceps
- (b) Alternaria
- (c) Phytophthora (d) Albugo candida
- 7. Most of the lichens consist of
- [1997]
  - (a) blue-green algae and Basidomycetes
  - (b) blue-green algae and Ascomycetes
  - (c) red algae and Ascomycetes
  - (d) brown algae and Phycomycetes
- **8.** Yeast-Saccharomyces cerevisiae is used in the industrial production of [1998]
  - (a) citric acid
- (b) tetracycline
- (c) ethanol
- (d) butanol
- 9. Which one of the following micro-organisms is used for production of citric acid in industries? [1998]
  - (a) Penicillium citrinum
  - (b) Aspergillus niger
  - (c) Rhizopus nigricans
  - (d) Lactobacillus bulgaricus
- **10.** Puccinia forms

[1998]

- (a) uredia and aecia on wheat leaves
- (b) uredia and telia on wheat leaves
- (c) uredia and aecia on barbery leaves
- (d) uredia and pycnia on barbery leaves

### www.freejobsportal.in

(a) Pythium

(b) Xanthomonas

(iv) Relative humidity of about 95%

(vi) A brightly illuminated place

(v) A shady place

- (c) Pseudomonas
- (d) Saccharomyces
- **24.** Which one is the *wrong* pairing for the disease and its causal organism? [2009]
  - (a) Loose smut of wheat Ustilago nuda
  - (b) Root-knot of vegetables Meloidogyne sp
  - (c) Late blight of potato Alternaria solani
  - (d) Black rust of wheat Puccinia graminis
- **25.** An example of endomycorrhiza is?

#### [Mains 2010]

- (a) Glomus
- (b) Agaricus
- (c) Rhizobium
- (d) Nostoc
- 26. Black (stem) rust of wheat is caused by

#### [Mains 2010]

- (a) Ustilago nuda
- (b) Puccinia graminis
- (c) Xanthomonas oryzae
- (d) Alternaria solani
- **27.** Ethanol is commercially produced through a particular species of **[Pre. 2011]** 
  - (a) Saccharomyces
  - (b) Clostridium
  - (c) Trichoderma
  - (d) Aspergillus
- **28.** Which one of the following is wrongly matched [Pre. 2011]
  - (a) Root pressure Guttation
  - (b) Puccinia Smut
  - (c) Root Exarch
  - (d) Cassia Imbricate aestivation
- 29. Yeast is used in the production of
  - (a) Bread and beer

[Pre. 2012]

- (b) Cheese and butter
- (c) Citric acid and lactic acid
- (d) Lipase and pectinase
- **30.** Which one single organism or the pair of organisms is correctly assigned to its or their named taxonomic group? [Pre. 2012]
  - (a) *Yeast* used in making bread and beer is a fungus

- (b) *Nostoc* and *Anabaena* are examples of protista
- (c) *Paramecium* and *Plasmodium* belong to the same kingdom as that of *Penicillium*
- (d) Lichen is a composite organism formed from the symbiotic association of an algae and a protozoan
- **31.** *Monascus purpureus* is a yeast used commercial in the production of **[Pre. 2012]** 
  - (a) Citric acid
  - (b) Blood chlolesterol lowering statins
  - (c) Ethanol
  - (d) Streptokinase for removing clots from the blood vessels.
- **32.** A good producer of citric acid is **[2013]** 
  - (a) Aspergillus
  - (b) Pseudomonas
  - (c) Clostridium
  - (d) Saccharomyces
- **33.** Which one of the following fungi contains hallucinogens? **[AIPMT 2014]** 
  - (a) Morchella esculenta
  - (b) Amanita muscaria
  - (c) Neurospora sp.
  - (d) Ustilago sp.
- **34.** Which one one of the following matches is correct? **[AIPMT 2015]** 
  - (a) Alternaria Sexual reproduction absent Deuteromycetes
  - (b) Mucor Reproduction by Conjugation Ascomycetes
  - (c) Agaricus Parasitic fungus -Basidiomycetes
  - (d) Phytophthora Aseptate mycelium Basidiomycetes
- **35.** The imperfect fungi which are decomposers of litter and help in mineral cycling belong to: [RE-AIPMT 2015]
  - (a) Ascomycetes
- (b) Deuteromycetes
- (c) Basidiomycetes
- (d) Phycomycetes

#### Trueman's AIPMT Biology Rebooster Specific

- **36.** Which the following are most suitable indicator of SO<sub>2</sub> pollution in the environment? [RE-AIPMT 2015]
  - (a) Fungi
- (b) Lichens
- (c) Conifers
- (d) Algae
- **37.** Which one is a wrong statement?

#### [RE-AIPMT 2015]

- (a) Brown algae have chlorophyll a and c, and fucoxanthin
- (b) Archegonia are found in Bryophyta, Pteridophyta and Gymnosperms
- (c) Mucor has biflagellate zoospores

- (d) Haploid endosperm is typical feature of gymnosperms
- **38.** Choose the wrong statement:

#### [RE-AIPMT 2015]

- (a) Yeast is unicellular and useful in fermentation
- (b) Penicillium is multicellular and produces antibiotics
- (c) Neurospora is used in the study of biochemical genetics
- (d) Morels and truffles are poisonous mushrooms

(	)A	nswers _ 2-c 12-a								
	1-b	2-c	3-d	4-c	5-c	6-d	7-b	8-c	9-b	10-b
	11-a	12-a	13-a	14-a	15-a	16-a	17-a	18-a	19 <b>-</b> d	20-a
	21-b	22-d	23-a	24-c	25-a	26-b	27-a	28-b	29-a	30-a
	31-b	32-a	33-b	34-a	35-b	36-b	37 <b>-</b> c	38-d		

### www.freejobsportal.in

18

### **2E**

#### BIOLOGICAL CLASSIFICATION - VIRUS

4	D		
1.	Keverse	transcriptase	1S

#### [1994]

- (a) RNA dependent RNA polymerase
- (b) DNA dependent RNA polymerase
- (c) DNA dependent DNA polymerase
- (d) RNA dependent DNA polymerase
- 2. Tobacco Mosaic Virus (TMV) genes are

#### [1994]

- (a) double stranded RNA
- (b) single stranded RNA
- (c) polyribonucleotides
- (d) proteinaceous

3. Interferons are

#### [1996]

- (a) antiviral proteins
- (b) antibacterial proteins
- (c) anticancer proteins
- (d) complex proteins
- **4.** In which one of the following pairs of diseases both are caused by viruses? [1996]
  - (a) Tetanus and typhoid
  - (b) Whooping cough and sleeping sickness
  - (c) Syphilis and AIDS
  - (d) Measles and rabies
- 5. Influenza virus has

#### [1996]

- (a) DNA
- (b) RNA
- (c) Both (a) and (b)
- (d) only proteins and no nucleic acids

- **6.** Which one of the following statements about viruses is correct? [1997]
  - (a) Viruses possess their own metabolic system
  - (b) Viruses contain either DNA or RNA
  - (c) Viruses are facultative parasites
  - (d) Viruses are readily killed by antibiotics
- 7. Human Immunodeficiency Virus (HIV) has a protein coat and a genetic material which is [1998]
  - (a) single stranded DNA
  - (b) single stranded RNA
  - (c) double stranded RNA
  - (d) double stranded DNA
- 8. Small proteins produced by vertebrate cells naturally in response to viral infections and which inhibit multiplication of viruses are called [2000]
  - (a) immunoglobulins
  - (b) interferons
  - (c) antitoxins
  - (d) lipoproteins
- 9. Cauliflower mosaic virus contains [2001]
  - (a) ssRNA
  - (b) dsRNA
  - (c) dsDNA
  - (d) ssDNA


- **10.** Interferons are synthesized in response to **[2001]** 
  - (a) mycoplasma
- (b) bacteria
- (c) viruses
- (d) fungi
- **11.** Which one of the following statements about viruses is correct? **[2003]** 
  - (a) Nucleic acid of viruses is known as capsid
  - (b) Viruses possess their own metabolic system
  - (c) All viruses contain both RNA and DNA
  - (d) Viruses are obligate parasites
- **12.** Viruses are no more "alive" than isolated chromosomes because [2003]
  - (a) both require the environment of a cell to replicate
  - (b) they require both RNA and DNA
  - (c) they both need food molecules
  - (d) they both require oxygen for respiration
- **13.** Tobacco mosaic virus is a tubular filament of size [2003]
  - (a)  $700 \times 30 \text{ nm}$
- (b)  $300 \times 10 \text{ nm}$
- (c)  $300 \times 5 \text{ nm}$
- (d)  $300 \times 18 \text{ nm}$
- **14.** Which of the following statements is not true for retroviruses? **[2004]** 
  - (a) DNA is not present at any stage in the life cycle of retroviruses
  - (b) Retroviruses carry gene for RNA dependent DNA polymerase
  - (c) The genetic material in mature retroviruses is RNA
  - (d) Retroviruses are causative agents for certain kinds of cancer in man
- **15.** Viruses that infect bacteria, multiply and cause their lysis, are called **[2004]** 
  - (a) lysozymes
- (b) lytic
- (c) lipolytic
- (d) lysogenic
- **16.** The causative agent of mad-cow disease is a **[2006]** 
  - (a) bacterium
- (b) prion
- (c) worm
- (d) virus

- **17.** Which of the following is a pair of viral diseases? **[2009]** 
  - (a) Dysentery, Common cold
  - (b) Typhoid, Tuberculosis
  - (c) Ringworm, AIDS
  - (d) Common cold, AIDS
- **18.** T.O. Diener discovered a : [2009]
  - (a) Infectious protein
  - (b) Bacteriophage
  - (c) Free infectious RNA
  - (d) Free infectious DNA
- **19.** Virus envelope is known as: [Pre. 2010]
  - (a) Capsid
- (b) Virion
- (c) Nucleoprotein (d) Core
- **20.** Which one of the following does not follow the central dogma of molecular biology?

[Pre. 2010]

- (a) Pea
- (b) Mucor
- (c) Chlamydomonas
- (d) HIV
- 21. Infectious proteins are present in: [Pre. 2010]
  - (a) Gemini viruses
- (b) Prions
- (c) Viroids
- (d) Satellite viruses
- **22.** Given below is the diagram of a bacteriophage. In which one of the options all the four parts A, B, C and D are correct?

[Mains 2010]



#### Options:

	A	В	C	D
(1)	Sheath	Collar	Head	Tail fibres
(2)	Head	Sheath	Collar	Tail fibres
(3)	Collar	Tail fibres	Head	Sheath
(4)	Tail fibres	Head	Sheath	Collar

#### Trueman's AIPMT Biology Rebooster Specific

21

**23.** The unequivocal proof of DNA as the genetic material came from the studies on a:

#### [Mains 2011]

- (a) Bacterial virus (b) Bacterium
- (c) Fungus
- (d) Viroid
- **24.** Common cold is not cured by antibiotics because it is: [Mains 2011]
  - (a) not an infectious disease
  - (b) caused by a virus
  - (c) caused by a Gram-positive bacterium
  - (d) caused by a Gram-negative bacterium
- **25.** Which statement is wrong for viruses?

[Pre. 2012]

- (a) They have ability to synthesize nucleic acids and proteins
- (b) Antibiotics have no effect on them
- (c) All are parasites
- (d) All of them have helical symmetry
- **26.** Which part would be most suitable for raising virus-free plants for micropropagation? [Pre. 2012]
  - (a) Meristem
  - (b) Node

- (c) Bark
- (d) Vascular tissue
- **27.** Which of the following shows coiled RNA strand and capsomeres? [AIPMT 2014]
  - (a) Polio virus
  - (b) Tobacco mosaic virus
  - (c) Measles virus
  - (d) Retrovirus
- 28. Viruses have

#### [AIPMT 2014]

- (a) DNA enclosed in a protein coat
- (b) Prokaryotic nucleus
- (c) Single chromosome
- (d) Both DNA and RNA
- **29.** Select the wrong statement:

#### [RE-AIPMT 2015]

- (a) Mosaic disease in tobacco and AIDS in human being are caused by viruses
- (b) The viroids were discovered by D.J. Ivanowski
- (c) W.M. Stanley showed that viruses could be crystallized
- (d) The term 'contagium vivum fluidum' was coined by M.W. Beijerinek

(	A	nswers _ 2-b 12-a								
1	1-d	2-b	3-a	4-d	5-b	6-b	7-b	8-b	9-c	10-c
	11-d	12-a	13-d	14-a	15-b	16-b	17-d	18-c	19 <b>-</b> a	20-d
		22-b								

3

#### PLANT KINGDOM

1.	In Pinus /	gymnosperms, the haploid struc-
	ture are	[1989]

- (a) megaspore, endosperm and embryo
- (b) megaspore, pollen grain and endosperm
- (c) megaspore, integument and root
- (d) pollen grain, leaf and root
- Sperms of both Funaria and Pteris were released together near the archegonia of Pteris.
   Only Pteris sperms enter the archegonia as [1989]
  - (a) Pteris archegonia repel Funaria sperms
  - (b) Funaria sperms get killed by Pteris sperms
  - (c) Funaria sperms are less mobile
  - (d) Pteris archegonia release chemical to attract its sperms
- **3.** Evolutionary important character of Selaginella is [1989]
  - (a) heterosporous nature
  - (b) rhizophore
  - (c) strobili
  - (d) ligule
- **4.** Moss peristome takes part in [1990]
  - (a) spore dispersal (b)
    - (b) photosynthesis
  - (c) protection
- (d) absorption
- **5.** Apophysis in the capsule of Funaria is **[1990]** 
  - (a) lower part
- (b) upper part
- (c) middle part
- (d) fertile part

- **6.** Protonema occurs in the life cycle of
  - [1990, 93]

- (a) Riccia
- (b) Funaria
- (c) Chlamydomonas
- (d) Spirogyra
- 7. The product of conjugation in Spirogyra or fertilization of Chlamydomonas is [1991]
  - (a) zygospore
- (b) zoospore
- (c) oospore
- (d) carpospore
- 8. The common mode of sexual reproduction in Chlamydomonas is [1991]
  - (a) isogamous
- (b) anisogamous
- (c) oogamous
- (d) hologamous
- 9. Which one has the largest gametophyte? [1991]
  - (a) Cycas
- (b) Angiosperm
- (c) Selaginella
- (d) Moss
- **10.** Bryophytes are amphibians because

[1991, 96]

- (a) they require a layer of water for carrying out sexual reproduction
- (b) they occur in damp places
- (c) they are mostly aquatic
- (d) All of the above
- **11.** The plant group that produces spores and embryo but lacks vascular tissues and seeds is **[1992]**

[1993]

[1993]

[1993]

[1994]

[1994]

[1994]

[1994]

(b) Azotobacter

(d) Anabaena

(b) Rhodophyta **19.** Pyrenoids are the centres for formation of (a) Pteridophyta (c) Bryophyta (d) Phaeophyta (a) porphyra (b) enzymes 12. In Pinus, the pollen grain has 6 chromosomes (c) fat (d) starch then its endosperm will have the chromosome **20.** Chloroplast of *Chlamydomonas* is (a) 12 (b) 18 (a) stellate (b) cup-shaped (d) 24 (c) 6 (c) collar-shaped (d) spiral 13. A plant having seeds but lacking flowers and 21. *Pinus* differs from mango in having [1993] fruits belongs to [1992] (a) tree habit (a) pteridophytes (b) green leaves (b) mosses (c) ovules not enclosed in ovary (c) ferns (d) wood (d) gymnosperms 22. Which one is the most advanced from evolu-14. Resin and terpentine are obtained from tionary point of view? [1992] (a) Selaginella (a) Cycas (b) Pinus (b) Funaria (c) Cedrus (d) Abies (c) Chlamydomonas **15.** Which one of the following is not common (d) Pinus between Funaria and Selaginella? [1992] 23. The 'wing' of *Pinus* seed is derived from (a) Archegonium (b) Embryo (a) testa (c) Flagellate sperms (b) testa and tegmen (d) Roots (c) surface of ovuliferous scale (d) All of the above **16.** A plant in which sporophytic generation is represented by zygote is [1992] **24.** Unique features of bryophytes is that they (a) Pinus (b) Selaginella (a) produce spores (c) Chlamydomonas (b) have sporophyte attached to gameto-(d) Dryopteris phyte (c) lack roots 17. In *Ulothrix / Spirogyra*, reduction division (d) lack vascular tissues (meiosis) occurs at the time of [1993] (a) gamete formation 25. In Chlorophyceae, sexual reproduction oc-(b) zoospore formation curs by (c) zygospore germination (a) isogamy and anisogamy (d) vegetative reproduction (b) isogamy, anisogamy and oogamy (c) oogamy only 18. Pteridophytes differ from mosses / bryophytes in possessing [1993] (d) anisogamy and oogamy (a) independent gametophyte **26.** Which of the following cannot fix nitrogen? (b) well developed vascular system (c) archegonia

(d) flagellate spermatozoids

(a) Nostoc

(c) Spirogyra

### Trueman's AIPMT Biology Rebooster Specific

- **27.** A well developed archegonium with neck consisting of 4-6 rows of neck canal cells, characterises [1995]
  - (a) gymnosperms only
  - (b) bryophytes and pteridophytes
  - (c) pteridophytes and gymnosperms
  - (d) gymnosperms and flowering plants
- 28. Agar is commercially obtained from [1995]
  - (a) red algae

24

- (b) green algae
- (c) brown algae
- (d) blue-green algae
- **29.** The absence of chlorophyll, in the lowermost cell of *Ulothrix*, shows [1995]
  - (a) functional fission
  - (b) tissue formation
  - (c) cell characteristic
  - (d) beginning of labour division
- **30.** The plant body of moss (Funaria) is

[1995, 2006]

- (a) completely sporophyte
- (b) completely gametophyte
- (c) predominantly sporophyte with gametophyte
- (d) predominantly gametophyte with sporophyte
- **31.** Which one of the following is a living fossil? **[1996]** 
  - (a) Pinus
- (b) Opuntia
- (c) Ginkgo
- (d) Thuja
- **32.** Blue-green algae belong to [1996]
  - (a) eukaryotes
  - (b) prokaryotes
  - (c) Rhodophyceae
  - (d) Chlorophyceae
- 33. In which one of these the elaters are present along with mature spores in the capsule (to help in spore dispersal)? [1996]
  - (a) Riccia
  - (b) Marchantia
  - (c) Funaria
- (d) Sphagnum

**34.** *Ulothrix* filaments produce

[1997]

- (a) isogametes
- (b) anisogametes
- (c) heterogametes
- (d) basidiospores
- **35.** An alga very rich in protein is

[1997]

- (a) Spirogyra
- (b) *Ulothrix*
- (c) Oscillatoria
- (d) Chlorella
- **36.** Bryophytes can be separated from algae because they [1997]
  - (a) are thalloid forms
  - (b) have no conducting tissue
  - (c) possess archegonia with outer layer of sterile cells
  - (d) contain chloroplasts in their cells
- **37.** Which one of the following is a living fossil? **[1997]** 
  - (a) Pinus longifolia
  - (b) Dalbergia sissoo
  - (c) Mirabilis
  - (d) Ginkgo biloba
- **38.** Brown algae is characterized by the presence of [1997]
  - (a) phycocyanin
  - (b) phycoerythrin
  - (c) fucoxanthin
  - (d) haematochrome
- **39.** Multicellular branched rhizoids and leafy gametophytes are characteristics of **[1997]** 
  - (a) all bryophytes
  - (b) some bryophytes
  - (c) all pteridophytes
  - (d) some pteridophytes
- **40.** Bryophytes are dependent on water because **[1998]** 
  - (a) water is essential for fertilization for their homosporous nature
  - (b) water is essential for their vegetative propagation

#### Trueman's AIPMT Biology Rebooster Specific

25

- (c) the sperms can easily reach upto egg in the archegonium
- (d) archegonium has to remain filled with water for fertilization
- **41.** Which one of the following statements about Cycas is incorrect? [1998]
  - (a) It does not have a well-organised female flower
  - (b) It has circinate vernation
  - (c) Its xylem is mainly composed of xylem vessels
  - (d) Its roots contain some blue-green algae
- 42. Largest sperms in the plant world are found [1998]
  - (a) Pinus
- (b) Banyan
- (c) Cycas
- (d) Thuja
- [1998] **43.** Ulothrix can be described as a
  - (a) non-motile colonial alga lacking zoospores
  - (b) filamentous alga lacking flagellated reproductive stages
  - (c) membranous alga producing zoospores
  - (d) filamentous alga with flagellated reproductive stages
- **44.** Bryophytes comprise

[1999]

- (a) sporophyte of longer duration
- (b) dominant phase of sporophyte which is parasitic
- (c) dominant phase of gametophyte which produces spores
- (d) small sporophyte phase generally parasitic on gametophyte
- **45.** Which of the following is true about bryophytes? [1999]
  - (a) They possess archegonia
  - (b) They contain chloroplast
  - (c) They are thalloid
  - (d) All of the above
- **46.** The "walking fern" is so named because

(a) it is dispersed through the agency of walking animals

- (b) it propagates vegetatively by its leaf tips
- (c) it knows how to walk by itself
- (d) its spores are able to walk
- **47.** The antherozoids of Funaria are [1999]
  - (a) aciliated
  - (b) biflagellated
  - (c) multiciliated
  - (d) monociliated
- **48.** Dichotomous branching is found in [1999]
  - (a) fern
- (b) Funaria
- (c) liverworts
- (d) Marchantia
- **49.** In which of the following would you place the plants having vascular tissue, lacking seeds? [1999]
  - (a) Algae
- (b) Bryophytes
- (c) Pteridophytes (d) Gymnosperms
- 50. Columella is a specialised structure found in the sporangium of [1999]
  - (a) Ulothrix
- (b) Rhizopus
- (c) Spirogyra
- (d) None of these
- **51.** The largest ovules, largest male and female gametes and largest plants are found among [2000]
  - (a) angiosperms
  - (b) tree ferns and some monocots
  - (c) gymnosperms
  - (d) dicotyledonous plants
- 52. A research student collected certain alga and found that its cells contained both chlorophyll-a and chlorophyll-d as well as phycoerythrin. The alga belongs to [2000]
  - (a) Rhodophyceae
  - (b) Bacillariophyceae
  - (c) Chlorophyceae
  - (d) Phaeophyceae
- **53.** In ferns meiosis occurs when

[2000]

- (a) spore germinates
  - (b) gametes are formed
  - (c) spores are formed
  - (d) antheridia and archegonia are formed

- 54. Cycas has two cotyledons but not included in angiosperms because of [2001]
  - (a) naked ovules
  - (b) seems like monocot
  - (c) circinate ptyxis
  - (d) compound leaves
- **55.** Which of the following is without exception in angiosperms?
  - (a) Presence of vessels
  - (b) Double fertilization
  - (c) Secondary growth
  - (d) Autotrophic nutrition
- **56.** Which of the following plants produces seeds but not flowers? [2002]
  - (a) Maize
- (b) Mint
- (c) Peepal
- (d) Pinus
- 57. Which one the following pairs of plants are [2003] not seed producers?
  - (a) Ficus and Chlamydomonas
  - (b) Punica and Pinus
  - (c) Fern and Funaria
  - (d) Funaria and Ficus
- **58.** Which one of the following is categorised under living fossils? [2003]
  - (a) Metasequoia
  - (b) Pinus
  - (c) Cycas
  - (d) Selaginella
- **59.** Which one pair of examples will correctly represent the grouping spermatophyta according to one of the schemes of classifying plants? [2003]
  - (a) Rhizopus, Triticum
  - (b) Ginkgo, Pisum
  - (c) Acacia, Sugarcane
  - (d) Pinus, Cycas
- 60. Sexual reproduction in Spirogyra is an advanced feature because it shows
  - (a) physiologically differentiated sex organs
  - (b) different size of motile sex organs

- (c) same size of motile sex organs
- (d) morphologically different sex organs
- **61.** Which one of the following is categorised under living fossils? [2003,04]
  - (a) Selaginella
- (b) Pinus
- (c) Cycas
- (d) Metasequoia
- **62.** Which of the following propagates through leaf-tip? [2004]
  - (a) Walking fern
  - (b) Sproux-leaf plant
  - (c) Marchantia
  - (d) Moss
- 63. Match items in column-I with those in column-II [2005]

#### Column I Column II

- A. Peritrichous flagellation
- B. Living fossil
- 2. Macrocystis

4. Selaginella

1. Ginkgo

- C. Rhizophore
- 3. Escherichia coli
- D. Smallest flowering plant
- E. Largest peren-
- 5. Wolffia
- nial alga
- A B C D Ε
- (a) 3 2 1 4 5
- (b) 2 1 3 4 5 2
- (c) 5 3 5 1
- (d) 1 2 5 3
- **64.** Which one of the following is a living fossil? [2004]
  - (a) Cycas
  - (b) Moss
  - (c) Saccharomyces
  - (d) Spirogyra
- **65.** A free living nitrogen-fixing cyanobacterium which can also form symbiotic association with the water fern Azolla is [2004]
  - (a) Tolypothrix
  - (b) Chlorella
  - (c) Nostoc
  - (d) Anabaena

- **66.** Angiosperms have dominated the land flora primarily because of their [2004]
  - (a) power of adaptability in diverse habitat
  - (b) property of producing large number of seeds
  - (c) nature of some pollination
  - (d) domestication by man
- 67. Ectophloic siphonostele is found in [2005]
  - (a) Adiantum and Cucurbitaceae
  - (b) Osmunda and Equisetum
  - (c) Marsilea and Botrychium
  - (d) Dicksonia and Maiden hair fern
- **68.** Top-shaped, multiciliate male gametes and the mature seed which bears only one embryo with two cotyledons, are characteristic features of [2005]
  - (a) polypetalous angiosperms
  - (b) gamopetalous angiosperms
  - (c) conifers
  - (d) cycads
- **69.** In which one pair both the plants can be vegetatively propagated by leaf pieces?

[2005]

- (a) Bryophyllum and Kalanchoe
- (b) Chrysanthemum and Agave
- (c) Agave and Kalanchoe
- (d) Asparagus and Bryophyllum
- **70.** Conifers differ from grasses in the **[2006]** 
  - (a) lack of xylem tracheids
  - (b) absence of pollen tubes
  - (c) formation of endosperm before fertilization
  - (d) production of seeds from ovules
- 71. Peat moss is used as a packing material for sending flowers and live plants to distant places because [2006]
  - (a) it is hygroscopic
  - (b) it reduces transpiration
  - (c) it serves as a disinfectant
  - (d) it is easily available

- **72.** Flagellated male gametes are present in all the three of which one of the following sets? **[2007]** 
  - (a) Anthoceros, Funaria and Spirogyra
  - (b) Zygnema, Saprolegnia and Hydrilla
  - (c) Fucus, Marsilea and Calotropis
  - (d) Riccia, Dryopteris and Cycas
- 73. In gymnosperms, the pollen chamber represents [2007]
  - (a) a cell in the pollen grain in which the sperms are formed
  - (b) a cavity in the ovule in which pollen grains are stored after pollination
  - (c) an opening in the megagametophyte through which the pollen tube approaches the egg
  - (d) the microsporangium in which pollen grains develop
- **74.** If you are asked to classify the various algae into distinct groups, which of the following characters you should choose? [2007]
  - (a) Types of pigments present in the cell
  - (b) Nature of stored food materials in the cell
  - (c) Structural organization of thallus
  - (d) Chemical composition of the cell wall
- **75.** In the prothallus of a vascular cryptogam, the antherozoids and eggs mature at different times, as a result [2007]
  - (a) there is no change in success rate of fertilization
  - (b) there is high degree of sterility
  - (c) one can conclude that the plant is apomictic
  - (d) self fertilization is prevented
- **76.** Spore dissemination in some liverworts is aided by **[2007]** 
  - (a) elaters
- (b) indusium
- (c) calyptra
- (d) peristome teeth
- 77. In which one of the following, male and female gametophytes don't have free living independent existence? [2008]

#### Trueman's AIPMT Biology Rebooster Specific

- 28
- (c) Polytrichum
- (b) Funaria(d) Cedrus
- **78.** Replum is present in the ovary of flower of [2008]
  - (a) lemon


(a) Pteris

- (b) mustard
- (c) sunflower
- (d) pea
- 79. Select one of the following pairs of important features distinguishing Gnetum from Cycas and Pinus and showing affinities with angiosperms [2008]
  - (a) absence of resin duct and leaf venation
  - (b) presence of vessel elements and absence of archegonia
  - (c) perianth and two integuments
  - (d) embryo development and apical meristem
- **80.** Which one of the following is heterosporous? [2008]
  - (a) Dryopteris
  - (b) Salvinia
  - (c) Adiantum
  - (d) Equisetum
- **81.** Which one of the following is considered important in the development of seed habit? [2009]
  - (a) Haplontic life cycle
  - (b) Free-living gametophyte
  - (c) Dependent sporophyte
  - (d) Heterospory
- **82.** Which one of the following is a vascular cryptogam? [2009]
  - (a) Marchantia
  - (b) Cedrus
  - (c) Equisetum
  - (d) Ginkgo
- **83.** Which one of the following plants is monoecious? [2009]
  - (a) Cycas
  - (b) Papaya
  - (c) Marchantia
  - (d) Pinus

- **84.** Which one of the following has haplontic life cycle? [2009]
  - (a) Ustilago
- (b) Wheat
- (c) Funaria
- (d) Potytrichum
- **85.** Mannitol is the stored food in: [2009]
  - (a) Fucus
- (b) Gracillaria
- (c) Chara
- (d) Porphyria
- **86.** Algae have cell wall made up of

[Pre. 2010]

- (a) Cellulose, galactans and mannans
- (b) Hemicellulose, pectins and proteins
- (c) Pectins, cellulose and proteins
- (d) Cellulose, hemicellulose and pectins
- **87.** Examine the figure A, B, C and D. In which one of the four options all the items A, B, C and D are correct? [Mains 2010]




# Equisetum Ginkgo Selaginella Lycopodium Selaginella Equisetum Salvinia Ginkgo Funaria Adiantum Salvinia Riccia

### (4) Chara Marchantia Fucus Pinus

88. Examine the figures (A-D) given below and select the right option out of 1-4, in which all the four structures A, B, C and D are identified correctly [Mains 2010]


#### Structures:



	Α	В	C	D
(1)	Runner	Archego-	Synergid	Antheridium
		niophore		
(2)	Offset	Antheri-	Antipodals	Oogonium
		diophore		

- (3) Sucker Seta Megaspore Gemma mother cell cup (4) Rhizome Sporan-Polar cell Globule
- giophore **89.** Archegoniophore is present in **[Pre. 2011]**
- - (a) Marchantia
- (b) Chara
- (c) Adiantum
- (d) Funaria
- 90. Agarose extracted from sea weeds finds use [Pre. 2011]
  - (a) Spectrophotometry
  - (b) Tissue Culture
  - (c) PCR
  - (d) Gel electrophoresis
- 91. Compared with the gametophytes of the bryophytes, the gametophytes of vascular plants tend to be [Pre. 2011]
  - (a) Smaller but to have larger sex organs
  - (b) Larger but to have smaller sex organs
  - (c) Larger and to have larger sex organs
  - (d) Smaller and to have smaller sex organs

- **92.** The gametophyte is not an independent, free living generation in [Pre. 2011]
  - (a) Polytrichum
- (b) Adiantum
- (c) Marchantia
- (d) Pinus
- 93. Examine the figure given below and select the right option giving all the four parts (a, b, c, d) correctly identified. [Mains 2011]



	(u)	(6)	(C)	(u)
(1)	Antheridi-	Male	Globule	Roots
	ophore	thallus		
(2)	Archego-	Female	Gemma	Rhizoids
	niophore	thallus	cup	
(3)	Archego-	Female	Bud	Foot
	niophore	thallus		
(4)	Seta	Sporo-	Proto-	Rhizoids

phyte

- 94. Selaginella and Salvinia are considered to represent a significant step toward evolution of seed habit because [Mains 2011]
  - (a) Embryo develops in female gametophyte which is retained on parent sporophyte

nema

- (b) Female gametophyte is free and gets dispersed like seeds.
- (c) Female gametophyte lacks archegonia
- (d) Megaspores possess endosperm and embryo surrounded by seed coat.
- 95. Consider the following four statements whether they are correct or wrong

#### [Mains 2011]

- (a) The sporophyte in liverworts is more elaborate than that is mosses.
- (b) Salvinia is heterosporous
- (c) The life-cycle in all seed-bearing plants is diplontic.

(d) In Pinus male and female cones are borne on different trees.

The two wrong statements together are:

- (1) Statements (a) and (b)
- (2) Statements (a) and (c)
- (3) Statements (a) and (d)
- (4) Statements (b) and (c)
- 96. How many organisms in the list given below are autotrophs? [Mains 2012]
  Lactobacillus, Nostoc, Chara, Nitrosomonas, Nitrobacter, Streptomyces, Sacharomyces, Trypanosoma, Porphyra, Wolfia
  - (a) Five
- (b) Six
- (c) Three
- (d) Four
- **97.** Consider the following four statements (a-d) and select the option which includes all the correct ones only: [Mains 2012]
  - (A) Single cell Spirulina can produce large quantities of food rich in protein, minerals, vitamins etc.
  - (B) Body weight-wise the microorganisms Methylophilus methylotrophus may be able to produce several times more proteins than the cow per day
  - (C) Common button mushrooms are a very rich source of vitamin C
  - (D) A rice variety has been developed which is very rich in calcium

#### **Options:**

- (a) Statements (A), (C) and (D)
- (b) Statements (B), (C) and (D)
- (c) Statements (A), (B)
- (d) Statements (C), (D)
- **98.** Read the following five statements (A E) and answer as asked next to them.

#### [Mains 2012]

- (A) In Equisetum the female gametophyte is retained on the parent sporophyte
- (B) In Ginkgo male gametophyte is not independent
- (C) The sporophyte in Riccia is more developed than that in Polytrichum
- (D) Sexual reproduction in Volvox is isogamous

- (E) The spores of slime molds lack cell walls How many of the above statements are correct?
- (a) Three
- (b) Four
- (c) One
- (d) Two
- **99.** Which one of the following pairs is wrongly matched? **[Mains 2012]** 
  - (a) Salvinia Prothallus
  - (b) Viroids RNA
  - (c) Mustard Synergids
  - (d) Ginkgo-Archegonia
- **100.** *Cycas* and *Adiantum* resemble each other in having. [Pre. 2012]
  - (a) Cambium
- (b) Vessels
- (c) Seeds
- (d) Motile sperms
- 101. Which one of the following is common to multicellular fungi, filamentous algae and protonema of mosses [Pre. 2012]
  - (a) Mode of Nutrition
  - (b) Multiplication by fragmentation
  - (c) Diplontic life cycle
  - (d) Members of kingdom Plantae
- 102. In the five-kingdom classification, Chlamy-domonas and Chlorella have been included in [Pre. 2012]
  - (a) Algae
- (b) Plantae
- (c) Monera
- (d) Protista
- 103. Which one of the following is a correct statement? [Pre. 2012]
  - (a) Antheridiophores and archegoniophores are present in pteridophytes
  - (b) Origin of seed habit can be traced in pteridophytes
  - (c) Pteridophyte gametophyte has a protonemal and leafy stage
  - (d) In gymnosperms female gametophyte is free living
- **104.** Which of the following is not correctly matched for the organism and its cell wall degrading enzyme? [2013]
  - (a) Bacteria Lysozyme

#### Trueman's AIPMT Biology Rebooster Specific

- (b) Plant cell Cellulase
- (c) Algae Methylase
- (d) Fungi Chitinase
- **105.** Select the **wrong** statement

[2013]

- (a) Isogametes are similar in structure, function and behavior
- (b) Anisogametes differ either in structure, function of behavior
- (c) In Oomycetes female gamete is smaller and motile, while male gamete is larger and non-motile
- (d) *Chlamydomonas* exhibits both isogamy and anisogamy and *Fucus* shows oogamy
- **106.** Isogamous condition with non-flagellated gametes is found in **[2013]** 
  - (a) Chlamydomonas
- (b) Spirogyra
- (c) Volvox
- (d) Fucus
- **107.** Read the following statements (A– E) and answer the question which follows them

[2013]

- (A) In liverworts, mosses and ferns gametophytes are free-living
- (B) Gymnosperms and some ferns are heterosporous
- (C) Sexual reproduction in *Fucus*, *Volvox* and *Albugo* is oogameous
- (D) The sporophytes in liverworts is more elaborate than that in mosses
- (E) Both, Pinus and Marchantia are dioecious

How many of the above statements are correct?

- (a) One
- (b) Two
- (c) Three
- (d) Four
- **108.** Monoecious plant of *Chara* shows occurrence of **[2013]** 
  - (a) Antheridiophore and archegoniophore on the same plant
  - (b) Stamen and carpel on the same plant
  - (c) Upper antheridium and lower oogonium on the same plant
  - (d) Upper oogonium and lower antheridium on the same plant

**109.** Which one of the following shows isogamy with non-flagellated gametes?

[AIPMT 2014]

- (a) Sargassum
- (b) Ectocarpus
- (c) Ulothrix
- (d) Spirogyra
- **110.** Which one of the following is wrong about Chara? **[AIPMT 2014]** 
  - (a) Upper oogonium and lower round antheridium
  - (b) Globule and nucule present on the same plant
  - (c) Upper antheridium and lower oogonium
  - (d) Globule is male reproductive structure
- **111.** Which of the following is responsible for peat formation? [AIPMT 2014]
  - (a) Marchantia
  - (b) Riccia
  - (c) Funaria
  - (d) Sphagnum
- **112.** An alga which can be employed as food for human being is **[AIPMT 2014]** 
  - (a) Ulothrix
  - (b) Chlorella
  - (c) Spirogyra
  - (d) Polysiphonia
- 113. In which of the following gametophyte is not independent/free living? [AIPMT 2015]
  - (a) Marchantia
  - (b) Pteris
  - (c) Pinus
  - (d) Funaria
- **114.** Read the following five statements (A to E) and select the option with all correct statements:- [AIPMT 2015]
  - (A) Mosses and Lichens are the first organisms to colonise a bare rock.
  - (B) Selaginella is a homosporous pteridophyte

### www.freejobsportal.in

31

#### Trueman's AIPMT Biology Rebooster Specific

- (C) Coralloid roots in Cycas have VAM
- (D) Main plant body in bryophytes is gametophytic, whereas in pteridophytes it is sporophytic
- (E) In gymnosperms, male and female gametophytes are present within sporangia located on sporophyte
- (a) (B), (C) and (D)

32

- (b) (A), (D) and (E)
- (c) (B), (C) and (E)
- (d) (A), (C) and (D)
- 115. Male gemetes are flagellated in:

#### [AIPMT 2015]

- (a) Anabaena
- (b) Ectocarpus
- (c) Spirogyra
- (d) Polysiphonia

- **116.** Which one of the following statements is wrong? **[AIPMT 2015]** 
  - (a) Agar agar is obtained from Gelidium and Gracilaria
  - (b) Chlorella and Spirulina are used as space food
  - (c) Mannitol is stored food in Rhodophyceae
  - (d) Algin and carragen are products of algae.
- **117.** Which of the following pairs is not correctly matched? (Mode of reproduction Example) [RE-AIPMT 2015]
  - (a) Conidia Penicillium
  - (b) Offset Water hyacinth
  - (c) Rhizome Banana
  - (d) Binary fission Sargassum

Answers									
1-b	2-d	3-a	4-a	5-a	6-b	7-a	8-a	9-d	10-a
11-c	12-c	13-d	14-b	15-d	16-с	17-c	18-b	19-d	20-b
21-c	22-d	23-с	24-b	25-b	26-c	27-b	28-a	29-d	30-d
31-c	32-b	33-b	34-a	35-d	36-с	37-d	38-c	39-b	40-c
41-c	42-c	43-d	44-d	45-d	46-b	47-b	48-d	49-с	50-b
51-с	52-a	53-с	54-a	55-b	56-d	57-c	58-c	59-b	60-a
61-c	62-a	63-a	64-a	65-d	66-a	67-b	68-d	69-a	70-c
71-a	72-d	73-b	74-a	75-d	76-a	77-a	78-b	79-b	80-b
81-d	82-c	83-d	84-a	85-a	86-a	87-b	88-b	89-a	90-d
91 <b>-</b> d	92-d	93-b	94-a	95-с	96-b	97-c	98-с	99-a	100-d
101-b	102-b	103-b	104-c	105-с	106-b	107-с	108-d	109-d	110-с
111 <b>-</b> d	112-b	113-с	114-b	115-b	116-с	117-d			



# Animal Kingdom – Non-Chordate Phyla

[1990] [1989] 6. Blood of Pheretima is 1. Jelly fish belongs to class (a) blue with haemocyanin in corpuscles (a) Hydrozoa (b) Scyphozoa (b) blue with haemocyanin in plasma (c) Anthozoa (d) None of these (c) red with haemoglobin in corpuscles 2. Earthworms are [1989] (d) red with haemoglobin in plasma (a) useful 7. Pheretima posthuma is highly useful as (b) harmful [1990] (c) more useful than harmful (d) more harmful (a) their burrows make the soil loose (b) they make the soil porous, leave their 3. Photoreceptors of earthworm occur on castings and take organic debris in the [1989] soil (a) clitellum (b) many eyes (c) they are used as fish meal (c) dorsal surface (d) lateral sides (d) they kill the birds due to biomagnifica-4. Transfer of Taenia to secondary host occurs tion of chlorinated hydrocarbons [1989, 90] [1990] Malpighian tubules are (a) oncosphere (b) cysticercus (a) excretory organs of insects (c) morula (d) egg (b) excretory organs of annelids **5.** In hot summer and cold winter, the number (c) respiratory organs of insects of malaria cases as well as Anopheles de-(d) respiratory organs of annelids clines, reappearance of malaria in humid **9.** Kala-azar and oriental sore are spread by warm conditions is due to [1990] (a) surviving malarial parasites in human (a) housefly (b) bed bug (c) sand fly (d) fruit fly (b) surviving sporozoites in surviving mosquitoes **10.** Bladderworm/cysticercus is the larval stage (c) monkeys

### www.freejobsportal.in

(a) tapeworm

(c) pinworm

(b) roundworm

(d) liver fluke

(d) mosquito larvae in permanent waters

#### Trueman's AIPMT Biology Rebooster Specific 34 11. Earthworm possesses hearts [1991] 19. The simplest type of canal system in Porifera [1992](a) 6 pair (b) 4 pair (b) leucon type (a) ascon type (c) 2 pair (d) 1 pair (c) sycon type (d) radial type **12.** The excretory structures of flat worms/Tae-[1992] nia are [1991] 20. Ascaris larva is called (a) cysticercus (a) flame cells (b) rhabditiform (b) protonephridia (c) hexacanth (d) onchosphere (c) Malpighian tubules 21. What is correct about Taenia? [1992] (d) green glands (a) Male organs occur in posterior 13. Which one occurs in Echinodermata? proglottids [1991] (b) Male organs occur in anterior proglottids (a) Bilateral symmetry (c) Female organs occur in anterior (b) Radial symmetry proglottids (c) Porous body (d) Mature proglottids contain both male and female organs (d) Soft skin 22. Assertion: Periplaneta americana is noctur-14. An insect regarded as greatest mechanical nal, omnivorous, household pest carrier of diseases is [1991] **Reason:** It is because it acts as scavenger (a) Pediculus (b) Cimex (a) A is true but R is false (c) Musca (d) Xenopsylla (b) A is false but R is true 15. Male and female cockroaches can be distin-(c) Both A and R are true and R is correct guished externally through [1991] explanation of A (a) anal styles in male (d) Both A and R are true but R is not correct (b) anal cerci in female explanation of A (c) anal style and antennae in females 23. Aristotle's lantern occurs in class [1992] (d) Both (b) and (c) (a) Echinoidea (b) Asteroidea 16. Metamorphosis of insects is regulated (c) Holothuroidea (d) Ophiuroidea through hormone [1991] **24.** Eye of the molluscan group that resembles (a) pheromone vertebrate eye is [1992] (b) thyroxine (a) Bivalvia (b) Gastropoda (c) ecdysone (c) Pelecypoda (d) Cephalopoda (d) All of these 25. Star fish belongs to [1992] 17. Ascaris lumbricoides infection occurs through [1991] (a) Asteriodea (b) Ophiuroidea (c) Holothuroidea (d) Crinoidea (a) sole of uncovered feet (b) contaminated cooked measly pork 26. Adult Culex and Anopheles can be distin-(c) improperly cooked measly pork [1992] guished with the help of (d) from air through inhalation (a) mouth parts/colour (b) sitting posture 18. Classification of Porifera is based on [1991] (c) antennae/wings (a) branching (b) spicules

### www.freejobsportal.in

(c) reproduction (d) symmetry

(d) feeding habits

[1994]

[1994]

- **27.** Trachea of cockroach and mammal are similar in having [1993]
  - (a) paired nature
  - (b) non-collapsible walls
  - (c) ciliated inner lining
  - (d) origin from head
- **28.** A larval stage occurs in the life history of all members of the group [1993]
  - (a) frog, lizard and cockroach
  - (b) Ascaris, housefly and frog
  - (c) housefly, earthworm and mosquito
  - (d) butterfly, frog and mosquito
- 29. What is true about Taenia saginata? [1993]
  - (a) Life history has pig as intermediate host
  - (b) There are two large suckers on scolex
  - (c) Rostellar hooks are absent
  - (d) Rostellum has double circle of hooks
- **30.** Which one of the following animals possesses nerve cells but no nerves? [1993]
  - (a) Hydra
- (b) Tapeworm
- (c) Earthworm
- (d) Frog's tadpole
- **31.** Budding is a normal mode of asexual reproduction in [1993]
  - (a) starfish and Hydra
  - (b) Hydra and sponges
  - (c) tapeworm and Hydra
  - (d) sponge and starfish
- **32.** Give the correct matching of causative agent/germ and disease [1993]
  - (a) Anopheles—malaria
  - (b) Leishmania—sleeping sickness
  - (c) Glossina—kala-azar
  - (d) Wuchereria—filariasis
- **33.** Which one assists in locomotion? [1993]
  - (a) Trichocysts in Paramecium
  - (b) Pedicellariae of starfish
  - (c) Clitellum in Pheretima
  - (d) Posterior sucker in Hirudinaria
- **34.** Coelom derived from blastocoel is known as **[1994]**

- (a) enterocoelom (b) schizocoelom
- (c) pseudocoelom (d) haemocoelom
- **35.** Radial symmetry is often exhibited by animals having [1994]
  - (a) one opening of alimentary canal
  - (b) aquatic mode of living
  - (c) benthos/sedentary
  - (d) ciliary mode of feeding
- **36.** Point out a non-parasite
  - . Politi out a non-parasi
    - (b) mosquito
  - (c) leech
- (d) sea anemone
- **37.** Tube feet occur in

(a) tapeworm

- (b) starfish
- (a) cockroach(c) cuttle fish
- (d) cat fish
- **38.** Special character of coelenterates is [1994]
  - (a) polymorphism (b) nematocysts
  - (c) flame cells
  - (d) hermaphroditism
- 39. Closed circulatory system occurs in [1994]
  - (a) snail
- (b) cockroach
- (c) cuttle fish
- (d) All of these
- **40.** Which one belongs to Platyhelminthes?

[1994]

- (a) Schistosoma
- (b) Trypansoma
- (c) Plasmodium
- (d) Wuchereria
- **41.** The organisms attached to the substratum generally, possess [1995]
  - (a) radial symmetry
  - (b) one single opening of digestive canal
  - (c) asymmetrical body
  - (d) cilia on surface to create water current
- **42.** True coelom is the space lying between the alimentary canal and body wall enclosed by the layers of [1996]
  - (a) ectoderm on both sides
  - (b) endoderm on one side and ectoderm on the other
  - (c) mesoderm on one side and ectoderm on the other
  - (d) mesoderm on both sides

- **43.** Radial symmetry is usually associated with [1996]
  - (a) aquatic mode of life
  - (b) lower grade of organisation
  - (c) creeping mode of locomotion
  - (d) sedentary mode of life
- **44.** What is true about all sponges without exception? [1996]
  - (a) They are all marine
  - (b) They have flagellated collar cells
  - (c) They have a mixed skeleton consisting of spicules and spongin fibres
  - (d) They reproduce only asexually by budding
- **45.** Functionwise, just as there are nephridia in an earthworm, so are [1996]
  - (a) parotid glands in toad
  - (b) statocysts in prawn
  - (c) flame cells in liver fluke
  - (d) myotomes in fish
- **46.** What is common among silver fish, scorpion, crab and honeybee? [1997]
  - (a) Compound eyes
  - (b) Poison glands
  - (c) Jointed appendages
  - (d) Metamorphosis
- **47.** Most appropriate term to describe the life cycle of Obelia is [1998]
  - (a) neoteny
- (b) metagenesis
- (c) metamorphosis(d) All of these
- **48.** Solenocytes are the main excretory structures in [1998]
  - (a) annelids
  - (b) molluscs
  - (c) echinodermates
  - (d) Platyhelminthes
- **49.** The canal system is a characteristic feature of [1999]
  - (a) echinoderms
- (b) helminthes
- (c) coelenterates
- (d) sponges

50. Life-span of a worker bee is

Trueman's AIPMT Biology Rebooster Specific

(b) 10 days

[1999]

- (a) 10 weeks (c) 6 weeks
- (d) 15 days
- **51.** Which one of the following statements is correct with reference to honey bees? **[2000]** 
  - (a) Bees wax is a waste (excretory) product of honey bees
  - (b) Communication among honey bees was discovered by von Frisch
  - (c) Apis indica is largest wild bee in India
  - (d) Honey is predominantly sucrose and arabinose.
- **52.** What is common between Ascaris lumbricoides and Anopheles stephensi? **[2000]** 
  - (a) Hibernation
  - (b) Metamerism
  - (c) Anaerobic respiration
  - (d) Sexual dimorphism
- **53.** The enteronephric nephridia of earthworms are mainly concerned with **[2000]** 
  - (a) digestion
  - (b) respiration
  - (c) osmoregulation
  - (d) excretion of nitrogenous wastes
- **54.** In which of the following chlorocruorin pigment is found? [2001]
  - (a) Annelida
  - (b) Echinodermata
  - (c) Insecta
  - (d) Lower Chordata
- **55.** In Hydra, waste material of food digestion and nitrogenous waste material are removed from [2001]
  - (a) mouth and mouth
  - (b) body wall and body wall
  - (c) mouth and body wall
  - (d) mouth and tentacles
- **56.** In which animal, dimorphic nucleus is found? [2002]
  - (a) Amoeba

- (b) Trypanosoma gambiense
- (c) Plasmodium vivax
- (d) Paramecium caudatum
- 57. In which animal nerve cell is present but brain is absent? [2002]
  - (a) Sponge
  - (b) Earthworm
  - (c) Cockroach
  - (d) Hydra
- **58.** In Protozoa like Amoeba and Paramecium, an organelle is found for osmoregulation which is [2002]
  - (a) contractile vacuole
  - (b) mitochondria
  - (c) nucleus
  - (d) food vacuole
- **59.** Ommatidia serve the purpose of photoreception in **[2003]** 
  - (a) human
  - (b) sunflower
  - (c) cockroach
  - (d) frog
- **60.** Which one of the following is matching pair of an animal and a certain phenomenon it exhibits? [2003]
  - (a) Chameleon Mimicry
  - (b) Taenia Polymorphism
  - (c) Pheretima Sexual dimorphism
  - (d) Musca Complete metamorphosis
- **61.** Given below are four matchings of an animal and its kind of respiratory organ[2003]
  - (i) silver fish trachea
  - (ii) scorpion book lung
  - (iii) sea squirt pharyngeal gills
  - (iv) dolphin

— skin

The correct matchings are

- (a) (ii) and (iv)
- (b) (iii) and (iv)
- (c) (i) and (iv)
- (d) (i), (ii) and (iii)

- **62.** Sycon belongs to a group of animals, which are best described as [2003]
  - (a) multicellular with a gastrovascular system
  - (b) multicellular having tissue organization, but no body cavity
  - (c) unicellular or acellular
  - (d) multicellular without any tissue organization
- **63.** The chief advantage of encystment of an Amoeba is [2003]
  - (a) protection from parasites and predators
  - (b) the chance to get rid of accumulated waste products
  - (c) the ability to survive during adverse physical conditions
  - (d) the ability to live for some time without ingesting food
- **64.** During its life cyde, Fasciola hepatica (liver fluke) infects its intermediate host and primary host at the following larval stages respectively [2003]
  - (a) metacercaria and cercaria
  - (b) miracidium and metacercaria
  - (c) redia and miracidium
  - (d) cercaria and redia
- **65.** The animal with bilateral symmetry in young stage and radial pentamerous symmetry in the adult stage belong to the phylum

[2004]

- (a) Annelida
- (b) Mollusca
- (c) Cnidaria
- (d) Echinodermata
- **66.** When a fresh water protozoan possessing a contractile vacuole, is placed in a glass containing marine water, the vacuole will [2004]
  - (a) increase in number
  - (b) disappear
  - (c) increase in size
  - (d) decrease in size

- 67. In Arthropoda, head and thorax are often fused to form cephalothorax, but in which one of the following classes, is the body divided into head, thorax and abdomen? [2004]
  - (a) Insecta
  - (b) Myriapoda
  - (c) Crustacea
  - (d) Arachnida and Crustacea
- **68.** From the following statements select the wrong one. **[2005]** 
  - (a) Millipedes have two pairs of appendages in each segment of the body
  - (b) Prawn has two pairs of antennae
  - (c) Animals belonging to phylum-Porifera are exclusively marine
  - (d) Nematocysts are characteristic of the phylum-Cnidaria
- **69.** Which of the following unicellular organism has a macro-nucleus for trophic function and one or more micro-nuclei for reproduction? [2005]
  - (a) Euglena
  - (b) Amoeba
  - (c) Paramecium
  - (d) Trypanosoma
- **70.** Which one of the following is a matching set of phylum and its three examples? [2006]
  - (a) Cnidaria Bonellia, Physalia, Aurelia
  - (b) Platyhelminthes Planaria, Schistosoma, Enterobius
  - (c) Mollusca Loligo, Teredo, Octopus
  - (d) Porifera—Spongilla, Euplectella, Pennatula
- **71.** Earthworms are
  - (a) ureotelic when plenty of water is available
  - (b) uricotelic when plenty of water is available
  - (c) uricotelic under conditions of water scarcity
  - (d) ammonotelic when plenty of water is available

- **72.** Two common characters found in centipede, cockroach and crab are [2006]
  - (a) compound eyes and anal cerci
  - (b) jointed legs and chitinous exoskeleton
  - (c) green gland and tracheae
  - (d) book lungs and antennae
- 73. What is common about Trypanosoma, Noctiluca, Monocystis and Giardia ?[2006]
  - (a) These are all unicellular protists
  - (b) They have flagella
  - (c) They produce spores
  - (d) These are all parasites
- **74.** Biradial symmetry and lack of cnidoblasts are the characteristics of **[2006]** 
  - (a) Starfish and sea anemone
  - (b) Ctenoplana and Beroe
  - (c) Aurelia and Paramecium
  - (d) Hydra and starfish
- 75. Which one of the following is matching pair of a body feature and the animal possessing it? [2007]
  - (a) Post-anal tail Octopus
  - (b) Ventral central nervous system Leech
  - (c) Pharyngeal gills slits absent in embryo Chameleon
  - (d) Ventral heart Scorpion
- **76.** What is true about Nereis, scorpion, cockroach and silver fish? [2007]
  - (a) They all have jointed paired appendages
  - (b) They all possess dorsal heart
  - (c) None of them is aquatic
  - (d) They all belong to the same phylum
- 77. Which one of the following phyla is correctly matched with its two general characteristics? [2008]
  - (a) Arthropoda Body divided into head, thorax and abdomen and respiration by tracheae
  - (b) Chordata Notochord at some stage and separate

[2006]

<u> 1 r</u>	ueman's AIPM	IT Biology Reboost	ter Specífic	39
78.	(c) Echinodermata—  (d) Mollusca —  Which one of the follow	symmetry and mostly internal fertilization Normally oviparous and development through a trochophore or veliger larva owing groups of three tly matched with their	<ul> <li>80. Ascaris is characterized by [200</li> <li>(a) absence of true coelom but presence metamerism</li> <li>(b) presence of neither true coelom netamerism</li> <li>(c) presence of true coelom but absence metamerism</li> <li>(d) presence of true coelom and metameris (metamerization)</li> <li>81. Which one of the following is not a charateristic of phylum-Annelida? [200</li> <li>(a) Closed circulatory system</li> <li>(b) Segmentation</li> </ul>	of or of sm
	Animals	Morphological feature	<ul><li>(c) Pseudocoelom</li><li>(d) Ventral nerve cord</li></ul>	
	<ul><li>(a) Liver fluke, sea anemone, sea cucumber</li><li>(b) Centipede, prawn, sea urchin</li><li>(c) Scorpion, spider, cockroach</li><li>(d) Cockroach, locust,</li></ul>	appendages Ventral solid central nervous system Metameric	82. Earthworms have no skeleton but durin burrowing, the anterior end becomes turg and acts as a hydraulic skeleton. It is due [200 (a) coelomic fluid (b) blood (c) gut peristalsis (d) setae	id to
79.	pl st in (b) Frog — Bo re ar	imal concerned?  [2008] he alimentary canal onsists of a sequence of harynx, oesophagus, omach, gizzard and otestine ody divisible into three egions—head, neck and trunk	<ul> <li>83. Which one of the following pair of items of rectly belongs to the category of organs metioned against it? [200</li> <li>(a) Thorn of Bougainvillea and tendrils Cucurbita - Analogous organs</li> <li>(b) Nictitating membrane and blind spothuman eye - Vestigial organs</li> <li>(c) Nephridia of earthworm and Mapighian tubules of cockroach - Excreto organs</li> <li>(d) Wings of honey bee and wings of crow Homologous organs</li> </ul>	en- 8] of in
	hi th (d) Cockroach — 10	eft kidney is slightly gher in position than a right one  pairs of spiracles (2 airs on thorax and 8	<ul><li>84. Which one of the following groups of ar mals is bilaterally symmetrical and tripl blastic? [200</li><li>(a) Ctenophores (b) Sponges</li></ul>	О-

# www.freejobsportal.in

(c) Coelenterates (Cnidarians)(d) Aschelminthes (round worms)

pairs on abdomen)

- **85.** If a live earthworm is pricked with a needle on its outer surface without damaging its gut, the fluid that comes out is: [2009]
  - (a) haemolymph
  - (b) slimy mucus
  - (c) excretory fluid
  - (d) coelomic fluid
- **86.** Which one of the following correctly describes the location of some of parts in the earthworm *Pheretima*? [2009]
  - (a) One pair of ovaries attached at intesegmental septum of 14<sup>th</sup> and 15<sup>th</sup> segments.
  - (b) Two pairs of testes in 10<sup>th</sup> and 11<sup>th</sup> segments.
  - (c) Two pairs of accessory glands in 16-18 segments.
  - (d) Four pairs of spermathecae in 4-7 segments.
- 87. Peripatus is a connecting link between


[2009]

- (a) Annelida and Arthropoda
- (b) Coelenterata and Porifera
- (c) Ctenophora and Platyhelminthis
- (d) Mollusca and Echinodermata
- **88.** One example of animals having a single opening to the outside that serves both as mouth as well as anus is **[Pre. 2010]** 
  - (a) Octopus
- (b) Asterias
- (c) Ascidia
- (d) Fasciola
- **89.** Which one of the following kinds of animals are triploblastic? **[Pre. 2010]** 
  - (a) Flatworms
- (b) Sponges
- (c) Ctenophores
- (d) Corals
- **90.** Which one of the following statements about certain given animals is correct? [**Pre. 2010**]
  - (a) Round worms (Aschelminthes) are pseudocoelomates
  - (b) Molluses are acoelomates
  - (c) Insects are pseudocoelomates
  - (d) Flat worms (Platyhelminthes) are coelomates

- **91.** Which one of the following statements about all the four of Spongilla, Leech, Dolphin and Penguin is Correct? [Pre. 2010]
  - (a) Penguin is homoiothermic while the remaining three are poikilothermic
  - (b) Leech is a fresh water form while all others are marine
  - (c) Spongilla has special collared cells called choanocytes, not found in the remaining three
  - (d) All are bilaterally symmetrical
- **92.** In which one of the following organisms its excretory *organs* are **correctly** stated?

[2010]

- (1) Earthworm Pharyngeal integumentary and septal nephridia
- (2) Cockroach Malpighian tubules and enteric caeca
- (3) Frog Kidneys, skin and buccal epithelium
- (4) Humans Kidneys, sebaceous glands and tear glands.
- **93.** The figure shows four animals (1), (2), (3) and (4). Select the correct answer with respect to a common characteristics of two of these animals. [Mains 2011]



- (a) (3) and (4) have a true coelom
- (b) (1) and (4) respire mainly through body wall
- (c) (2) and (3) show radial symmetry
- (d) (1) and (2) have cnidoblasts for self defence.
- **94.** Which one of the following have the highest number of species in nature? **[Pre. 2011]** 
  - (a) Fungi
  - (b) Insects
  - (c) Birds
  - (d) Angiosperms
- **95.** Which one of the following structure in *Pheretima* is correctly matched with its function? [Pre. 2011]
  - (a) Typhlosole–Storage of extra nutrients
  - (b) Clitellum-secretes cocoon
  - (c) Gizzard-absorbs digested food
  - (d) Setae-defence against predators
- **96.** One very special feature in the earthworm *Pheretima* is that **[Pre. 2011]** 
  - (a) Fertilisation of eggs occurs inside the body
  - (b) The typhlosole greatly increases the effective absorption area of the digested food in the intestine
  - (c) The S-shaped setae embeded in the integument are the defensive weapons used against the enemies.
  - (d) It has a long dorsal tubular heart
- **97.** Which of the following is correctly stated as it happens in the common cockroach?

[Pre. 2011]

- (a) Malpighian tubules are excretory organs projecting out from the colon.
- (b) Oxygen is transported by haemoglobin in blood.
- (c) Nitrogenous excretory product is urea.
- (d) The food is ground by mandibles and gizzard
- 98. Select the correct statement from the ones given below with respect to Periplaneta americana [Pre. 2012]

- (a) There are 16 very long Malpighian tubules present at the junction of midgut and hindgut.
- (b) Grinding of food is carried out only by the mouth parts
- (c) Nervous system is locate dorsally, consists of segmentally arranged ganglia joined by a pair of longitudinal connectives
- (d) Males bear a pair of short thread like anal styles
- **99.** Pheretima and its close relative derive nourishment from **[Pre. 2012]** 
  - (a) Soil insects
  - (b) Small pieces of fresh fallen leave of maize, etc
  - (c) Sugar roots

**Genus Name** 

 (d) Decaying fallen leave and soil organic matter

Phylum

100. In which one of the following, the genus name, its two characters and its phylum are not correctly matched, whereas the remaining three are correct? [Pre. 2012]

Two characters

		,
(a) Sycon	(1) Pore bearing	Porifera
(-) - 3		
	(2) Canal system	
(b) Periplaneta	(1) Jointed	Arthropoda
(-,,,,,,,,,,	appendages	· · · · · ·
	(2) Chitinuous	
	exoskeleton	
(c) Pila	(1) Body	Mollusca
· /	segmented	
	(2) Mouth with	
	Radula	
(d) Asterias	(1) Spiny skinned	Echinodermata
( )		
	(2) Water vascular	
	system	
	•	

- 101. Which of the following are correctly matched with respect of their taxonomic classification? [2013]
  - (a) Flying fish, cuttlefish, silverfish Pisces
  - (b) Centipede, millipede, spider, scorpion-Insecta
  - (c) House fly, butterfly, tsetsefly, silverfish— Insecta

- (d) Spiny anteater, sea urchin, sea cucumber–Echinodermata
- **102.** Which group of animals belong to the same phylum? [2013]
  - (a) Malarial parasite, Amoeba, Mosquito
  - (b) Earthworm, Pinworm, Tapeworm
  - (c) Prawn, Scorpion, Locusta
  - (d) Sponge, Sea anemone, Starfish
- **103.** One of the representatives of Phylum Arthropoda is **[2013]** 
  - (a) cuttlefish
  - (b) silverfish
  - (c) pufferfish
  - (d) flying fish
- **104.** What external changes are visible after the last moult of a cockroach nymph? **[2013]** 
  - (a) Mandibles become harder
  - (b) Anal cerci develop
  - (c) Both fore wings and hind wings develop
  - (d) Labium develops
- **105.** Infection of *Ascaris* usually occurs by :

[2013]

- (a) drinking water containing eggs of *Ascaris*
- (b) eating imperfectly cooked pork
- (c) Tse-tse fly
- (d) mosquito bite
- **106.** Select the Taxon mentioned that represents both marine and fresh water species

[AIPMT 2014]

- (a) Echinoderms
- (b) Ctenophora

- (c) Cephalochordata
- (d) Cnidaria
- **107.** Planaria possess high capacity of

[AIPMT 2014]

- (a) Metamorphosis
- (b) Regeneration
- (c) Alternation of generation
- (d) Bioluminescence
- **108.** Which of the following characteristics is mainly responsible for diversification of insects on land? [AIPMT 2015]
  - (a) Bilateral symmetry
  - (b) Exoskeleton
  - (c) Eyes
  - (d) Segmentation
- **109.** Metagenesis refers to: **[RE-AIPMT 2015]** 
  - (a) Presence of a segmented body and parthenogenetic mode of reproduction
  - (b) Presence of different morphic forms
  - (c) Alternation of generation between asexual and sexual phases of an organism
  - (d) Occurrence of a drastic change in form during post-embryonic development
- **110.** Body having meshwork of cells, internal cavities lined with food filtering flagellated cells and indirect development are the characteristics of phylum: [RE-AIPMT 2015]
  - (a) Protozoa
  - (b) Coelenterata
  - (c) Porifera
  - (d) Mollusca

## www.anybook.in

#### Trueman's AIPMT Biology Rebooster Specific

Answers									
1-b	2-a	3-c	4-a	5-d	6-d	7-b	8-a	9-c	10-a
11-b	12-a	13-b	14-c	15-a	16-c	17-b	18-b	19-a	20-b
21-d	22-a	23-a	24-d	25-a	26-b	27-b	28-d	29-с	30-a
31-b	32-d	33-d	34-c	35-с	36-d	37-b	38-b	39-с	40-a
41-a	42-d	43-b	44-b	45-c	46-c	47-b	48 -d	49-d	50-a
51-b	52-d	53-d	54-a	55-c	56-d	57-d	58-a	59-c	60-d
61-d	62-d	63-c	64-b	65-d	66-b	67-a	68-b	69-c	70-c
71-d	72-b	73-a	74-b	75-b	76-c	77-a	78-c	79-d	80-b
81-c	82-a	83-c	84-d	85-d	86-b	87-a	88-d	89-a	90-a
91-c	92-a	93-a	94-b	95-b	96-b	97-d	98-d	99-d	100-с
101-с	102-c	103-b	104-c	105-a	106-d	107-b	108-b	109-c	110-с

43

(b) skull

(c) hindlimbs

(d) pectoral girdle/clavicles

#### Animal Kingdom - Phylum Chordata

**1.** A chordate character is [1989] 6. Skin is a respiratory organ in [1990] (a) gills (a) lizards (b) birds (b) spiracles (c) primitive mammals (c) post-anal tail (d) chitinous exoskeleton (d) frog [1990] 2. Fish which can be used in biological control 7. Penguin occurs in of mosquitoes/larvicidal fish is (a) Australia [1989,1999, 2001] (b) Antarctica (a) eel (c) Africa (b) carp (d) America (c) cat fish **8.** Kidney of adult rabbit is [1991] (d) Gambusia (a) pronephros [1989] **3.** Eutherians are characterised by (b) metanephros (a) hairy skin (c) mesonephros (b) true placentation (d) opisthonephros (c) ovoviviparity 9. Bull frog of India is [1992] (d) glandular skin (a) Rana tigrina 4. Flight muscles of bird are attached to [1989] (b) R. sylvatica (a) clavicle (c) R. Catesbiana (b) keel of sternum (d) R. esculenta (c) scapula 10. An egg laying mammal is [1992, 2000] (d) coracoid (a) kangaroo **5.** Wish bone of birds is formed from (b) platypus (a) pelvic girdle (c) koala

### www.freejobsportal.in

(d) whale

#### Trueman's AIPMT Biology Rebooster Specific

45 (c) presence of two pairs of functional appendages (d) body is covered with an exoskeleton (a) cockroach (b) tadpole/fish (c) mosquito (d) house fly [1994] (a) exoskeleton (b) limbs (c) skull (d) axial skeletal rod of notochord metamerism is exhibited by (a) Cestoda (b) Chordata (c) Mollusca (d) Acanthocephala dian fish? (a) Catla catla (b) Heteropneustes fossilis (c) Cyprinus caprio (d) Labeo rohita (a) pigeon (b) house lizard (c) frog's tadpole (d) flying fish (a) Mauritius (b) Australia (c) New Zealand

- 11. Sound box of birds is called
- [1992]
- (a) pygostyle
- (b) larynx
- (c) syrinx
- (d) synsacrum
- **12.** Gorilla, chimpanzee, monkeys and human belong to the same [1993]
  - (a) species
- (b) genus
- (c) family
- (d) order
- 13. What is common in whale, bat and rat? [1993, 2000, 04]
  - (a) Absence of neck
  - (b) Muscular diaphragm between thorax and abdomen
  - (c) Extra-abdominal testes to avoid high temperature of body
  - (d) Presence of external ears
- 14. Mucus helps frog in forming
  - (a) thick skin
  - (b) dry skin
  - (c) smooth skin
  - (d) moist skin
- **15.** All vertebrates possess

[1993]

[1993]

- (a) renal portal system
- (b) dorsal, hollow central nervous system
- (c) four chambered ventral heart
- (d) pharyngeal gill slits
- **16.** What is common between ostrich, penguin and kiwi? [1993]
  - (a) Running birds
  - (b) Migratory birds
  - (c) Flightless birds
  - (d) Four toed birds
- [1994] 17. Golden era/age of reptiles is
  - (a) Palaeozoic
  - (b) Mesozoic
  - (c) Recent
  - (d) Proterozoic
- **18.** A common characteristic of all vertebrates is [1994]
  - (a) presence of skull
  - (b) division of body into head, neck, trunk and tail

- **19.** Closed circulatory system occurs in [1994]
- 20. All chordates possess
- 21. Besides Annelida and Arthropoda, the
- 22. Which one of the following is an exotic In-[1996]
- 23. Pneumatic bones are expected to be found in
- 24. The flightless bird Cassowary is found in
  - (d) Indonesia
- 25. The long bones are hollow and connected by air passage. They are the characteristics of [1998]
  - (a) Aves
- (b) mammals
- (c) Reptilia
- (d) land vertebrates

- **26.** Which of the following is not found in birds? **[1999]** 
  - (a) Hindlimb
- (b) Pectoral girdle
- (c) Pelvic girdle
- (d) Forelimb
- **27.** In which of the following animal, post-anal tail is found? [2001]
  - (a) Earthworm
- (b) Lower invertebrate
- (c) Scorpion
- (d) Snake
- **28.** In which of the following notochord is present in embryonic stage? [2002]
  - (a) All chordates
- (b) Some chordates
- (c) Vertebrates
- (d) Non-chordates
- **29.** Presence of gills in the tadpole of frog indicates that [2004]
  - (a) fishes were amphibious in the past
  - (b) fishes evolved from frog like ancestors
  - (c) frogs will have gills in future
  - (d) frogs evolved from gilled ancestors
- 30. A terrestrial animal must be able to [2004]
  - (a) excrete large amounts of water in urine
  - (b) conserve water
  - (c) actively pump salts out through the skin
  - (d) excrete large amounts of salts in urine
- **31.** Which one of the following characters is not typical of the class-Mammalia? **[2005]** 
  - (a) Seven cervical vertebrae
  - (b) The codont dentition
  - (c) Ten pairs of cranial nerves
  - (d) Alveolar lungs
- **32.** Which one of the following is not a living fossil? [2006]
  - (a) King crab
- (b) Sphenodon
- (c) Archaeopteryx
- (d) Peripatus
- **33.** In which one of the following sets of animals do all the four give birth to young ones?
  - (a) Lion, bat, whale, ostrich [2006]
  - (b) Platypus, penguin, bat, hippopotamus
  - (c) Shrew, bat, cat, kiwi
  - (d) Kangaroo, hedgehog, dolphin, loris
- **34.** What is common between parrot, platypus and kangaroo? [2007]

- (a) Homeothermy
- (b) Toothless jaws
- (c) Functional post-anal tail
- (d) Oviparity
- **35.** Which of the following pairs are correctly matched? [2007]

#### Animals Morphological features

- (i) Crocodile 4-chambered heart
- (ii) Sea urchin Parapodia
- (iii) Obelia Metagenesis
- (iv) Lemur Thecodont
- (a) (i), (iii) and (iv) (b) (ii), (iii) and (iv)
- (c) Only (i) and (iv) (d) Only (i) and (ii)
- 36. What is common to whale, seal and shark?
  - (a) Seasonal migration

[2007]

- (b) Thick subcutaneous fat
- (c) Convergent evolution
- (d) Homeothermy
- 37. Which one of the following in birds, indicates their reptilian ancestry? [2008]
  - (a) Scales on their hind limbs
  - (b) Four chambered heart
  - (c) Two special chambers crop and gizzard in their digestive tract
  - (d) Eggs with a calcareous shell
- **38.** Which one of the following pairs of animals comprises 'jawless fishes'? [2009]
  - (a) Lampreys and hag fishes
  - (b) Guppies and hag fishes
  - (c) Lampreys and eels
  - (d) Mackerals and Rohu
- **39.** Crocodile and Penguin are similar to Whale and Dogfish in which one of the following features? [Mains 2010]
  - (a) Lay eggs and guard them till they hatch.
  - (b) Possess bony skeleton
  - (c) Have gill slits at some stage
  - (d) Possess a solid single stranded central nervous system.
- **40.** What will you look for to identify the sex of the following? [Pre. 2011]
  - (a) Female Ascaris-Sharply curved posterior end

- (b) Male frog-A copulatory pad on the first digit of the hind limb.
- (c) Female cockroach-Anal cerci
- (d) Male shark-Claspers borne on pelvic fins
- 41. Which one of the following groups of animals is correctly matched with its one characteristic feature without even a single exception? [Pre. 2011]
  - (a) *Reptilia*: Possess 3-chambered heart with one incompletely divided ventricle
  - (b) *Chordata*: Possess a mouth provided with an upper and a lower jaw
  - (c) *Chondrichthyes*: Possess cartilaginous endoskeleton
  - (d) Mammalia: Give birth to young ones
- **42.** In which one of the following the genus name, its two characters and its class/phylum are correctly matched? [Pre. 2011]

		,			
Genus name		Two characters	Class/ Phylum		
(a)	Ascaris	<ul><li>(1) Body segmented</li><li>(2) Males and females distinct</li></ul>			
(b)	Salamendra	(1) A tympanum represents ear (2) Fertilization is external	Amphibia		
(c)	Pteropus	(1) Skin prossesses hair (2) Oviparous	Mammalia		
(d)	Aurelia	(1) Cnidoblasts (2) Organ level of organization	Coelenterata		

- **43.** Frogs differ from the humans in possessing : [Pre. 2011]
  - (a) Thyroid as well as parathyroid
  - (b) Paired cerebral hemispheres
  - (c) Hepatic portal system
  - (d) Nucleated red blood cells
- **44.** Ureters act as urinogenital ducts in

[Pre. 2011]

- (a) frog's males
- (b) human males
- (c) human females
- (d) frog's both males and females

**45.** Consider the following four statements (A-D) related to the common frog *Rana tigrina*, and select the correct option stating which ones are true (T) and which ones are false (F). [Pre. 2011]

#### Statements:

- (A) On dry land it would die due to lack of O<sub>2</sub> if its mouth is forcibly kept closed for a new days
- (B) It has four-chambered heart
- (C) On dry land it turns uricotelic from ureotelic
- (D) Its life-history is carried out in pond water

#### **Options:**

	(A)	(B)	(C)	(D)
(a)	F	T	T	F
(b)	T	F	F	T
(c)	T	T	F	F
(d)	F	F	T	T

**46.** Which one of the following statement is totally wrong about the occurrence of *notochord* while the other three are correct?

#### [Mains 2011]

- (a) It is present through life in *Amphioxus*
- (b) It is present only in larval tail in *Ascidians*
- (c) It is replaced by a vertebral column in adult frog
- (d) It is absent throughout life in humans from *the* very beginning
- **47.** Which one of the following categories of animals, is correctly described with no single exception in it? [Mains 2012]
  - (a) All bony fishes have four pairs of gills and an operculum on each side.
  - (b) All sponges are marine and have collared cells.
  - (c) All mammals are viviparous and possess diaphragm for breathing.
  - (d) All reptiles possess scales, have a three chambered heart and are cold blooded (poikilothermal).
- **48.** Which one of the following pairs of animals are similar to each other pertaining to the feature stated against them? [Mains 2012]

- (a) Garden lizard and Crocodile Three chambered heart
- (b) Ascaris and Ancylostoma Metameric segmentation
- (c) Sea horse and Flying fish Cold blooded (poikilothermal)
- (d) Pteropus and Ornithorhyncus-Viviparity
- **49.** Which one of the following characteristics is common both in humans and adult frogs?
  - (a) Internal fertilization

[Pre. 2012]

- (b) Nucleated RBCs
- (c) Ureotelic mode of excretion
- (d) Four chambered heart
- **50.** Compared to those of humans, the erythrocytes in frog are **[Pre. 2012]** 
  - (a) very much smaller and fewer
  - (b) nucleated and without haemoglobin
  - (c) without nucleus but with haemoglobin
  - (d) nucleated and with haemoglobin
- 51. Match the name of the animal (Column I), with one characteristics (Column II), and the phylum / class (column III) to which it belongs: [2013]

U		
Column I	Column II	Column III
(a) Petromyzon	Ectoparasite	Cyclostomata
(b) Ichthyophis	Terrestrial	Reptilia
(c) Limulus	Body covered by	_
	chitinous	Pisces
	exoskeleton	
(d) Adamsia	Radially	Porifera
	symmetrical	

- **52.** A marine cartilaginous fish that can produce electric current is **[AIPMT 2014]** 
  - (a) Pristis
- (b) Torpedo
- (c) Trygon
- (d) Scoliodon

- **53.** Which of the following endoparasites of humans does show viviparity? [AIPMT 2015]
  - (a) Enterobius vermicularis
  - (b) Trichinella spiralis
  - (c) Ascaris lumbricoides
  - (d) Ancylostoma duodenale
- **54.** Which of the following animals is not viviparous? **[AIPMT 2015]** 
  - (a) Elephant
- (b) Platypus
- (c) Whale
- (d) Flying fox (Bat)
- 55. Which of the following represents the correct combination without any exception?

  Characteristics Class [AIPMT 2015]
  - (a) Mouth ventral, gills without operculum; skin with placoid scales; persistent notochord-Chondrichthyes
  - (b) Sucking and circular mouth; jaws absent, integument without scales; paired appendages-Cyclostomata
  - (c) Body covered with feathers; skin moist and glandular; fore-limbs form wings; lungs with air sacs- Aves
  - (d) Mammary gland; hair on body; pinnae; two pairs of Limbs Mammalia.
- **56.** Which one of the following animals has two separate circulatory pathways?

#### [RE-AIPMT 2015]

- (a) Shark
- (b) Frog
- (c) Lizard
- (d) Whale
- **57.** A jawless fish, which lays eggs in fresh water and whose ammocoete larvae after metamorphosis return to the ocean is:

#### [RE-AIPMT 2015]

- (a) Petromyzon
- (b) Eptatretus
- (c) Myxine
- (d) Neomyxine

(		nswers _								
	1-c	2-d	3-b	4-b	5-d	6-d	7-b	8-b	9-a	10-b
	11-c	12-d	13-b	14-d	15-b	16-c	17-b	18-a	19-b	20-d
	21-b	22-c	23-a	24-b	25-a	26-d	27-d	28-a	29-d	30-b
	31-c	32-c	33-d	34-a	35-a	36-с	37-a	38-a	39-с	40-d
	41-c	42-b	43-d	44-a	45-b	46-d	47-a	48-c	49-c	50-d
	51-a	52-b	53-b	54-b	55-a	56-d	57-a			



#### Morphology of Flowering Plants

1. Floral formula of tomato/tobacc	o is [1989, 92]	<ul><li>(c) Brassica oleracea var. botrytis</li><li>(d) Brassica oleracea var. gemmifera</li></ul>
(a) $\oplus Q'' K_{4-5} A_{10} G_{(2)}$ (b) $\oplus Q'' K_{2+2} C_4 A_{2+4} G_1$	[1909, 92]	7. Epipetalous and syngenesious stamens occur in [1991]
(c) $\oplus \not\subseteq P_2A_3G_1$ (d) Br $\oplus \not\supseteq K_{(5)}C_{(5)}A_5G_{(2)}$		<ul><li>(a) Solanaceae</li><li>(b) Brassicaceae</li><li>(c) Fabaceae</li><li>(d) Asteraceae</li></ul>
2. Mango juice is got from	[1989]	8. Vegetative reproduction of Agave occurs through [1991]
<ul><li>(a) epicarp</li><li>(b) mesocarp</li></ul>		(a) rhizome (b) stolon (c) bulbils (d) sucker
<ul><li>(c) endocarp</li><li>(d) pericarp and thalamus</li></ul>		<ul><li>9. Fruit of Mangifera indica is [1991]</li><li>(a) berry (b) drupe</li></ul>
<ol><li>A family delimited by type of in is</li></ol>	[1990]	<ul><li>(c) capsule</li><li>(d) siliqua</li><li>10. Hypanthodium is [1994]</li></ul>
(a) Fabaceae (b) Asterace (c) Solanaceae. (d) Liliaceae		(a) thalamus (b) fruit (c) inflorescence (d) ovary
<ul><li>1. New banana plants develop from</li><li>(a) rhizome</li><li>(b) sucker</li><li>(c) stolon</li><li>(d) seed</li></ul>	m [1990]	<ul><li>11. Plant having column of vascular tissues, bearing fruits and having a tap root system is [1994]</li></ul>
5. Oil reserve of groundnut is prese	ent in <b>[1990]</b>	<ul><li>(a) monocot</li><li>(b) dicot</li><li>(c) gymnosperm or dicot</li></ul>
(a) embryo (b) cotyledo:		(d) gymnosperm or monocot
<ul><li>(c) endosperm (d) undergro</li><li>6. Botanical name of cauliflower is</li></ul>		12. A perennial plant differs from biennial in [1994]
(a) Brassica oleracea var. capita (b) Brassica campestris	ta	(a) having underground perennating structure

# www.freejobsportal.in

(b) Brassica campestris

## www.anybook.in

50

#### Trueman's AIPMT Biology Rebooster Specific

<ul><li>(b) having asexual reproductive str</li><li>(c) being tree species</li><li>(d) not dying after seasonal production</li><li>flowers</li></ul>		Angiosperm to which the largest flowers belong is [1999]  (a) total stem parasite  (b) partial stem parasite
<ul><li>13. Buttress roots are found in</li><li>(a) Sorghum (b) Banyan</li><li>(c) Terminalia (d) Pandanus</li></ul>	[1995] 22.	(c) total root parasite (d) partial root parasite The plant, which bears clinging roots, is
<ul><li>(a) Malvaceae</li><li>(b) Solanaceae</li><li>(c) Cruciferae</li><li>(d) Liliaceae</li></ul> 15. Which part of the coconut produces	5, 2001] 23.	(a) Trapa (b) orchid (c) screw pine (d) Podostemon  The type of placentation in which ovary is syncarpous, unilocular and ovules on sutures is called [1999]  (a) apical placentation
<ul><li>(a) Seed coat</li><li>(b) Mesocarp</li><li>(c) Epicarp</li><li>(d) Pericarp</li><li>16. Which one of the following is a true</li></ul>	fruit? [1996]	<ul><li>(b) parietal placentation</li><li>(c) marginal placentation</li><li>(d) superficial placentation</li></ul>
<ul><li>(a) Apple</li><li>(b) Pear</li><li>(c) Cashewnut</li><li>(d) Coconut</li></ul> 17. Heterospory and seed habit are of cussed in relation to a structure call	<b>24.</b> iten dis-	Match the following and indicate which is correct? [2000]  (a) Cucurbitaceae — Orange (b) Malvaceae — Cotton (c) Brassicaceae — Wheat (d) Leguminosae — Sunflower
(a) spathe (b) bract (c) petiole (d) ligule  18. The embryo in sunflower has (a) one cotyledon (b) two cotyledons	25. [1998]	What is eye of potato? [2001]  (a) Axillary bud  (b) Accessory bud  (c) Adventitious bud  (d) Apical bud
<ul> <li>(c) many cotyledons</li> <li>(d) no cotyledon</li> <li>19. Floral features are chiefly used giosperms identification because</li> <li>(a) flowers are of various colours</li> <li>(b) flowers can be safely pressed</li> </ul>		Which is correct pair for edible part? [2001]  (a) Tomato — Thalamus  (b) Maize — Cotyledons  (c) Guava — Mesocarp  (d) Date palm — Pericarp
(c) reproductive parts are more star conservative than vegetative part (d) flowers are nice to work with		Edible part of banana is [2001] (a) epicarp (b) mesocarp and less developed endocarp
20. Edible part in litchi is [1999, 20 (a) mesocarp (b) fleshy aril (c) endosperm (d) pericarp		<ul><li>(c) endocarp and less developed mesocarp</li><li>(d) epicarp and mesocarp</li><li>Bicarpellary gynoecium and oblique ovary occurs in [2001]</li></ul>

	<ul><li>(a) mustard</li><li>(c) Pisum</li></ul>	(b) banana (d) brinjal		37.	In a cereal grain the bryo is represented	ne single cotyledon o d by	of em- <b>2006]</b>
29.	Roots of which plaagent?		xidising [2001]		<ul><li>(a) scutellum</li><li>(c) coleoptile</li></ul>	<ul><li>(b) prophyll</li><li>(d) coleorhiza</li></ul>	
	<ul><li>(a) Carrot</li><li>(c) Mustard</li></ul>	<ul><li>(b) Soyabean</li><li>(d) Radish</li></ul>		38.		ngle-seeded fruit fo syncarpous inferior I	
30.	Which of the follow		pair? <b>[2002]</b>		(a) caryopsis (c) berry	(b) cypsela (d) cremocarp	_000]
	<ul><li>(a) Cuscuta</li><li>(b) Dischidia</li><li>(c) Opuntia</li><li>(d) Capsella</li></ul>	<ul><li>Parasite</li><li>Insectivorou</li><li>Predator</li><li>Hydrophyte</li></ul>		39.	rior ovary and has in		
31.	Edible part in man	ngo is [2	2002, 04]		<ul><li>(a) pomegranate</li><li>(c) guava</li></ul>	(1)	
	<ul><li>(a) mesocarp</li><li>(c) endocarp</li></ul>	<ul><li>(b) epicarp</li><li>(d) epidermis</li></ul>		40.	The fleshy recepta	ncle of syconous of f	ig en- <b>2008</b> ]
32.	Geocarpic fruit is (a) potato	(b) groundnut	[2002]		<ul><li>(a) achenes</li><li>(c) berries</li></ul>	<ul><li>(b) samaras</li><li>(d) mericarps</li></ul>	
33.	(c) onion Juicy hair-like str	(d) garlic uctures observed	d in the	41.	The floral formula	$1 \oplus \cancel{q}^{\sharp} K_{(5)} \stackrel{\longleftarrow}{C_{(5)}} A_5 \stackrel{G(2)}{\underline{G}} is t$	hat of <b>2009]</b>
	lemon fruit develo (a) mesocarp and	p from	[2003]		<ul><li>(a) Sunnhemp</li><li>(c) Tulip</li></ul>	<ul><li>(b) Tobacco</li><li>(c) Soyabean</li></ul>	
	(b) exocarp (c) mesocarp			42.	A fruit developed florescence is called	from hypanthodiued [	m in- <b>2009</b> ]
34.	(d) endocarp What type of place	entation is seen i			<ul><li>(a) Syconus</li><li>(c) Hesperidium</li></ul>		
	pea? (a) Axile (c) Marginal	<ul><li>(b) Free central</li><li>(d) Basal</li></ul>	[2006]	43.	An example of axi (a) Lemon (c) Argemone	ile placentation is [ (b) Marigold (d) Dianthus	2009]
35.	Pineapple (ananas	) fruit develops f	rom [ <b>2006</b> ]	44.	ula sombation is .	ry with a single ovu <b>[Pre.</b>	le the <b>2010]</b>
	<ul><li>(a) a multipistillat</li><li>(b) a cluster of common axis</li></ul>				(a) Marginal (c) Free Central	(b) Basal (d) Axile	
	(c) a multilocular : (d) a unilocular po			45.			2010]
36.	Long filamentous end of the young c	threads protrudi		46	(a) Gulmohur (c) Calotropis	(b) Cassia (d) Bean	
	(a) styles	(b) ovaries		46.	Ovary is half-infer	rior in the flowers of <b>Pre.</b>	: <b>2</b> 010]
	(c) hairs	(d) anthers			(a) Guava (c) Brinjal	(b) Plum (d) Cucumber	_

- **47.** Male and female gametophytes are independent and free-living in **[Pre. 2010]** 
  - (a) Mustard
  - (b) Castor
  - (c) Pinus
  - (d) Sphagnum
- **48.** The technical term used for the androecium in a flower of China rose (Hibiscus rosa sinensis) is : **[Pre. 2010]** 
  - (a) Monadelphous
  - (b) Diadelphous
  - (c) Polyandrous
  - (d) Polyadelphous
- **49.** Consider the following four statements A, B, C and D and select the right option for two correct statements : [Mains 2010]
  - (A) In vexillary aestivation, the large posterior petal is called  *standard*, two lateral ones are *wings* and two small anterior petals are termed *keel*.
  - (B) The floral formula for Liliaceae is  $\bigoplus \bigcap_{3 \to 3} A_{3,3}G_3$
  - (C) In pea flower the stamens are monadelphous
  - (D) The floral formula for Solanaceae is  $\bigoplus \bigcap K_{(3)}C_{(3)}A_{(4)}A_{(2)}$

The correct statements are:-

- (a) (A) and (B)
- (b) (B) and (C)
- (c) (C) and (D)
- (d) (A) and (C)
- **50.** Vegetative propagation in *Pistia* occurs by : [Mains 2010]
  - (a) Offset
  - (b) Runner
  - (c) Sucker
  - (d) Stolen
- **51.** Which one of the following is monoecious? [Mains 2010]
  - (a) Cycas
- (b) Pinus
- (c) Date plam
- (d) Marchantia

- **52.** The corect floral formula of soyabean is :- **[Mains 2010]** 
  - (a)  $\% Q^{7} K_{5} C_{1+(2)+2} A_{(9)+1} G_{1}$
  - (b)  $\% \varphi^{7} K_{(5)} C_{1+2+(2)} A_{(9)+1} G_{1}$
  - (c)  $\% Q^{7} K_{5} C_{1+(2)+2} A_{(9)+1} G_{1}$
  - (d)  $\% \subsetneq^{7} K_{(5)} C_{1+(2)+2} A_{(9)+1} G_{1}$
- **53.** Aestivation of petals in the flower of cotton is correctly shown in **[Mains 2010]**










- **54.** Which one of the following is a xerophytic plant which the stem is modified into a flat, green a succulent structure? [Mains 2010]
  - (a) Casuarina
- (b) Hydrilla
- (c) Acacia
- (d) Opuntia
- **55.** Which one of the following diagrams represents the placentation in *Dianthus*?

[Mains 2011]









56. Sweet potato is homologous to

[Mains 2011]

- (a) Turnip
- (b) Potato
- (c) Colocasia
- (d) Ginger
- **57.** Whorled, simple leaves with reticulate venation are present in **[Mains 2011]** 
  - (a) Alstonia
  - (b) Calotropis
  - (c) Neem
  - (d) China rose

#### Trueman's AIPMT Biology Rebooster Specific

53

- **58.** Which one of the following pairs is wrongly matched while the remaining three are cor-[Mains 2011] rect?
  - (a) *Agave* Bulbils
  - (b) Penicillium Conidia
  - (c) Water hyacinth Runner
  - (d) Bryophyllum Leaf buds
- **59.** The "Eyes" of the potato tuber are

[Pre. 2011]

- (a) Root buds
- (b) Flower buds
- (c) Shoot buds
- (d) Axillary buds
- **60.** Which one of the following statements is correct? [Pre. 2011]
  - (a) In tomato, fruit is a capsule
  - (b) Seeds of orchids have oil-rich endosperm
  - (c) Placentation in *Primrose* is basal
  - (d) Flower of tulip is a modified shoot
- **61.** The correct floral formula of chilli is

[Pre. 2011]

- **62.** Flowers are Zygomorphic in [Pre. 2011]
  - (a) Mustard
- (b) Gulmohur
- (c) Tomato
- (d) Datura
- **63.** The ovary is half inferior in flowers of

[Pre. 2011]

- (a) Peach
- (b) Cocumber
- (c) Cotton
- (d) Guava
- **64.** A drupe develops in

[Pre. 2011]

- (a) Mango
- (b) Wheat
- (c) Pea
- (d) Tomato
- 65. How many plants in the list given below have marginal placentation? [Mains 2012] Mustard, Gram, Tulip, Asparagus, Arhar, Sunhemp, Chilli, Colchicine, Onion, Moong, Pea, Tobacco, Lupin
  - (a) Five
- (b) Six
- (c) Three
- (d) Four

**66.** Cuscuta is an example of

[Mains 2012]

- (a) Brood parasitism
- (b) Predation
- (c) Endoparasitism
- (d) Ectoparasitism
- 67. Which one of the following organisms is correctly matched with its three characteristics?

#### [Mains 2012]

- (a) Tomato: Twisted aestivation, Axile placentation, Berry
- (b) Onion: Bulb, Imbricate aestivation, Axile placentation
- (c) Maize: C3 pathway, Closed vascular bundles, Scutellum
- (d) Pea: C3 pathway, Endospermic seed, Vexillary aestivation
- **68.** Read the following four statements (A-D)

#### [Mains 2012]

- (A) Both, photophosphorylation and oxidative phosphorylation involve uphill transport of protons across the membrane
- (B) In dicot stems, a new cambium originates from cells of pericycle at the time of secondary growth
- (C) Stamens in flowers of Gloriosa and Petunia are polyandrous
- (D) Symbiotic nitrogen-fixers occur in freeliving state also in soil

How many of the above statements are right

- (a) Three
- (b) Four
- (c) One
- (d) Two
- 69. Placentation in tomato and lemon is

[Pre. 2012]

- (a) Marginal
- (b) Axile
- (c) Parietal
- (d) Free-central
- 70. Vexillary aestivation is characteristic of the family [Pre. 2012]
  - (a) Solanaceae
  - (b) Brassicaceae

### www.anybook.in

### Trueman's AIPMT Biology Rebooster Specific

(c) Fabaceae

54

- (d) Asteraceae
- **71.** Phyllode is present in

[Pre. 2012]

- (a) Australian Acacia
- (b) Opuntia
- (c) Asparagus
- (d) Euphorbia
- **72.** How many plants in the list given below have composite fruits that develop from an inflorescence? Walnut, poppy, radish, fig, pineapple, apple, tomato, mulberry

[Pre. 2012]

- (a) Two
- (b) Three
- (c) Four
- (d) Five
- 73. Cymose inflorescence is present in

[Pre. 2012]

- (a) Trifolium
- (b) Brassica
- (c) Solanum
- (d) Sesbania
- 74. The coconut water and the edible part of coconut are equivalent to [Pre. 2012]
  - (a) Mesocarp
  - (b) Embryo
  - (c) Endosperm
  - (d) Endocarp
- **75.** The ...... consists of many free pistils in flowers of [Pre. 2012]
  - (a) Papaver
  - (b) Michelia
  - (c) Aloe
  - (d) Tomato
- **76.** Which one of the following is correctly matched? **[Pre. 2012]** 
  - (a) Chlamydomonas Conidia
  - (b) Yeast-Zoospores
  - (c) Onion-Bulb
  - (d) Ginger-sucker
- 77. Among bitter gourd, mustard, brinjal, pumpkin, china rose, lupin, cucumber, sunnhemp,

gram, guava, bean, chilli, plum, petunia, tomato, rose, withania, potato, onion, aloe and tulip how many plants have hypogynous flower? [2013]

- (a) Six
- (b) Ten
- (c) Fifteen
- (d) Eighteen
- **78.** In china rose the flowers are [2013]
  - (a) Actinomorphic, hypogynous with twisted aestivation
  - (b) Actinomorphic, epigynous with valvate aestivation
  - (c) Zygomorphic, hypogynous with imbricate aestivation
  - (d) Zygomorphic, epigynous with twisted aestivation
- **79.** Placenta and pericarp are both edible portions in **[AIPMT 2014]** 
  - (a) Apple
  - (b) Banana
  - (c) Tomato
  - (d) Potato
- **80.** When the margins of sepals or petals overlap one another without any particular direction, the condition is termed as

[AIPMT 2014]

- (a) Vexillary
- (b) Imbricate
- (c) Twisted
- (d) Valvate
- **81.** Which one of the following statements is correct? [AIPMT 2014]
  - (a) The seed in grasses is not endospermic
  - (b) Mango is a parthenocarpic fruit
  - (c) A proteinaceous aleurone layer is present in maize grain
  - (d) A sterile pistil is called a staminode
- **82.** An example of edible underground stem is **[AIPMT 2014]** 
  - (a) Carrot
  - (b) Groundnut
  - (c) Sweet potato (d) Potato

#### Trueman's AIPMT Biology Rebooster Specific

55

- 83. An aggregate fruit is one which develops from [AIPMT 2014]
  - (a) Multicarpellary syncarpous gynoecium
  - (b) Multicarpellary apocarpus gynoecium
  - (c) Complete inflorescence
  - (d) Multicarpellary superior ovary
- **84.** Leaves become modified into spines in:

#### [AIPMT 2015]

- (a) Pea
- (b) Onion
- (c) Silk Cotton
- (d) Opuntia
- **85.**  $\oplus \side \s$

#### [AIPMT 2015]

- (a) Sesbania
- (b) Petunia
- (c) Brassica
- (d) Allium
- **86.** Keel is the characteristic feature of flower of: [AIPMT 2015]
  - (a) Indigofera
- (b) Aloe
- (c) Tomato
- (d) Tulip
- 87. Perigynous flowers are found in -

#### [AIPMT 2015]

- (a) Cucumber
- (b) China rose
- (c) Rose
- (d) Guava
- **88.** Axile placentation is present in :

[RE-AIPMT 2015]

- (a) Argemone
- (b) Dianthus
- (c) Lemon
- (d) Pea
- **89.** The wheat grain has an embryo with one large, shield-shaped cotyledon known as:

#### [RE-AIPMT 2015]

- (a) Coleoptile
- (b) Epiblast
- (c) Coleorrhiza
- (d) Scutellum
- **90.** Among china rose, mustard, brinjal, potato, guava, cucumber, onion and tulip, how many plants have superior ovary?

#### [RE-AIPMT 2015]

- (a) Four
- (b) Five
- (c) Six
- (d) Three
- **91.** Flowers are unisexual in :

#### [RE-AIPMT 2015]

- (a) Onion
- (b) Pea
- (c) Cucumber
- (d) China rose
- **92.** Roots play insignificant role in absorption of water in : **[RE-AIPMT 2015]** 
  - (a) Wheat
- (b) Sunflower
- (c) Pistia
- (d) Pea

Ar	nswers _								
1-d	2-b	3-b	4-b	5-b	6-c	7-d	8-c	9-b	10-с
11-b	12-d	13-с	14-c	15-b	16-d	17-d	18-b	19-с	20-b
21-c	22-b	23-b	24-b	25-a	26-d	27-b	28-d	29-b	30-a
31-a	32-b	33-d	34-c	35-b	36-a	37-a	38-b	39-a	40-a
41-b	42-a	43-a	44-b	45-d	46-b	47-c	48-a	49-a	50-a
51-b	52-c	53-с	54-d	55-c	56-a	57-a	58-c	59-d	60-d
61-b	62-b	63-a	64-a	65-b	66-d	67-b	68-d	69-b	70-c
71-a	72-b	73-с	74-c	75-b	76-c	77 <b>-</b> c	78-a	79-с	80-b
81-c	82-d	83-b	84-d	85-b	86-a	87-c	88-c	89-d	90-с
91 <b>-</b> c	92 <b>-</b> c								

6

#### ANATOMY OF FLOWERING PLANT

- 1. Out of diffuse porous and ring porous woods, which is correct? [1989]
  - (a) Ring porous wood, carries more water for short period
  - (b) Diffuse porous wood carries more water
  - (c) Ring porous wood carries more water when need is higher
  - (d) Diffuse porous wood is less specialized but conducts water rapidly through out
- 2. Organization of stem apex into corpus and tunica is determined mainly by [1989]
  - (a) planes of cell division
  - (b) regions of meristematic activity
  - (c) rate of cell growth
  - (d) rate of shoot tip growth
- **3.** For union between stock and scion in grafting which one is the first to occur? [1990]
  - (a) Formation of callus
  - (b) Production of plasmodesmata
  - (c) Differentiation of new vascular tissues
  - (d) Regeneration of cortex and epidermis
- **4.** Collenchyma occurs in the stem and petioles of [1990]
  - (a) xerophytes
- (b) monocots
- (c) dicot herbs
- (d) hydrophytes
- 5. What is true about a monocot leaf?

[1990]

- (a) Reticulate venation
- (b) Absence of bulliform cells from epidermis
- (c) Mesophyll not differentiated into palisade and spongy tissues
- (d) Well diffferentiated mesophyll
- 6. Pericycle of roots produces

[1990]

- (a) mechanical support
- (b) lateral roots
- (c) vascular bundles
- (d) adventitious buds
- 7. Cork cambium and vascular cambium are [1990
  - (a) parts of secondary xylem and phloem
  - (b) parts of pericycle
  - (c) lateral meristems
  - (d) apical meristems
- 8. Monocot leaves possess

[1990]

- (a) intercalary meristem
- (b) lateral meristem
- (c) apical meristem
- (d) mass meristem
- 9. Vascular cambium produces [1990,92]
  - (a) primary xylem and primary phloem
  - (b) secondary xylem and secondary phloem
  - (c) primary xylem and secondary phloem
  - (d) secondary xylem and primary phloem

Trueman's AIPMT Biology Rebooste	er Specific 57
10. Where do the Casparian bands occur? [1990,94,99]	<b>18.</b> Abnormal/anomalous secondary growth occurs in [1993]
(a) Epidermis (b) Endodermis (c) Pericycle (d) Phloem	(a) <i>Dracaena</i> (b) ginger (c) wheat (d) sunflower
<ul> <li>11. Angular collenchyma occurs in <ul> <li>(a) Cucurbita</li> <li>(b) Tagetes</li> <li>(c) Althaea</li> <li>(d) Salvia</li> </ul> </li> <li>12. An organized and differentiated cellular structure having cytoplasm but no nucleus is <ul> <li>[1991]</li> <li>(a) vessels</li> <li>(b) xylem parenchyma</li> <li>(c) sieve tubes</li> <li>(d) tracheids</li> </ul> </li> <li>13. Commercial cork is obtained from <ul> <li>[1991]</li> <li>(a) Berberis/Barberry</li> </ul> </li> </ul>	<ul> <li>19. Periderm is produced by <ul> <li>(a) vascular cambium</li> <li>(b) fascicular cambium</li> <li>(c) phellogen</li> <li>(d) intrafascicular cambium</li> </ul> </li> <li>20. As the secondary growth takes place (proceeds) in a tree, thickness of <ul> <li>(a) heartwood increases</li> <li>(b) sapwood increases</li> <li>(c) both increase</li> </ul> </li> </ul>
<ul> <li>(b) Salix/Willow</li> <li>(c) Quercus/Oak</li> <li>(d) Betula/Birch</li> <li>14. A bicollateral vascular bundle is characterised by [1992]</li> <li>(a) phloem being sandwitched between xylem</li> </ul>	(d) both remain the same  21. Procambium forms [1994]  (a) only primary vascular bundles  (b) only vascular cambium  (c) only cork cambium  (d) primary vascular bundles and vascular cambium
<ul> <li>(b) transverse splitting of vascular bundle</li> <li>(c) longitudinal splitting of vascular bundle</li> <li>(d) xylem being sandwitched between phloem</li> <li>15. Which exposed wood will decay faster?</li> <li>[1993]</li> </ul>	<ul><li>22. What is not true about sclereids? [1996]</li><li>(a) These are parenchyma cells with thickened lignified walls</li><li>(b) These are elongated and flexible with tapered ends</li><li>(c) These are commonly found in the shells of nuts and in the pulp of guava, pear etc</li></ul>
<ul><li>(a) Sapwood</li><li>(b) Softwood</li><li>(c) Wood with lot of fibres</li><li>(d) Heartwood</li><li>16. Bordered pits are found in [1993]</li></ul>	(d) These are also called the stone cells  23. At maturity which of the following is enucleate? [1997]  (a) Sieve cell (b) Companion cell (c) Palisade cell
<ul> <li>(a) sieve cells</li> <li>(b) vessel wall</li> <li>(c) companion cells</li> <li>(d) sieve tube wall</li> </ul> 17. A narrow layer of thin walled cells found between phloem/bark and wood of a dicot is <ul> <li>[1993]</li> <li>(a) cork cambium</li> </ul>	(d) Cortical cell  24. A leaf primordium grows into the adult leaf lamina by means of [1998]  (a) apical meristem  (b) lateral meristem

## www.freejobsportal.in

(b) vascular cambium

(c) endodermis

(d) pericycle

(c) marginal meristem

(d) at first by apical meristem and later

largely by marginal meristem

- 25. Which of the following meristems is responsible for extrastelar secondary growth in dicotyledonous stem? [1998]
  - (a) Intrafascicular cambium
  - (b) Interfascicular cambium
  - (c) Intercalary meristem
  - (d) Phellogen
- **26.** What happens during vascularization in plants? **[2000]** 
  - (a) Differentiation of procambium is immediately followed by the development of secondary xylem and phloem
  - (b) Differentiation of procambium followed by the development of xylem and phloem
  - (c) Differentiation of procambium, xylem and phloem is simultaneous
  - (d) Differentiation of procambium followed by the development of primary phloem and then by primary xylem
- **27.** Loading of phloem is related to [2001]
  - (a) increase of sugar in phloem
  - (b) elongation of phloem cell
  - (c) separation of phloem parenchyma
  - (d) strengthening of phloem fibre
- **28.** Which of the following statements is true? **[2002]** 
  - (a) Vessels are multicellular with narrow lumen
  - (b) Tracheids are multicellular with narrow lumen
  - (c) Vessels are unicellular with wide lumen
  - (d) Tracheids are unicellular with wide lumen
- **29.** Axillary bud and terminal bud are derived from the activity of [2002]
  - (a) lateral meristem
  - (b) intercalary meristem
  - (c) apical meristem
  - (d) parenchyma
- **30.** Vessels are found in

[2002]

- (a) all angiosperms and some gymnosperms
- (b) most of angiosperms and few gymnosperms

- (c) all angiosperms and few gymnosperms and some pteridophytes
- (d) all pteridophytes
- 31. Four radial vascular bundles are found in [2002]
  - (a) dicot root
- (b) monocot root
- (c) dicot stem
- (d) monocot stem
- **32.** The apical meristem of the root is present **[2003]** 
  - (a) in all the roots (b) only in radicals
  - (c) only in tap roots
  - (d) only in adventitious roots
- **33.** The cells of the quiescent centre are characterised by **[2003]** 
  - (a) dividing regularly to add to tunica
  - (b) having dense cytoplasm and prominent nuclei
  - (c) having light cytoplasm and small nuclei
  - (d) dividing regularly to add to the corpus
- **34.** Chlorenchyma is known to develop in the [2003]
  - (a) pollen tube of Pinus
  - (b) cytoplasm of Chlorella
  - (c) mycelium of a green mould such as *Aspergillus*
  - (d) spore capsule of a moss
- **35.** In a longitudinal section of root, starting from the tip upward, the four zones occur in the 3 following order [2004]
  - (a) root cap, cell division, cell enlargement, cell maturation
  - (b) root cap, cell division, cell maturation, cell enlargement
  - (c) cell division, cell enlargement, cell maturation, root cap
  - (d) cell division, cell maturation, cell enlargement, root cap
- **36.** In a woody dicotyledonous tree, which of the following parts will mainly consist of primary tissues? [2005]
  - (a) All parts
  - (b) Stem and root

- (c) Flowers, fruits and leaves
- (d) Shoot tips and root tips
- **37.** A common structural feature of vessel elements and sieve tube elements are **[2006]** 
  - (a) pores on lateral walls
  - (b) presence of p-protein
  - (c) enucleate condition
  - (d) thick secondary walls
- **38.** For a critical study of secondary growth in plants, which one of the following pairs is suitable? [2007]
  - (a) Sugarcane and sunflower
  - (b) Teak and pine
  - (c) Deodar and fern
  - (d) Wheat and maiden hair fern
- Passage cells are thin walled cells found in [2007]
  - (a) endodermis of roots facilitating rapid transport of water from cortex to pericycle
  - (b) phloem elements that serve as entry points for substances for transport to other plant parts
  - (c) testa of seeds to enable emergence of growing embryonic axis during seed germination
  - (d) central region of style through which the pollen tube grows towards the ovary
- **40.** Vascular tissues in flowering plants develop from [2008]
  - (a) phellogen
  - (b) plerome
  - (c) periblem
  - (d) dermatogen
- **41.** The length of different internodes in a culm of sugarcane is variable because of **[2008]** 
  - (a) shoot apical meristem
  - (b) position of axillary buds
  - (c) size of leaf lamina at the node below each internode
  - (d) intercalary meristem

- **42.** Anatomically fairly old dicotyledonous root is distinguished from the dicotyledonous stem by: [2009]
  - (a) Presence of cortex
  - (b) Position of protoxylem
  - (c) Absence of secondary xylem
  - (d) Absence of secondary phloem
- **43.** The annular and spirally thickened conducting elements generally develop in the protoxylem when the root or stem is: [2009]
  - (a) widening
  - (b) differentiating
  - (c) maturing
  - (d) elongating
- **44.** Reduction in vascular tissue, mechanical tissue and cuticle is characteristic of: **[2009]** 
  - (a) Epiphytes
  - (b) Hydrophytes
  - (c) Xerophytes
  - (d) Mesophytes
- **45.** The chief water conducting elements of xylem in gymnosperms are **[Pre. 2010]** 
  - (a) Vessels
  - (b) Fibres
  - (c) Transfusion tissue
  - (d) Tracheids
- **46.** Which one of the following is not a lateral meristem? **[Pre. 2010]** 
  - (a) Intrafascicular cambium
  - (b) Interfascicular cambium
  - (c) Phellogen
  - (d) Intercalary meristem
- 47. Heartwood differs from sapwood in

[2010]

- (a) Presence of rays and fibres
- (a) Absence of vessels and parenchyma
- (c) Having dead and non-conducting elements
- (d) Being susceptible to pests and pathogens

**48.** Function of companion cells is

#### [Mains 2011]

- (a) Loading of sucrose into sieve elements.
- (b) Providing energy to sieve elements for active transport.
- (c) Providing water to phloem
- (d) Loading of sucrose into sieve elements by passive transport.
- 49. Some vascular bundles are described as open because these
  - (a) Are not surrounded by pericycle
  - (b) Are surrounded by pericycle but no endodermis
  - (c) Are capable of producing secondary xylem and phloem.
  - (d) Possess conjunctive tissue between xylem and phloem.
- 50. The cork cambium, cork and secondary cortex are collectively called – [Pre. 2011]
  - (a) Phelloderm
  - (b) Phellogen
  - (c) Periderm
  - (d) Phellem
- 51. Ground tissue includes

[Pre. 2011]

- (a) All tissues external to endodermis
- (b) All tissues except epidermis and vascular bundles
- (c) Epidermis and cortex
- (d) All tissues internal to endodermis
- 52. Gymnosperms are also called soft wood spermatophytes because they lack [Pre. 2012]
  - (a) Thick-walled tracheids
  - (b) Xylem fibres
  - (c) Cambium
  - (d) Phloem fibres
- 53. An organic substance that can withstand environmental extremes and cannot be degraded by any enzyme is
  - (a) Lignin
  - (b) Cellulose
  - (c) Cuticle
  - (d) Sporopollenin

- **54.** Closed vascular bundles lack
  - (a) Cambium
  - (b) Pith
  - (c) Ground tissue
  - (d) Conjuctive tissues
- 55. Companion-cells are closely associated with [Pre. 2012]
  - (a) Trichomes
  - (b) Guard cells
  - (c) Sieve elements
  - (d) Vessel elements
- **56.** The common bottle cork is a product of :-

[Pre. 2012]

- (a) Xylem
- (b) Vascular Cambium
- (c) Dermatogen
- (d) Phellogen
- **57.** As compared to a dicot root, a monocot root [Mains 2012] has
  - (a) Many xylem bundles
  - (b) Inconspicuous annual rings
  - (c) Relatively thicker periderm
  - (d) More abundant secondary xylem
- [2013] **58.** Age of a tree can be estimated by

(a) Its height and girth

- (b) Biomass
- (c) Number of annual rings
- (d) Diameter of its heartwood
- **59.** Interfascicular cambium develops from the cells of [2013]
  - (a) Medullary rays
  - (b) Xylem parenchyma
  - (c) Endodermis
  - (d) Pericycle
- **60.** You are given a fairly old piece of dicot stem and a dicot root. Which of the following anatomical structures will you use to distinguish between the two? [AIPMT 2014]
  - (a) Secondary xylem
  - (b) Secondary phloem

### www.anybook.in

#### Trueman's AIPMT Biology Rebooster Specific

- (c) Protoxylem
- (d) Cortical cells
- 61. Tracheids differ from other tracheary ele-[AIPMT 2014] ments in:
  - (a) Having casparian strips
  - (b) Being imperforated
  - (c) Lacking nucleus
  - (d) Being lignified
- 62. A major characteristic of the monocot root is the presence of : [AIPMT 2015]
  - (a) Scattered vascular bundles
  - (b) Vasculature without cambium
  - (c) Cambium sandwiched between phloem and xylem along the radius
  - (d) Open vascular bundles
- 63. Vascular bundles in monocotyledons are considered closed because: [AIPMT 2015]
  - (a) Cambium is absent

- (b) There are no vessels with perforations
- (c) Xylem is surrounded all around by phloem
- (d) A bundle sheath surrounds each bundle
- **64.** Read the different components from (a) to (d) in the list given below and tell the correct order of the components with reference to their arrangement from outer side to inner side in a woody dicot stem:
  - (a) Secondary cortex
  - (b) Wood
  - (c) Secondary phloem
  - (d) Phellem.

The correct order is: [RE-AIPMT 2015]

- (a) (d), (c), (a), (b)
- (b) (c), (d), (b), (a)
- (c) (a), (b), (d), (c)
- (d) (d), (a), (c), (b)

Answers										
1-c	2-a	3-a	4-c	5-c	6-b	7-c	8-a	9-b	10-b	
11-b	12-c	13-с	14-d	15-a	16-b	17-b	18-a	19-с	20-c	
21-d	22-a	23-a	24-d	25-d	26-b	27-a	28-a	29-с	30-b	
31-a	32-a	33-с	34-d	35-a	36-d	37 <b>-</b> c	38-b	39-a	40-b	
41-d	42-b	43-с	44-b	45-d	46-d	47-c	48-a	49-с	50-c	
51-b	52-b	53-d	54-a	55-c	56-d	57-a	58-c	59-a	60 <b>-</b> c	
61-b	62-b	63-a	64-d							

### www.freejobsportal.in

61

1

#### STRUCTURAL ORGANISATION IN ANIMALS

- 1. Mineral found in red pigment of vertebrate blood is [1989]
  - (a) magnesium
- (b) iron
- (c) calcium
- (d) copper
- **2.** Lymph differ from blood in possessing

[1989]

- (a) only WBC
- (b) more RBC and WBC
- (c) more RBC and few WBC
- (d) more WBC and few RBC
- **3.** Histamine secreting cells are found in

[1989]

- (a) connective tissue
- (b) lungs
- (c) muscular tissue
- (d) nervous tissue
- **4.** Haversian canal occurs in

[1989]

- (a) humerus
- (b) pubis
- (c) scapula
- (d) clavicle
- **5.** Removal of calcium from freshly collected blood would [1989]
  - (a) cause delayed clotting
  - (b) prevent clotting
  - (c) cause immediate clotting
  - (d) prevent destruction of haemoglobin
- **6.** Haemophilia is

[1989]

(a) royal disease

- (b) faulty blood clotting
- (c) Both (a) and (b)
- (d) mosquito having haemocoel
- 7. A person with blood group A requires blood. The blood group which can be given is

[1989]

- (a) A and B
- (b) A and AB
- (c) A and O
- (d) A, B, AB and O
- **8.** Which one engulfs pathogens rapidly?

- (a) Acidophils
- (b) Monocytes
- (c) Basophils
- (d) Neutrophils
- **9.** Characteristics of smooth muscle fibres are **[1990]** 
  - (a) spindle-shaped, unbranched, unstriated, uninucleate and involuntary
  - (b) spindle-shaped, unbranched, unstriped, multinucleate and involuntary
  - (c) cylindrical, unbranched, unstriped, multinucleate and involuntary
  - (d) cylindrical, unbranched, unstriated, multinucleate and voluntary
- **10.** Brush border is characteristic of [1990]
  - (a) Neck of nephron
  - (b) collecting tube
  - (c) proximal convoluted tubule
  - (d) All of the above

Truemunt S Alpmi Biology Reboost	er specific 03
<ul> <li>11. Blood group AB has [1991] <ul> <li>(a) no antigen</li> <li>(b) no antibody</li> <li>(c) neither antigen nor antibody</li> <li>(d) Both (a) and (b)</li> </ul> </li> <li>12. Component of blood responsible for producing antibodies is [1992] <ul> <li>(a) thrombocytes</li> <li>(b) monocytes</li> <li>(c) erythrocytes</li> <li>(d) lymphocytes</li> </ul> </li> </ul>	18. A child of blood group O cannot have parents of blood groups [1994]  (a) AB and AB/O  (b) A and B  (c) B and B  (d) O and O  19. Antigens are present [1995]  (a) inside the nucleus  (b) on cell surface  (c) inside the cytoplasm  (d) on nuclear membrane
<ul> <li>13. The genotype of B group father of an O group child is [1 992] <ul> <li>(a) I°I°</li> <li>(b) I<sup>B</sup>I<sup>B</sup></li> <li>(c) I<sup>A</sup>I<sup>B</sup></li> <li>(d) I°I<sup>B</sup></li> </ul> </li> <li>14. A man with blood group A, marries AB blood group woman. Which type of progeny indicate that the man is not homozygous?[1993]</li> </ul>	<ul> <li>20. At high altitude, the RBCs in the human blood will [1995]</li> <li>(a) increase in size</li> <li>(b) decrease in size</li> <li>(c) increase in number</li> <li>(d) decrease in number</li> <li>21. Stratum germinativum is an example of</li> </ul>
<ul> <li>(a) AB</li> <li>(b) B</li> <li>(c) A</li> <li>(d) O</li> <li>15. Vitamin-K is required for [1993]</li> <li>(a) formation of thromboplastin</li> <li>(b) conversion of fibrinogen to fibrin</li> <li>(c) conversion of prothrombin to thrombin</li> <li>(d) synthesis of prothrombin</li> </ul>	which kind of epithelium? [1997]  (a) Cuboidal (b) Ciliated (c) Columnar (d) Squamous  22. Protein present in the matrix of cartilage is known as [1997]
<ul> <li>16. Formation of cartilage bones involves[1993]</li> <li>(a) deposition of bony matter by osteoblasts and resorption by chondroclasts</li> <li>(b) deposition of bony matter by osteoclasts and resorption by chondroblasts</li> <li>(c) deposition of bony matter by osteoclasts only</li> <li>(d) deposition of bony matter by osteoblasts only</li> </ul>	<ul> <li>(a) chondrin</li> <li>(b) casein</li> <li>(c) cartilagin</li> <li>(d) ossein</li> </ul> 23. Basement membrane is made up of [1997] <ul> <li>(a) epidermal cells only</li> <li>(b) endodermal cells only</li> <li>(c) Both (a) and (b)</li> </ul> (d) no cell at all, but is a product of epithelial
<ul> <li>17. Epithelial tissue with thin flat cells appearing like packed tiles occurs on [1994]</li> <li>(a) inner lining of cheek</li> <li>(b) inner lining of stomach</li> <li>(c) inner lining of fallopian tubes</li> <li>(d) inner lining of ovary</li> </ul>	<ul> <li>(d) no cell at all, but is a product of epithelial cells</li> <li>24. The Nissl's granules of nerve cell are made up of [1997]</li> <li>(a) ribosomes</li> <li>(b) protein</li> <li>(c) DNA</li> </ul>

(d) RNA

Trueman's AIPMT Biology Rebooster Specific

- **25.** Which of the following is agranulocyte? **[1997]** 
  - (a) Lymphocyte
  - (b) Eosinophil
  - (c) Basophil
  - (d) Neutrophil
- **26.** The life span of human WBC is approximately [1997]
  - (a) less than 10 days
  - (b) between 20 to 30 days
  - (c) between 2 to 3 months
  - (d) more than 4 months
- 27. In mammals, histamine is secreted by [1998]
  - (a) fibroblasts
  - (b) histocytes
  - (c) lymphocytes
  - (d) mast cells
- **28.** Which of the following is not exclusively supplied with involuntary muscles? [1998]
  - (a) Muscular coats of blood vessels
  - (b) Muscles of the ducts of glands
  - (c) Muscles of iris
  - (d) Muscles of urethra
- **29.** The functional unit of contractile system in striated muscle is [1998]
  - (a) myofibril
  - (b) sarcomere
  - (c) Z-lines
  - (d) cross bridges
- **30.** Haemoglobin is a type of [1999]
  - (a) carbohydrate
  - (b) vitamin
  - (c) skin pigment
  - (d) respiratory pigment
- **31.** Which is the principal cation in the plasma of the blood? [1999]
  - (a) Magnesium
  - (b) Sodium
  - (c) Potassium
  - (d) Calcium

- **32.** The blood group with antibody-a and b is **[1999]** 
  - (a) B
- (b) A
- (c) O
- (d) AB
- 33. Ligament is a

[1999]

- (a) modified yellow elastic fibrous tissue
- (b) inelastic white fibrous tissue
- (c) modified white fibrous tissue
- (d) None of the above
- **34.** Tendon is made up of

[1999]

- (a) adipose tissue
- (b) modified white fibrous tissue
- (c) areolar tissue
- (d) yellow fibrous connective tissue
- 35. What is correct regarding leucocytes ?[2000]
  - (a) These can squeeze out through (can cross) the capillary walls
  - (b) These are enucleated
  - (c) Sudden fall in their number indicates
  - (d) These are produced in thymus
- **36.** Child death may occur in the marriage of **[2000]** 
  - (a) Rh+ man and Rh+ woman
  - (b) Rh+ man and Rh- woman
  - (c) Rh<sup>-</sup> man and Rh<sup>-</sup> woman
  - (d) Rh-man and Rh+woman
- **37.** The polysaccharide present in the matrix of cartilage is known as **[2000]** 
  - (a) cartilagin
- (b) ossein
- (c) chondroitin
- (d) casein
- **38.** Simple epithelium is a tissue in which the cells are [2000]
  - (a) hardened and provide support to the organ
  - (b) cemented directly to one another to form a single layer
  - (c) continuously dividing to provide form to an organ
  - (d) loosely connected to one another to form an irregular organ

- **39.** An action potential in the nerve fibre is produced when positive and negative charges on the outside and the inside of the axon membrane are reversed, because **[2000]** 
  - (a) more potassium ions enter the axon as compared to sodium ions leaving it
  - (b) more sodium ions enter the axon as compared to potassium ions leaving it
  - (c) all potassium ions leave the axon
  - (d) all sodium ions enter the axon
- **40.** A piece of bone such as femur of frog if kept in dilute HC1 for about a week will **[2000]** 
  - (a) assume black colour
  - (b) shrink in size
  - (c) turn flexible
  - (d) crack into pieces
- **41.** During an injury nasal septum gets damaged and for its recovery which cartilage is preferred? [2001]
  - (a) Hyaline cartilage
  - (b) Elastic cartilage
  - (c) Calcified cartilage
  - (d) Fibrous cartilage
- **42.** Which cells do not form layer and remain structurally separate? [2001]
  - (a) Epithelial cells
  - (b) Muscle cells
  - (c) Nerve cells
  - (d) Gland cells
- **43.** Sickle cell anaemia is due to [2001]
  - (a) change of amino acid in a-chain of haemoglobin
  - (b) change of amino acid in b-chain of haemoglobin
  - (c) change of amino acid in both a and b chains of haemoglobin
  - (d) change of amino acid in either a or bchain of haemoglobin
- **44.** What is correct for blood group 'O'? [2001]
  - (a) No antigens but both a and b antibodies are present

- (b) A antigen and b antibody
- (c) Antigen and antibody both absent
- (d) A, B antigens and a, b antibodies
- **45.** Which cartilage is present at the end of long bones? [2002]
  - (a) Calcified cartilage
  - (b) Hyaline cartilage
  - (c) Elastic cartilage
  - (d) Fibrous cartilage
- **46.** Which of the following statements is correct about node of Ranvier? [2002]
  - (a) Axolemma is discontinuous
  - (b) Myelin sheath is discontinuous
  - (c) Both neurilemma and myelin sheath are discontinuous
  - (d) Covered by myelin sheath
- **47.** Collagen is

[2002]

- (a) fibrous protein
  - (b) globular protein
  - (c) lipid
  - (d) carbohydrate
- **48.** Which one of the following contains the largest quantity of extracellular material?

[2003]

- (a) Myelinated nerve fibres
- (b) Striated muscle
- (c) Areolar tissue
- (d) Stratified epithelium
- **49.** What used to be described as Nissl's granules in a nerve cell are now identified as

[2003]

- (a) ribosomes
- (b) mitochondria
- (c) cell metabolites
- (d) fat granules
- **50.** Mast cells of connective tissue contain

[2004]

- (a) vasopressin and relaxin
- (b) heparin and histamine
- (c) heparin and calcitonin
- (d) serotonin and melanin

**51.** In the ABO system of blood groups, if both antigens are present but no antibody, the blood group of the individual would be

[2004]

- (a) B
- (b) O
- (c) AB
- (d) A
- **52.** You are required to draw blood from a patient and to keep it in a test tube for analysis of blood corpuscles and plasma. You are also provided with the following four types of test tubes. Which of them will you not use for the purpose? [2004]
  - (a) Test-tube containing calcium bicarbonate
  - (b) Chilled test-tube
  - (c) Test-tube containing heparin
  - (d) Test-tube containing sodium oxalate
- **53.** In the resting state of the neural membrane, diffusion due to concentration gradients, if allowed, would drive [2004]
  - (a) K<sup>+</sup> into the cell
  - (b) K<sup>+</sup> and Na<sup>+</sup> out of the cell
  - (c) Na<sup>+</sup> into the cell
  - (d) Na<sup>+</sup> out of the cell
- **54.** ATPase enzyme needed for muscle contraction is located in [2004]
  - (a) actinin
  - (b) troponin
  - (c) myosin
  - (d) actin
- **55.** Which of the following substances, if introduced into the blood stream, would cause coagulation of blood at the site of its introduction? [2005]
  - (a) Prothrombin
  - (b) Fibrinogen
  - (c) Thromboplastin
  - (d) Heparin
- **56.** Areolar connective tissue joins [2006]
  - (a) integument with muscles
  - (b) bones with muscles
  - (c) bones with bones
  - (d) fat body with muscles

- 57. During the transmission of nerve impulse through a nerve fibre, the potential on the inner side of the plasma membrane has which type of electric charge? [2006]
  - (a) First negative, then positive and again back to negative
  - (b) First positive, then negative and continue to be negative
  - (c) First negative, then positive and continue to be positive
  - (d) First positive, then negative and again back to positive
- 58. People living at sea level have around 5 million RBCs per cubic millimeter of their blood whereas those living at an altitude of 5400 metres have around 8 million. This is because at high altitude [2006]
  - (a) people get pollution-free air to breathe and more oxygen is available
  - (b) atmospheric O<sub>2</sub> level is less and hence, more RBCs are needed to absorb the required amount of O<sub>2</sub> to survive
  - (c) there is more UV radiation which enhances RBC production
  - (d) people eat more nutritive food, therefore, more RBCs are formed
- **59.** A drop of each of the following, is placed separately on four slides. Which of them will not coagulate? [2007]
  - (a) Blood plasma
  - (b) Blood serum
  - (c) Sample from the thoracic duct of lymphatic system
  - (d) Whole blood from pulmonary vein
- **60.** Which one of the following mammalian cells is not capable of metabolizing glucose to carbon-dioxide aerobically? [2007]
  - (a) White blood cells
  - (b) Unstriated muscle cells
  - (c) liver cells
  - (d) Red blood cells
- **61.** In which one of the following preparations are you likely to come across cell junctions most frequently? [2007]

#### Trueman's AIPMT Biology Rebooster Specific

- (a) Ciliated epithelium
- (b) Thrombocytes
- (c) Tendon
- (d) Hyaline cartilage
- **62.** Which one of the following pairs of structures distinguishes a nerve cell from other types of cell? [2007]
  - (a) Perikaryon and dendrites
  - (b) Vacuoles and fibres
  - (c) Flagellum and medullary sheath
  - (d) Nucleus and mitochondria
- **63.** The most active phagocytic white blood cells are **[2008]** 
  - (a) neutrophils and eosinophils
  - (b) lymphocytes and macrophages
  - (c) eosinophils and lymphocytes
  - (d) neutrophils and monocytes
- **64.** Which one of the following items gives its correct total number? **[2008]** 
  - (a) Floating ribs in humans—4
  - (b) Amino acids found in proteins—16
  - (c) Types of diabetes—3
  - (d) Cervical vertebrae in humans—8
- **65.** Which type of white blood cells are concerned with the release of histamine and the natural anticoagulant heparin? [2008]
  - (a) Neutrophils
  - (b) Basophils
  - (c) Eosinophils
  - (d) Monocytes
- 66. During the propagation of a nerve impulse, the action potential results from the movement of [2008]
  - (a) K<sup>+</sup> ions from extracellular fluid to intracellular fluid
  - (b) Na<sup>+</sup> ions from intracellular fluid to extracellular fluid
  - (c) K<sup>+</sup> ions from intracellular fluid to extracellular fluid
  - (d) Na<sup>+</sup> ions from extracellular fluid to intracellular fluid

- **67.** The cell junctions called tight, adhering and gap junctions are found in: **[2009]** 
  - (a) Epithelial tissue
  - (b) Neural tissue
  - (c) Muscular tissue
  - (d) Connective tissue
- **68.** The epithelial tissue present on the inner surface of bronchioles and fallopian tubes is [2009]
  - (a) Ciliated
- (b) Squamous
- (c) Cuboidal
- (d) Glandular
- **69.** Palisade parenchyma is absent in leaves of **[2009]** 
  - (a) Soybean
- (b) Gram
- (c) Sorghum
- (d) Mustard
- **70.** Globulins contained in human blood plasma are primarily involved in: **[2009]** 
  - (a) oxygen transport in the blood
  - (b) clotting of blood
  - (c) defence mechanisms of body
  - (d) osmotic balance of body fluids
- 71. The most popularly known blood grouping is the ABO grouping. It is named ABO and not ABC, because "O" in it refers to having:

  [2009]
  - (a) one antibody only either anti-A or anti-B on the RBCs
  - (b) no antigens A and B on RBCs
  - (c) other antigens besides A and B on RBCs
  - (d) overdominance of this type on the genes for A and B types
- **72.** The kind of tissue that forms the supportive structure in our pinna (external ears) is also found in: [2009]
  - (a) ear ossicles
  - (b) tip of the nose
  - (c) vertebrae
  - (d) nails
- **73.** Which one of the following is the *correct* matching of three items and their grouping category? [2009]

### www.freejobsportal.in

67

Group

pelvic girdle

**Items** 

(a) actin, myosin, rhodopsin	muscle
_	proteins
(b) cytosine, uracil, thiamine	pyrimidines
(c) malleus, incus, cochlea	ear ossicles
(d) ilium, ischium, pubis	coxal bones of

- 74. In barley stem vascular bundles are: [2009]
  - (a) open and in a ring
  - (b) closed and radial
  - (c) open and scattered
  - (d) closed and scattered
- 75. Compared to blood our lymph has: [2009]
  - (a) more WBCs and no RBCs
  - (b) more RBCs and less WBCs
  - (c) no plasma
  - (d) plasma without proteins
- **76.** The kind of epithelium which forms the inner walls of blood vessels is **[Pre. 2010]** 
  - (a) cuboidal epithelium
  - (b) columnar epithelium
  - (c) ciliated columnar epithelium
  - (d) squamous epithelium
- 77. ABO blood groups in humans are controlled by the gene *I* It has three alleles-I<sup>A</sup>, I<sup>B</sup> and i. Since there are three different alleles, six different genotypes are possible. How many phenotypes can occur? [Pre. 2010]
  - (a) Three
- (b) One
- (c) Four
- (d) Two
- 78. What is true about RBCs in humans?[2010]
  - (a) They carry about 20-35 per cent of CO<sub>2</sub>
  - (b) They transport 99.5 per cent of  $O_2$
  - (c) They transport about 80 per cent oxygen only and the rest 20 per cent of it is transported in dissolved state in blood plasma
  - (d) They do not carry CO<sub>2</sub> at all
- **79.** The cells lining the blood vessels belong to category of [Mains 2011]
  - (a) Connective tissue
  - (b) Smooth muscle tissue

- (c) Squamous epithelium
- (d) Columnar epithelium
- **80.** Which one of the following plasma proteins is involved in the coagulation of blood?

[Pre. 2011]

- (a) An albumin
- (b) Serum amylase
- (c) A globulin

(c) Cartilage

- (d) Fibrinogen
- **81.** The ciliated columnar epithelial cells in humans are known to occur in **[Pre. 2011]** 
  - (a) Eustachian tube and stomach lining
  - (b) Bronchioles and Fallopian tubes
  - (c) Bile duct and oesophagus
  - (d) Fallopian tubes and urethra
- **82.** The supportive skeletal structures in the human external ears and in the nose tip are examples of [Mains 2012]
  - (a) Areolar tissue (b) Bone
    - sue (b) bo
      - (d) Ligament
- **83.** Given below is the diagrammatic sketch of a certain type of connective tissue. identify the parts labeled A, B, C and D and select the right option about them [Mains 2012]




Option


Option			
Part-A	Part-B	Part-C	Part-D
(a) Mast cell	Marco- phage	Fibroblast	Collagen fibres
(b) Macro- phage	Collegen fibres	Fibroblast	Mast cell
(c) Mast cell	Collagen fibres	Fibroblast	Macrophage
(d) Macro- phage	Fibroblast	Collagen fibres	Mast cell

**84.** The four sketches (A, B, C and D) given below, represent four different types of animal tissues. Which one of these is correctly identified in the options given, along with its correct location and function? [Mains 2012]

(D)









Tissue	Location	Function
(a) (C) Collagen	Cartilage	Attach skeletal
fibres		muscles to bones
(b) (D) Smooth	Heart	Heart contraction
muscle tissue		
(c) (A) Columnar	Nephron	Secretion and
epithelium	-	absorption
(d) (B) Glandular		•
epithelium	Intestine	Secretion

#### **85.** Choose the correctly matched pair:

#### [AIPMT 2014]

- (a) Tendon Specialized connective tissue
- (b) Adipose tissue Dense connective tissue
- (c) Areolar tissue Loose connective tissue
- (d) Cartilage Loose connective tissue

### **86.** Choose the correctly matched pair: **[AIPMT 2014]**

- (a) Inner lining of salivary ducts Ciliated epithelium
- (b) Moist surface of buccal cavity-Glandular epithelium
- (c) Tubular parts of nephrons-Cuboidal epithelium
- (d) Inner surface of bronchioles-Squamous epithelium
- **87.** The terga, sterna and pleura of cockroach body are joined by: [AIPMT 2015]
  - (a) Muscular tissue
  - (b) Arthrodial membrane
  - (c) Cartilage
- (d) Cementing glue
- **88.** The function of the gap junction is to:

#### [RE-AIPMT 2015]

- (a) Stop substance from leaking across a tissue
- (b) Performing cementing to keep neighbouring cells together
- (c) Facilitate communication between adjoining cells by connecting the cytoplasm for rapid transfer of ions, small molecules and some large molecules
- (d) Separate two cells from each other.
- **89.** The body cells in cockroach discharge their nitrogenous waste in the haemolymph mainly in the form of: [RE-AIPMT 2015]
  - (a) Calcium carbonate (b) Ammonia
  - (c) Potassium urate (d) Urea

() Ar	nswers _				(-)			(4)	
1-b	2-a	3-a	4-a	5-b	6-c	7-c	8-d	9-a	10-с
11-b	12-d	13-d	14-b	15-d	16-d	17-a	18-a	19 <b>-</b> b	20-с
21-c	22-a	23-d	24-a	25-a	26-a	27-d	28-b	29-b	30-d
31-b	32-c	33-b	34-b	35-a	36-b	37-c	38-b	39-b	40-c
41-a	42-c	43-b	44-a	45-b	46-b	47-a	48-c	49-a	50-b
51-c	52-a	53-с	54-c	55-c	56-a	57-a	58-b	59-b	60-d
61-a	62-a	63-d	64-a	65-b	66-d	67-a	68-a	69 <b>-</b> c	70-с
71-b	72-b	73-d	74-d	75-a	76-d	77-c	78-a	79 <b>-</b> c	80-d
81-b	82-c	83-d	84-d	85-c	86-c	87-b	88-c	89 <b>-</b> c	



# Cell: The Unit of Life Tools and Techniques

- Organelles can be separated from cell homogenate through [1989]
  - (a) chromatography
  - (b) X-rays diffraction
  - (c) differential centrifugation
  - (d) auto-radiography
- **2.** Electron microscope has a high resolution power. This is due to **[1990,92]** 
  - (a) electromagnetic lenses
  - (b) very low wavelength of electron beam
  - (c) low wavelength of light source used
  - (d) high numerical aperture of glass lenses used
- **3.** Magnification of compound microscope is not connected with [1990]
  - (a) numerical aperture
  - (b) focal length of objective
  - (c) focal length of eye piece
  - (d) tube length
- **4.** Resolution power is the ability to [1991]
  - (a) distinguish two trees
  - (b) distinguish two close objects
  - (c) distinguish amongst organelles
  - (d) magnify image
- **5.** Angstrom (Å) is equal to [1992]
  - (a) 0.01 µm
- (b)  $0.001 \mu m$
- (c) 0.0001µm
- (d) 0.00001 μm

- **6.** Binding of specific protein on regulatory DNA sequence can be studied by means of [1993]
  - (a) ultra centrifugation
  - (b) electron microscope
  - (c) light microscope
  - (d) X-rays crystallography
- 7. A student wishes to study the cell structure under a light microscope having 10X eyepiece and 45X objective. He should illuminate the object by which one of the following colours of light so as to get the best possible resolution? [2004]
  - (a) Blue
- (b) Green
- (c) Yellow
- (d) Red
- **8.** A major break through in the studies of cells came with the development of electron microscope. This is because [2006]
  - (a) the resolving power of the electron microscope is 200-350 nm as compared to 0.1-0.2 for the light microscope
  - (b) electron beam can pass through thick materials, whereas light microscopy required thin sections
  - (c) the electron microscope is more powerful than the light microscope as it uses a beam of electrons which has wavelength much longer than that of photons

### www.anybook.in

#### Trueman's AIPMT Biology Rebooster Specific

71

- (d) the resolution power of the electron microscope is much higher than that of the light microscope
- **9.** Gel electrophoresis is used for [2008]
  - (a) cutting of DNA into fragments

- (b) separation of DNA fragments according to their size
- (c) construction of recombinant DNA by joining with cloning vectors
- (d) isolation of DNA molecule

An	swers_							
		4-b	5-c	6-d	7-a	8-d	9-b	



# Cell: The Unit of Life -CELL STRUCTURE

1.	Polyribosomes are aggregates of	[1989]
т.	1 Olylibosoffics are aggregates of	

- (a) ribosomes and rRNA
- (b) only rRNA
- (c) peroxisomes
- (d) several ribosomes held together by string of mRNA
- 2. Plasma membrane is made up of [1989]
  - (a) proteins and carbohydrates
  - (b) proteins and lipids
  - (c) proteins, lipids and carbohydrates
  - (d) proteins, some nucleic acid and lipids
- 3. Fluid mosaic model of cell membrane was [1991] put forward by
  - (a) Danielli and Davson
  - (b) Singer and Nicolson
  - (c) Garner and Allard
  - (d) Watson and Crick
- 4. Addition of new cell wall particles amongst the existing ones is [1991]
  - (a) deposition
- (b) apposition
- (c) intussusception
- (d) aggregation
- 5. Cell wall shows [1991]
  - (a) complete permeability
  - (b) semi-permeability
  - (c) differential permeability
  - (d) impermeability

- **6.** Ribosomes were discovered by [1991]
  - (a) Golgi
- (b) Porter
- (c) de Robertis
- (d) Palade
- 7. Ribosomes are the centre for
- [1992]

- (a) respiration
- (b) photosynthesis
- (c) protein synthesis
- (d) fat synthesis
- 8. An outer covering membrane is absent over [1992]

- (a) nucleolus
- (b) lysosome
- (c) mitochondrion
- (d) plastids
- 9. All plastids have similar structure because they can
  - (a) store starch, lipids and proteins
  - (b) get transformed from one type to another
  - (c) perform same function
  - (d) be present together
- **10.** Oxysomes or  $F_0$ - $F_1$  particles occur on

[1992]

- (a) thylakoids
- (b) mitochondrial surface
- (c) inner mitochondrial membrane
- (d) chloroplast surface

- **11.** Which one is apparato reticulare interno?
  - (a) Golgi apparatus
  - (b) Endoplasmic reticulum
  - (c) Microfilaments
  - (d) Microtubules
- **12.** Which is correct about cell theory in view of current status of our knowledge about cell [1993]
  - (a) It needs modification due to discovery of subcellular structures like chloroplasts and mitochondria
  - (b) Modified cell theory means that all living beings are composed of cells capable of reproducing
  - (c) Cell theory does not hold good because all living beings do not have cellular organisation (eg, viruses)
  - (d) Cell theory means that all living objects consist of cells whether or not capable of reproducing
- 13. In plant cells, peroxisomes are associated with [1993]
  - (a) photorespiration
- (b) phototropism
  - (c) photoperiodism
- (d) photosynthesis
- 14. Name of Schleiden and Schwann are associated with
  - (a) protoplasm as the physical basis of life
  - (b) cell theory
  - (c) theory of cell lineage
  - (d) nucleus functions as control centre of cell
- 15. Membranous bag with hydrolytic enzymes which is used for controlling intracellular digestion of macromolecules is [1993]
  - (a) endoplasmic reticulum
  - (b) nucleosome
  - (c) lysosome
  - (d) phagosome
- 16. Golgi apparatus is absent in [1993]
  - (a) higher plants (b) yeast
  - (c) bacteria and blue-green algae
  - (d) None of the above

- 17. Inner membrane convolutions of a mitochondrion are known as
  - (a) lamellae
- (b) thylakoids

73

- (c) grana
- (d) cristae
- 18. Cell organelles having hydrolases/digestive [1994] enzymes are
  - (a) peroxisomes
- (b) lysosomes
- (c) ribosomes
- (d) mesosomes
- 19. Organelle/organoid involved in genetic en-[1994] gineering is
  - (a) plasmid
  - (b) mitochondrion
  - (c) Golgi apparatus
  - (d) lomasome
- 20. Mitochondrial cristae are sites of [1994]
  - (a) breakdown of macromolecules
  - (b) protein synthesis
  - (c) phosphorylation of flavoproteins
  - (d) oxidation-reduction reactions
- 21. Organelle having flattened membrane bound cisternae and lying near the nucleus [1994]
  - (a) Golgi apparatus
  - (b) mitochondrion
  - (c) centriole
  - (d) nucleolus
- 22. Series of reactions which can convert fatty acids to sugars in plants but not in animals [1994]
  - (a) Krebs cycle
- (b) glyoxylate cycle
- (c) Ornithine cycle (d) glycolysis
- 23. The prokaryotic flagella possess [1995]
  - (a) unit membrane enclosed fibre
  - (b) protein membrane enclosed fibre
  - (c) '9+2' membrane enclosed structure
  - (d) helically arranged protein molecule
- **24.** The desmosomes are concerned with

[1995]

- (a) cytolysis
- (b) cell division
- (c) cell adherence (d) cellular excretion

- Trueman's AIPMT Biology Rebooster Specific 74 25. The function of rough endoplasmic reticu-[1995] lum is (a) fat synthesis (b) lipid synthesis (c) protein synthesis (d) steroid synthesis **26.** Lysosomes have a high content of [1996]
- - (a) hydrolytic enzymes
  - (b) lipoproteins
  - (c) polyribosomes
  - (d) DNAligases
- 27. Protein synthesis in an animal cell takes place [1997]
  - (a) only in cytoplasm
  - (b) in the nucleolus as well as in the cytoplasm
  - (c) in the cytoplasm as well as in mitochondria
  - (d) only on ribosomes attached to nucleus
- 28. The mechanism of ATP formation both in chloroplast and mitochondria is explained [1997]
  - (a) Relay pump theory of Godlewski
  - (b) Cholodny-Went's model
  - (c) Chemiosmotic theory
  - (d) Munch's mass flow hypothesis
- [1998] **29.** The proteins are synthesized at
  - (a) ribosomes
- (b) mitochondria
- (c) centrosomes
- (d) Golgi bodies
- [1998] **30.** Microtubule is involved in the
  - (a) cell division
  - (b) membrane architecture
  - (c) muscle contraction
  - (d) DNA recognition
- **31.** Some of the enzymes which are associated in converting fats into carbohydrates, are present in [1999]
  - (a) liposomes
  - (b) Golgi bodies
  - (c) microsomes
  - (d) glyoxysomes

- **32.** Photosynthetic bacteria have pigments in [1999]
  - (a) chromoplasts
  - (b) leucoplasts
  - (c) chloroplasts
  - (d) chromatophore
- **33.** Which of the following organ has single membrane?
  - (a) Nucleus
- (b) Cell wall
- (c) Mitochondria (d) Spherosomes
- **34.** Lysosomes are reservoirs of [2000]
  - (a) RNA and protein
  - (b) fats
  - (c) secretory glycoproteins
  - (d) hydrolytic enzymes
- **35.** In an animal cell, protein synthesis takes place [2000]
  - (a) only on the ribosomes present in cytosol
  - (b) only on ribosomes attached to nuclear envelope and ER
  - (c) on ribosomes present in the nucleolus as well as in cytoplasm
  - (d) on ribosomes present in the cytosol as well as in the mitochondria
- **36.** The cell organelle involved in glycosylation of protein is
  - (a) ribosome
  - (b) peroxisome
  - (c) endoplasmic reticulum
  - (d) mitochondria
- 37. Microtubules absent in

[2001]

- (a) mitochondria (b) centriole
- (d) spindle fibres (c) flagella
- 38. In fluid mosaic model of plasma membrane [2002]
  - (a) upper layer is non-polar and hydrophilic
  - (b) upper layer is polar and hydrophobic
  - (c) phospholipids form a bimolecular layer in middle part
  - (d) proteins form a middle layer

**75** 

- **39.** In which one of the following is nitrogen not a constituent? [2003]
  - (a) Pepsin
  - (b) Idioblast
  - (c) Bacteriochlorophyll
  - (d) Invertase
- **40.** Flagella of prokaryotic and eukaryotic cells differ in **[2004]** 
  - (a) type of movement and placement in cell
  - (b) location in cell and mode of functioning
  - (c) microtubular organization and type of movement
  - (d) microtubular organization and function
- **41.** Extra nuclear inheritance is a consequence of presence of genes in **[2004]** 
  - (a) mitochondria and chloroplasts
  - (b) endoplasmic reticulum and mitochondria
  - (c) ribosomes and chloroplast
  - (d) lysosomes and ribosomes
- **42.** In chloroplasts, chlorophyll is present in the **[2004]** 
  - (a) outer membrane
  - (b) inner membrane
  - (c) thylakoids
  - (d) stroma
- **43.** The main organelle involved in modification and routing of newly synthesized proteins to their destinations is [2005]
  - (a) chloroplast
  - (b) mitochondria
  - (c) lysosome
  - (d) endoplasmic reticulum
- **44.** Genes for cytoplasmic male sterility in plants are generally located in **[2005]** 
  - (a) mitochondrial genome
  - (b) cytosol
  - (c) chloroplast genome
  - (d) nuclear genome
- **45.** Chlorophyll in chloroplast is located in **[2005]**

- (a) grana
- (b) pyrenoid
- (c) stroma
- (d) Both (a) and (c)
- **46.** Protein synthesis in an animal cell occurs [2005]
  - (a) only on the ribosomes present in cytosol
  - (b) only on ribosomes attached to the nuclear envelope and endoplasmic reticulum
  - (c) on ribosomes present in the nucleolus as well as in cytoplasm
  - (d) on ribosomes present in cytoplasm as well as in mitochondria
- 47. According to widely accepted "fluid mosaic model" cell membranes are semi-fluid, where lipids and integral proteins can diffuse randomly. In recent years, this model has been modified in several respects. In this regard, which of the following statements is incorrect? [2005]
  - (a) Proteins in cell membranes can travel within the lipid bilayer
  - (b) Proteins can also undergo flip-flop movements in the lipid bilayer
  - (c) Proteins can remain confined within certain domains of the membrane
  - (d) Many proteins remain completely embedded within the lipid bilayer
- **48.** Which of the following statements regarding mitochondrial membrane is not correct?
  - (a) The enzymes of the electron transfer chain are embedded in the outer membrane
  - (b) The inner membrane is highly convoluted forming a series of infoldings
  - (c) The outer membrane resembles a sieve
  - (d) The outer membrane is permeable to all kinds of molecules
- **49.** During photorespiration, the oxygen consuming reaction occurs in **[2006]** 
  - (a) stroma of chloroplasts and mitochondria
  - (b) stroma of chloroplasts and peroxisomes
  - (c) grana of chloroplasts and peroxisomes
  - (d) stroma of chloroplasts

- **50.** Select the wrong statement from the following [2007]
  - (a) both chloroplasts and mitochondria contain an inner and an outer membrane
  - (b) both chloroplasts and mitochondria have an internal compartment, the thylakoid space bounded by the thylakoid membrane
  - (c) both chloroplasts and mitochondria contain DNA
  - (d) the chloroplasts are generally much larger than mitochondria
- **51.** Vacuole in a plant cell

[2008]

- (a) is membrane-bound and contains storage proteins and lipids
- (b) is membrane-bound and contains water and excretory substances
- (c) lacks membrane and contains air
- (d) lacks membrane and contains water and excretory substances
- **52.** Keeping in view the 'fluid mosaic model' for the structure of cell membrane, which one of the following statements is correct with respect to the movement of lipids and proteins from one lipid monolayer to the other (described as flip-flop movement)? [2008]
  - (a) Both lipids and proteins can flip-flop
  - (b) While lipids can rarely flip-flop, proteins cannot
  - (c) While proteins can flip-flop, lipids cannot
  - (d) Neither lipids, nor proteins can flip-flop
- **53.** In germinating seeds fatty acids are degraded exclusively in the [2008]
  - (a) proplastids
- (b) glyoxysomes
- (c) peroxisomes
- (d) mitochondria
- **54.** The two subunits of ribosome remain united at a critical ion level of [2008]
  - (a) copper
- (b) manganese
- (c) magnesium
- (d) calcium
- **55.** Plasmodesmata are:

[2009]

(a) Membranes connecting the nucleus with plasmalemma

- (b) Connections between adjacent cells
- (c) Lignified cemented layers between cells
- (d) Locomotary structures
- **56.** Middle lamella is composed mainly of [200]
  - (a) Calcium pectate(b) Phosphoglycerides
  - (c) Hemicellulose (d) Muramic acid
- **57.** Which one of the following structures between two adjacent cells is an effective transport pathway? [Pre. 2010]
  - (a) Plasmodesmata
  - (b) Plastoquinones
  - (c) Endoplasmic reticulum
  - (d) Plasmalemma
- **58.** Which one of the following has its own DNA? [Pre. 2010]
  - (a) Mitochondria (b) Dictyosome
  - (c) Lysosome
- (d) Peroxisome
- **59.** The main arena of various types of activities of a cell is **[Pre. 2010]** 
  - (a) Plasma membrane
  - (b) Mitochondria
  - (c) Cytoplasm
- (d) Nucleus
- **60.** The plasma membrane consists mainly of **[Pre. 2010]** 
  - (a) phospholipids embedded in a protein bilayer
  - (b) proteins embedded in a phospholipid bilayer
  - (c) proteins embedded in a polymer of glucose molecules
  - (d) proteins embedded in a carbohydrate bilayer
- **61.** An elaborate network of filamentous proteinaceous structures present in the cytoplasm which helps in the maintenance of cell shape is called [Mains 2010]
  - (a) Endosplasmic Reticulum
  - (b) Plasmalemma
  - (c) Cytoskeleton
  - (d) Thylakoid

**62.** Identify the components labelled A, B,C and D in the diagram below from the list (i) to (viii) given with [Mains 2010]




#### Components:

- (i) Cristae of mitochondria
- (ii) Inner membrane of mitochondria
- (iii) Cytoplasm
- (iv) Smooth endoplasmic reticulum
- (v) Rough endoplasmic reticulum
- (vi) Mitochondrial matrix
- (vii) Cell vacuole (viii) Nucleus
  The correct component are:

#### Α В C D (a) (i) (iv) (viii) (vi) (b) (vi) (v) (iv) (vii) (c) (v) (i) (iii) (ii) (d) (v) (iv) (viii) (iii)

- **63.** Important site for formation of glycoproteins and glycolipids is [Pre. 2011]
  - (a) Vacuole
- (b) Golgi apparatus
- (c) Plastid
- (d) Lysosome
- **64.** Peptide synthesis inside a cell takes place in **[Pre. 2011]** 
  - (a) Chloroplast
- (b) Mitochondria
- (c) Chromoplast
- (d) Ribosomes
- **65.** Which one of the following is not considered as a part of the endomembrane system? [Mains 2011]
  - (a) Lysosome
- (b) Golgi complex
- (c) Peroxisome
- (d) Vacuole
- **66.** The figure below shows the structure of a mitochondrion with its four parts labelled (A), (B), (C) and (D).

Select the part correctly matched with its function. [Mains 2011]



Structure of mitochondrion (Longitudinal section

- (a) Part (A): Matrix major site for respiratory chain enzymes
- (b) Part (D): Outer membrane gives use to inner membrane by splitting
- (c) Part (B): Inner membrane forms infoldings called cristae
- (d) Part (C): Cristae possess single circular DNA molecule and ribosomes
- **67.** Which one of the following cellular parts is correctly described? [Mains 2012]
  - (a) Centrioles sites for active RNA synthesis
  - (b) Ribosomes those on chloroplasts are larger (80s) while those in the cytoplasm are smaller (70s)
  - (c) Lysosomes optimally active at a pH of about 8.5
  - (d) Thylakoids flattened membranous sacs forming the grana of chloroplasts
- **68.** Which one of the following structures is an organelle within an organelle?
  - (a) Peroxisome
- (b) ER [Mains 2012]
- (c) Mesosome
- (d) Ribosome
- **69.** Select the correct statement from the following regarding cell membrane **[Pre. 2012]** 
  - (a) Lipids are arranged in a bilayer with polar heads towards the inner part
  - (b) Fluid mosaic model of cell membrane was proposed by Singer and Nicolson
  - (c) Na<sup>+</sup> and K<sup>+</sup> ions move across cell membrane by passive transport
  - (d) Proteins make up 60 to 70% of the cell membrane

- 70. What is true about ribosomes? [Pre. 2012]
  - (a) These are found only in eukaryotic cells
  - (b) These are self-splicing introns of some **RNAs**
  - (c) The prokaryotic ribosomes are 80s where "S" stands for sedimentation coefficient
  - (d) These are composed of ribonucleic acid and proteins
- 71. Ribosomal RNA is actively synthesized in [Pre. 2012]
  - (a) Nucleoplasm
- (b) Ribosomes
- (c) Lysosomes
- (d) Nucleolus
- 72. A major site for synthesis of lipids is
  - (a) RER
- (b) SER

[Pre. 2013]

- (c) Symplast
- (d) Nucleoplasm
- 73. Which of the following criteria does not pertain to facilitated transport?
  - (a) Requirement of special membrane proteins
  - (b) High selectivity
  - (c) Transport saturation
  - (d) Uphill transport
- 74. The Golgi complex plays a major role[2013]
  - (a) in trapping the light and transforming it into chemical energy
  - (b) in digensting proteins and carbohydrates
  - (c) as energy transferring organelles
  - (d) in post translational modification of proteins and glycosidation of lipids
- 75. Which one of the following organelle in the figure correctly matches with its function? [2013]



(a) Rough endopolasmic reticulum, formation of glycoproteins

- (b) Golgi apparatus, protein synthesis
- (c) Golgi apparatus, formation of glycolipids
- (d) Rough endoplasmic reticulum, protein synthesis
- 76. Which structures perform the function of mitochondria in bacteria? [AIPMT 2014]
  - (a) Nucleoid
- (b) Ribosomes
- (c) Cell wall
- (d) Mesosomes
- 77. The solid linear cytoskeletal elements having a diameter of 6 nm and made up of a single type of monomer are known as

#### [AIPMT 2014]

- (a) Microtubules (b) Microfilaments
- (c) Intermediate filaments
- (d) Lamins
- 78. The osmotic expansion of a cell kept in water is chiefly regulated by - [AIPMT 2014]
  - (a) Mitochondria (b) Vacuoles
  - (c) Plastids
- (d) Ribosomes
- 79. Match the following and select the correct answer [AIPMT 2014]

#### Column I Column II


- A. Centriole
- (i) Infoldings in mitochondria
- B. Chlorophyll
- (ii) Thylakoids
- C. Cristae
- (iii) Nucleic acids
- D. Ribozymes
- (iv) Basal body cilia or flagella
- (a)  $A \rightarrow (iv)$ ;  $B \rightarrow (ii)$ ;  $C \rightarrow (i)$ ;  $D \rightarrow (iii)$
- (b)  $A \rightarrow (i)$ ;  $B \rightarrow (ii)$ ;  $C \rightarrow (iv)$ ;  $D \rightarrow (iii)$
- (c)  $A \rightarrow (i)$ ;  $B \rightarrow (iii)$ ;  $C \rightarrow (ii)$ ;  $D \rightarrow (iv)$
- (d)  $A \rightarrow (iv)$ ;  $B \rightarrow (iii)$ ;  $C \rightarrow (i)$ ;  $D \rightarrow (ii)$
- **80.** Cytochromes are found in :- [AIPMT 2015]
  - (a) Outer wall of mitochondria
  - (b) Cristae of mitochondria
  - (c) Lysosomes
  - (d) Matrix of mitochondria
- [AIPMT 2015] **81.** DNA is not present in :
  - (a) Ribosomes
- (b) Nucleus
- (c) Mitochondria (d) Chloroplast

**79** 

82. Nuclear envelope is a derivative of :-

#### [AIPMT 2015]

- (a) Membrane of Golgi complex
- (b) Microtubules
- (c) Rough endoplasmic reticulum
- (d) Smooth endoplasmic reticulum
- **83.** The structures that are formed by stacking of organized flattened membranous sacs in the chloroplasts are: [AIPMT 2015]



Sectional view of chloroplast

- (a) Grana
- (b) Stroma lamellae
- (c) Stroma
- (d) Cristae
- **84.** Which one of the following is not an inclusion body found in prokaryotes?
  - (a) Cyanophycean granule [AIPMT 2015]
  - (b) Glycogen granule
  - (c) Polysome
- (d) Phosphate granule
- **85.** Select the correct matching in the following pairs: [AIPMT 2015]
  - (a) Smooth ER Synthesis of lipids
  - (b) Rough ER-Synthesis of glycogen
  - (c) Rough ER Oxidation of fatty acids
  - (d) Smooth ER Oxidation of phospholipids
- **86.** Which of the following structures is not found in prokaryotic cells?

- (a) Plasma membrane [RE-AIPMT 2015]
- (b) Nuclear envelope
- (c) Ribosome
- (d) Mesosome
- **87.** Which of the following are not membrane-bound? **[RE-AIPMT 2015]** 
  - (a) Mesosomes
- (b) Vacuoles
- (c) Ribosomes
- (d) Lysosomes
- **88.** Cellular organelles with membranes are:

### [RE-AIPMT 2015]

- (a) Lysosomes, Golgi apparatus and mitochondria
- (b) Nuclei, ribosomes and mitochondria
- (c) Chromosomes, ribosomes and endoplasmic reticulum
- (d) Endoplasmic reticulum, ribosomes and nuclei
- **89.** Match the columns and identify the correct option: **[RE-AIPMT 2015]**

# Column-I (a) Thylakoids (i) Disc-shaped sacs in Golgi apparatus (b) Cristae (ii) Condensed structure of DNA (c) Cisternae (iii) Flat membranous sacs in stroma

- (d) Chromatin (iv) Infoldings in mitochondria
- (a) (a)  $\rightarrow$  (iii), (b)  $\rightarrow$  (iv), (c)  $\rightarrow$  (ii), (d)  $\rightarrow$  (i)
- $\text{(b) (a)} \rightarrow \text{(iv), (b)} \rightarrow \text{(iii), (c)} \rightarrow \text{(i), (d)} \rightarrow \text{(ii)}$
- (c) (a)  $\rightarrow$  (iii), (b)  $\rightarrow$  (iv), (c)  $\rightarrow$  (i), (d)  $\rightarrow$  (ii)
- (d) (a)  $\rightarrow$  (iii), (b)  $\rightarrow$  (i), (c)  $\rightarrow$  (iv), (d)  $\rightarrow$  (ii)

iound in prokaryone cens:					` ′						
<b>○</b> A	Answers										
1-d	2-c	3-b	4-b	5-a	6-d	7-c	8-a	9-b	10-с		
11-a	12-c	13-a	14-b	15-c	16-c	17-d	18-b	19-a	20-d		
21-a	22-b	23-d	24-c	25-с	26-a	27-c	28-c	29-a	30-a		
31-d	32-d	33-d	34-d	35-d	36-c	37-a	38-c	39-b	40-c		
41-a	42-c	43-d	44-a	45-a	46-d	47-b	48-a	49-b	50-b		
51-b	52-b	53-b	54-c	55-b	56-a	57-a	58-a	59-с	60-b		
61-c	62-d	63-b	64-d	65-c	66-c	67 <b>-</b> d	68-d	69-b	70-d		
71-d	72-b	73-d	74-d	75-d	76-d	77-b	78-b	79-a	80-b		
81-a	82-c	83-a	84-c	85-a	86-b	87-c	88-a	89-с			



# **B**IOMOLECULES

1.	Which of the following is not a part of enzyme but it activates the enzyme? [1989]  (a) K (b) C  (c) N (d) Si	lar structure but performing identical a ity are [1 (a) homoenzymes	
2.	Which is not consistent with double helical structure of DNA? [1990]  (a) A=T == C = G  (b) Density of DNA decreases on heating	(c) apoenzymes (d) coenzymes	1991]
3.	<ul> <li>(c) A + T/C + G is not constant</li> <li>(d) Both (a) and (b)</li> <li>DNA is composed of repeating units of [1991]</li> </ul>	(a) pentose sugar (b) nucleoid (c) nucleoside	
4.	<ul> <li>(a) ribonucleosides</li> <li>(b) deoxyribonucleosides</li> <li>(c) ribonucleotides</li> <li>(d) deoxyribonucleotides</li> <li>A segment of DNA has 120 adenine and 120</li> </ul>	<ul><li>(a) purine, pyrimidine and phosphate</li><li>(b) purine, sugar and phosphate</li><li>(c) nitrogen base, sugar and phosphate</li><li>(d) pyrimidine, sugar and phosphate</li></ul>	te
5.	cytosine bases. The total number of nucleotides present in the segment is [1991]  (a) 120 (b) 240 (c) 60 (d) 480  A nucleotide is formed of [1991]  (a) purine, pyrimidine and phosphate (b) purine, sugar and phosphate (c) nitrogen base, sugar and phosphate (d) pyrimidine, sugar and phosphate	(a) adenine (b) guanine (c) cytosine (d) uracil  10. Glycogen is a polymer of [1 (a) galactose (b) glucose	1991] 1992]
		(c) fructose (d) sucrose  11. In RNA, thymine is replaced by  (a) adenine (b) guanine  (c) cytosine (d) uracil	1992]

Tr	ueman's Al	PMT Biology	Reboost	er Specific 81
12.	Living cell contai present in human		. Water [1992]	(d) core of nucleic acid surrounded by protein sheath
	<ul><li>(a) 60-65%</li><li>(c) 75-80%</li></ul>	(b) 50-55% (d) 65-70%		<ul><li>21. Two free ribonucleotide units are interlinked with [1995]</li></ul>
	Adenine is <ul><li>(a) purine</li><li>(c) nucleoside</li></ul> <li>Which is distribut</li>	•	[ <b>1992</b> ] n a cell?	<ul><li>(a) peptidebond</li><li>(b) covalent bond</li><li>(c) hydrogen bond</li><li>(d) phosphodiester bond</li><li>22. Most diverse macromolecules, found in the</li></ul>
	<ul><li>(a) DNA</li><li>(c) Chloroplasts</li></ul>	(b) RNA (d) Spherosome	es	cell both physically and chemically are  [1996]
15.	An enzyme brings (a) decrease in rea (b) increase in rea (c) increase in acti	ction time ction time	[1993]	<ul><li>(a) proteins</li><li>(b) carbohydrates</li><li>(c) nucleic acids</li><li>(d) lipids</li><li>23. The nitrogenous organic base purine occur-</li></ul>
16.	(d) reduction in ac Which is wrong al (a) DNA is single (b) RNA is double (c) Length of one	ctivation energy bout nucleic acid stranded in some e stranded occasio	viruses onally	ring in RNA is [1996]  (a) cytosine (b) thymine (c) guanine (d) uracil  24. In which one of the following groups, all the three are examples of polysaccharides?  [1996]
17.	<ul><li>(d) One turn of Z-Which one contair</li><li>(a) GATCAATGC</li></ul>	DNA has 12 base ns four pyrimidin	s	<ul><li>(a) Starch, glycogen, cellulose</li><li>(b) Sucrose, maltose, glucose</li><li>(c) Glucose, fructose, lactose</li><li>(d) Galactose, starch, sucrose</li></ul>
18.	<ul><li>(b) GCUAGACAA</li><li>(c) UAGCGGUAA</li><li>(d) TGCCTAACG</li><li>The four elements</li></ul>	A	ving sys-	<ul><li>25. What is common among amylase, rennin and trypsin? [1997]</li><li>(a) These are all proteins</li><li>(b) These are proteolytic enzymes</li></ul>
	tem are (a) CHOS (c) CHON	(b) CHOP (d) CNOP	[1994]	<ul><li>(c) These are produced in stomach</li><li>(d) These act at a pH lower than 7</li><li>26. Cofactor (coenzyme) is a part of holoenzyme</li></ul>
19.	A polysaccharide, stored in liver cells (a) lactose (c) arabinose		zed and [ <b>1995</b> ]	it is [1997]  (a) loosely attached inorganic part  (b) accessory non-protein substance attached firmly
20.	The pyrenoids are (a) proteinaceous (b) core of proteinsheath	made up of centre and starch	•	<ul><li>(c) loosely attached organic part</li><li>(d) None of the above</li><li>27. Genes are packaged into a bacterial chromosome by [1997]</li></ul>

# www.freejobsportal.in

(c) core of starch surrounded by sheath of

protein

(a) histones

(c) acidic proteins (d) actin

(b) basic proteins

- 28. The RNA that picks up specific amino acids from the amino acid pool in the cytoplasm to ribosome during protein synthesis is called
  - (a) mRNA
- (b) tRNA
- (c) rRNA
- (d) carrier RNA
- **29.** Protein synthesis in an animal cell takes [1997] place
  - (a) only in the cytoplasm
  - (b) in the nucleolus as well as in cytoplasm
  - (c) in cytoplasm as well as in mitochondria
  - (d) only on ribosomes attached to the nuclear envelope
- **30.** DNA synthesis can be specifically measured by estimating the incorporation of radio labelled [1997]
  - (a) uracil
- (b) adenine
- (c) thymidine
- (d) deoxyribose sugar
- **31.** Lactose is composed of

[1998]

- (a) glucose + glucose
- (b) glucose + fructose
- (c) fructose + galactose
- (d) glucose + galactose
- 32. Radioactive thymidine when added to the medium surrounding living mammalian cells gets incorporated into the newly synthesized DNA. Which of the following types of chromatin is expected to become radioactive if cells are exposed radioactive thymidine as soon as they enter the S-phase?

[1998]

- (a) Heterochromatin
- (b) Euchromatin
- (c) Both (a) and (b)
- (d) Neither heterochromatin nor euchromatin but only the nucleolus
- 33. Cellulose, the most important constituent of plant cell wall is made of
  - (a) unbranched chain of glucose molecules linked by α 1, 4 glycosidic bond
  - (b) branched chain of glucose molecules linked by  $\beta$  1, 4 glycosidic bond in straight chain and α 1,6 glycosidic bond at the site of branching

- (c) unbranched chain of glucose molecules linked by β 1, 4 glycosidic bond
- (d) branched chain of glucose molecules linked by  $\alpha$  1, 6 glycosidic bond at the site of branching
- **34.** Which one of the following statements about cytochrome 450 is wrong?
  - (a) It contains iron
  - (b) It is a coloured cell
  - (c) It has an important role in metabolism
  - (d) It is an enzyme involved in oxidation reactions
- **35.** Which is an essential amino acid?
  - (a) Serine
- (b) Aspartic acid
- (c) Glycine
- (d) Phenylalanine
- **36.** ATP is a
- [2000]
- (a) nucleotide (c) nucleoside
- (b) nucleosome (d) purine
- 37. Conjugated proteins containing carbohydrates as prosthetic group are known as

[2000]

- (a) chromoproteins
- (b) glycoproteins
- (c) lipoproteins
- (d) nucleoproteins
- **38.** Enzymes are absent in

[2000]

- (a) algae
- (b) fungi
- (c) cyanobacteria (d) viruses
- **39.** Enzymes enhance the rate of reaction by

[2000]

- (a) forming a reactant-product complex
- (b) changing the equilibrium point of the reaction
- (c) combining with the product as soon as it
- (d) lowering the activation energy of the reaction
- **40.** Feedback inhibition of an enzymatic reaction is caused by [2000]
  - (a) end product
- (b) substrate
- (c) enzyme
- (d) rise in temperature

		•
41.	Length of one turn of the helix in a B-form DNA is approximately [2000]	,
	(a) 3.4 nm (b) 2nm	(a) nitrogenase
	(c) 0.34 nm (d) 20 nm	<ul><li>(b) nitroreductase</li><li>(c) transferase</li></ul>
42.	The transfer RNA molecule in 3D appears [2000]	(1)
	<ul><li>(a) L-shaped</li><li>(b) E-shaped</li><li>(c) Y-shaped</li><li>(d) S-shaped</li></ul>	<b>50.</b> Most abundant organic compound on earth is <b>[2001, 04]</b>
43.	One of the similarities between DNA and RNA is that both [2000]	( ) 1 • • 1 (1) . • 1
	<ul><li>(a) are polymers of nucleotides</li><li>(b) are capable of replicating</li></ul>	<b>51.</b> Hydrolytic enzymes which act at low pH are called as [2002]
	<ul><li>(c) have similar sugars</li><li>(d) have similar pyrimidine bases</li></ul>	<ul><li>(a) proteases</li><li>(b) a-amylases</li><li>(c) hydrolases</li><li>(d) peroxidases</li></ul>
44.	Due to discovery of which of the following in 1980 the evolution was termed as RNA	join bits of DNA? [2002]
	world? [2001] (a) mRNA, tRNA, rRNA synthesize proteins (b) In comparing RNA is constituted material.	(a) Ligase (b) Primase (c) DNA polymerase
	<ul><li>(b) In some virus RNA is genetic material</li><li>(c) RNA have enzymatic property</li><li>(d) RNA is not found in all calls</li></ul>	(d) Endonudease  53. Collagen is [2002]
45.	<ul><li>(d) RNA is not found in all cells</li><li>Cytochrome is [2001]</li><li>(a) metallo flavoprotein</li><li>(b) Fe containing porphyrin pigment</li></ul>	(c) lipid
	(c) glycoprotein (d) lipid	<ul><li>(d) carbohydrate</li><li>54. Which steroid is used for transformation?</li><li>[2002]</li></ul>
46.	Types of RNA polymerase required in nucleus for RNA synthesis [2001]	(a) Cortisol (b) Cholesterol
	(a) 1 (b) 2 (c) 3 (d) 4	<b>55.</b> Lipids are insoluble in water because lipid molecules are [2002]
47.	Spoilage of oil can be detected by which fatty acid? [2001]	(4) 11) 6110 [111110 (5) 11) 6110 [110 110
	(a) Oleic acid (b) Linolenic acid (c) Linoleic acid (d) Erucic acid	<b>56.</b> Which of the following is a reducing sugar: [2002]
48.	In plants, inulin and pectin are [2001]	(u) Surveyore
	(a) reserve materials	(b) Gluconic acid
	(b) wastes	(c) p-methyl galactoside
	<ul><li>(c) excretory material</li><li>(d) insect-attracting material</li></ul>	(d) Sucrose

If DNA percer	ntage of t	hymine is 2	0. What is
the percentage	e of guan	ine?	[2002]
(a) 20%	(b)	40%	
(c) 30%	(d)	60%	
Sequence of v	hich of	the followi	ng is used
to know the p	hylogeny	y?	[2002]
(a) mtDNA	(b)	rRNA	
(c) tRNA	(d)	DNA	
Mitotic spindle proteins?	e is mainl	ly composed	d of which <b>[2002]</b>
(a) Actin	(b)	Myosin	
(c) Actomyos	in (d)	Myoglobir	ı
Which is a red	lucing sı	ıgar ?	[2002]
	O	Ü	
, ,	acid		
(c) β-methyl g	galactosio	de	
(d) Sucrose			
During anaero	bic diges	stion of orga	nic waste
the following	is left un	dergraded?	[2003]
		-	
(c) Cellulose	(d)	Lignin	
The major por comprises of	tion of th	e dry weigh	nt of plants [ <b>2003</b> ]
(a) carbon, ni	rogen ar	nd hydroge:	n
(b) carbon, hy	drogen a	and oxygen	
(c) nitrogen, p	ohospho	rus and pot	assium
(d) calcium, n	nagnesiu	m and sulp	hur
The most ab plants is	undant	element p	resent in [ <b>2004</b> ]
(a) carbon	. ,	nitrogen	
	e (d)	•	
(c) manganes	- ()	iron	
Which form o	f RNA h		
Which form o	f RNA h af?	as a structu	re resem- [2004]
Which form o	f RNA h af? (b)		
Which form o bling clover le (a) rRNA	f RNA h af? (b) (d)	as a structu taRNA tRNA	[2004]
	the percentage (a) 20% (c) 30% Sequence of we to know the please of the property of the to know the please of the please of the please of the to know the please of the ple	the percentage of guant  (a) 20% (b)  (c) 30% (d)  Sequence of which of to know the phylogeny  (a) mtDNA (b)  (c) tRNA (d)  Mitotic spindle is main proteins?  (a) Actin (b)  (c) Actomyosin (d)  Which is a reducing state (a) Galactose  (b) Gluconic acid  (c) β-methyl galactosic (d) Sucrose  During anaerobic diges such as in producing the following is left untagened (a) Hemicellulose (b)  (c) Cellulose (d)  The major portion of the comprises of  (a) carbon, nitrogen are (b) carbon, hydrogen are (c) nitrogen, phosphote (d) calcium, magnesium the most abundant plants is  (a) carbon (b)	(c) 30% (d) 60%  Sequence of which of the following to know the phylogeny?  (a) mtDNA (b) rRNA  (c) tRNA (d) DNA  Mitotic spindle is mainly composed proteins?  (a) Actin (b) Myosin  (c) Actomyosin (d) Myoglobing Which is a reducing sugar?  (a) Galactose  (b) Gluconic acid  (c) β-methyl galactoside  (d) Sucrose  During anaerobic digestion of orgas such as in producing biogas, which the following is left undergraded?  (a) Hemicellulose (b) Lipids  (c) Cellulose (d) Lignin  The major portion of the dry weight comprises of  (a) carbon, nitrogen and hydrogen (c) nitrogen, phosphorus and pote (d) calcium, magnesium and sulp  The most abundant element p  plants is

(d) Tyrosine

(c) Glycine

**66.** Nucleotides are building blocks of nucleic acids. Each nucleotide is a composite molecule formed by [2005] (a) base-sugar-phosphate (b) base-sugar-OH (c) (base-sugar-phosphate) (d) sugar-phosphate **67.** Which one of the following hydrolyses internal phosphodiester bonds in a polynucleotide chain? [2005] (a) Lipase (b) Protease (c) Endonuclease (d) Exonuclease **68.** Which of the following statements regarding enzyme inhibition is correct? (a) Competitive inhibition is seen when a substrate competes with an enzyme for binding to an inhibitor protein (b) Competitive inhibition is seen when the substrate and the inhibitor compete for the active site on the enzyme (c) Non-competitive inhibition of an enzyme can be overcome by adding large amount of substrate (d) Non-competitive inhibitors often bind to the enzyme irreversibly 69. Enzymes, vitamins and hormones can be classified into a single category of biological chemicals, because all of these [2005] (a) help in regulating metabolism (b) are exclusively synthesized in the body of a living organism as at present (c) are conjugated proteins (d) enhance oxidative metabolism 70. The catalytic efficiency of two different enzymes can be compared by the [2005] (a) formation of the product

(b) pH optimum value

(d) molecular size of the enzyme

(a) repetitive DNA (b) RNA

71. Telomerase is an enzyme which is a [2005]

(c) simple protein (d) ribonucleoprotein

(c) Km value

- 72. An organic substance bound to an enzyme and essential for its activity is called [2006]
  - (a) holoenzyme
- (b) apoenzyme
- (c) isoenzyme
- (d) coenzyme
- 73. An enzyme that can stimulate germination [2006] of barley seeds is
  - (a) a-amylase
- (b) lipase
- (c) protease
- (d) invertase
- 74. Antiparallel strands of a DNA molecule means that [2006]
  - (a) the phosphate groups of two DNA strands, at their ends, share the same position
  - (b) the phosphate groups at the start of two DNA strands are in opposite position
  - (c) one strand turns clockwise
  - (d) one strands turns anti-clockwise
- 75. Antibodies in our body are complex [2006]
  - (a) steroids
  - (b) prostaglandins
  - (c) glycoproteins
  - (d) lipoproteins
- 76. One turn of the helix in a B-form DNA is approximately [2006]
  - (a) 0.34 nm
- (b) 3.4 nm
- (c) 2nm
- (d) 20 nm
- 77. The two polynucleotide chains in DNA are [2007]
  - (a) parallel
  - (b) discontinuous
  - (c) antiparallel
  - (d) semiconservative
- 78. About 98 percent of the mass of every living organism is composed of just six elements including carbn, hydrogen, nitrogen, oxygen [2007] and
  - (a) phosphorus and sulphur
  - (b) sulphur and magnesium
  - (c) magnesium and sodium
  - (d) calcium and phosphorus

- 79. Which one of the following is not a constituent of cell membrane?
  - (a) Cholesterol
  - (b) Glycolipids
  - (c) Proline
  - (d) Phospholipids
- **80.** Which one of the following pairs of nitrogenous bases of nucleic acids, is wrongly matched with the category mentioned against it?
  - (a) Thymine, Uracil **Pyrimidines**
  - **Pyrimidines** (b) Uracil, Cytosine
  - (c) Adenine, Thymine **Purines**
  - (d) Guanine, Adenine **Purines**
- **81.** In the DNA molecule

[2008]

85

- (a) the total amount of purine nucleotides and pyrimidine nucleotides is not always equal
- (b) there are two strands which run parallel in the 5' $\longrightarrow$  3' direction
- (c) the proportion of adenine in relation to thymine varies with the organism
- (d) there are two strands which run antiparallel-one in  $5' \longrightarrow 3'$  direction and other in  $3' \longrightarrow 5'$
- 82. Modern detergents contain enzyme preparation of [2008]
  - (a) acidophiles
  - (b) alkaliphiles
  - (c) thermoacidophiles
  - (d) thermophiles
- 83. A competitive inhibitor of succinic dehydrogenase is [2008]
  - (a) malonate
  - (b) oxaloacetate
  - (c) α-ketoglutarate
  - (d) malate
- 84. The uniting of antibiotic resistance gene with the plasmid vector became possible with


[2008]

- (a) DNAligase
- (b) endonucleases
- (c) DNA polymerase (d) exonucleases

[2009]

- 85. There is no DNA in
  - (a) A mature spermatozoan
  - (b) Hair root
  - (c) An enucleated ovum
  - (d) Mature RBCs
- **86.** Three of the following statements about enzymes are correct and one is wrong. Which one is wrong? [Mains 2010]
  - (a) Enzymes are denatured at high temperature but in certain exceptional organisms they are effective even at temperatures 80°–90°C
  - (b) Enzymes are highly specific
  - (c) Most enzymes are proteins but some are lipids
  - (d) Enzymes require optimum pH for maximal activity
- **87.** The figure given below shows the conversion of a substrate into product by an enzyme. In which one of the four options (1-4) the components of reaction labelled as A, B, C and D are identified correctly?

[Mains 2010]



Progress of Reaction

#### **Options:**


	O P trons.			
	A	В	C	D
(1)	Transition	Potential	Activation	Activation
	state	energy	energy with-	energy with
			out enzyme	enzyme
(2)	Potential	Transition	Activation	Activation
	energy	state	energy	energy
			without	with
			enzyme	enzyme
(3)	Activation	Transition	Activation	Potential
	energy with	stage	energy	energy
	enzyme		wihtout	
			enzyme	
(4)	Potential	Transition	Activation	Activation
	energy	state	energy	energy
			with enzyme	without
				enzvme

**88.** Which one of the following structural formulae of two organic compounds is correctly identified along with its related function?

[Pre. 2011]

- (a) B: adenine a nucleotide that makes up nucleic acids
- (b) A: Triglyceride-major source of energy
- (c) B: Uracil a component of DNA
- (d) A : Lecithin a component of cell membrane
- **89.** The curve given below shows enzymatic activity with relation to three conditions (pH, temperature and substrate concentration)

[Pre. 2011]



What do the two axises (x and y) represent?

	x-axis	y-axis
(a)	Enzymatic activity	рН
(b)	Temperature	Enzyme activity
(c)	Substrate	
	concentration	Enzymatic activity
(d)	Enzymatic	
	activity	Temperature

- **90.** Which one of the following biomolecules is correctly characterised? [Mains 2012]
  - (a) Palmitic acid an unsaturated fatty acid with 18 carbon atoms
  - (b) Adenylic acid adenosine with a glucose phosphate molecule
  - (c) Alanine amino acid Contains an amino group and an acidic group anywhere in the molecule
  - (d) Lecithin a phosphorylated glyceride found in cell membrane

87

**91.** Which one out of A-D given below correctly represents the structural formula of the basic amino acid? [Pre. 2012]

A	В	С	D	
NH <sub>2</sub> H-C-COOH CH <sub>2</sub> CH <sub>2</sub> COOH	NH <sub>2</sub>     H-C-COOH   CH <sub>2</sub>   OII	CH <sub>2</sub> OH     CH,   CH,   NII <sub>2</sub>	NH, I H-C-COOH CH, CII, CH, CH, NH,	


**Options** 

- (a) A
- (b) B

(c) C

- (d) D
- **92.** Given below is the diagrammatic representation of *one* of the categories of small molecular weight organic compounds in the living tissues. Identify the category shown and the one blank component "X" in it

[Pre. 2012]



#### Category

#### Component

- (a) Nucleotide
- Adenine
- (b) Nucleoside
- Uracil
- (c) Cholesterol
- Guanin
- (d) Amino acid
- $NH_2$
- 93. Which one is the most abundant protein in the animal world? [Pre. 2012]
  - (a) Collagen
  - (b) Insulin
  - (c) Trypsin
  - (d) Haemoglobin
- **94.** Which one of the following is wrong statement? **[Pre. 2012]** 
  - (a) Phosphorus is a constituent of cell membranes, certain nucleic acids and all proteins
  - (b) Nitrosomonas and Nitrobacter are chemoautotrophs

- (c) *Anabaena* and *Nostoc* are capable of fixing nitrogen in free-living state also
- (d) Root nodule forming nitrogen fixers live as aerobes under free-living conditions
- **95.** Transition state structure of the substrate formed during an enzymatic reaction is

[2013]

- (a) Transient but stable
- (b) Permanent but unstable
- (c) Transient and unstable
- (d) Permanent and stable
- **96.** A phosphoglyceride is always made up of **[2013]** 
  - (a) Only a saturated fatty acid esterified to a glycerol molecule to which a phosphate group is also attached
  - (b) Only an unsaturated fatty acid esterified to a glycerol molecule to which a phosphate group is also attached
  - (c) A saturated or unsaturated fatty acid esterified to a glycerol molecule to which a phosphate group is also attached
  - (d) A saturated or unsaturated fatty acid esterified to a phosphate group which is also attached to a glycerol molecule
- 97. Macro molecule chitin is
- [2013]
- (a) nitrogen containing polysaccharide
- (b) phosphorus containing polysaccharide
- (c) sulphur containing polysaccharide
- (d) simple polysaccharide
- **98.** Select the option which is not correct with respect to enzyme action [AIPMT 2014]
  - (a) Substrate binds with enzyme at its active site
  - (b) Addition of lot of succinate does not reverse the inhibition of succinic dehydrogenase by malonate
  - (c) A non-competitive inhibitor binds the enzyme at a site distinct from that which binds the substrate
  - (d) Malonate is a competitive inhibitor of succinic dehydrogenase

- **99.** Which one of the following is a non-reducing carbohydrate? **[AIPMT 2014]** 
  - (a) Maltose

88

- (b) Sucrose
- (c) Lactose
- (d) Ribose 5-phosphate
- **100.** Which one of the following statements in incorrect? [AIPMT 2015]
  - (a) In competitive inhibition, the inhibitor molecule is not chemically changed by the enzyme.
  - (b) The competitive inhibitor does not affect the rate of breakdown of the enzymesubstrate complex.
  - (c) The presence of the competitive inhibitor decreases the Km of the enzyme for the substrate.

- (d) A competitive inhibitor reacts reversibly with the enzyme to form an enzyme-inhibitor complex.
- **101.** Which of the following biomolecules does have a phosphodiester bond?

#### [RE-AIPMT 2015]

- (a) Nucleic acids in a nucleotide
- (b) Fatty acids in a diglyceride
- (c) Monosaccharides in a polysaccharide
- (d) Amino acids in a polypeptide
- **102.** The chitinous exoskeleton of arthropods is formed by the polymerisation of :

#### [RE-AIPMT 2015]

- (a) lipoglycans
- (b) keratin sulphate and chondroitin sulphate
- (c) D-glucosamine
- (d) N-acetyl glucosamine

$\bigcirc$ A	nswers_								
1-a	2-c	3-d	4-d	5-c	6-b	7-d	8-c	9-d	10-b
11-d	12-a	13-a	14-b	15-d	16-c	17-a	18-c	19 <b>-</b> d	20-a
21-d	22-a	23-с	24-a	25-a	26-c	27-b	28-b	29-с	30-с
31-d	32-b	33-с	34-b	35-d	36-a	37-b	38-d	39-d	40-a
41-a	42-a	43-a	44-c	45-b	46-c	47-d	48-a	49-a	50-b
51-c	52-a	53-a	54-b	55-b	56-a	57-c	58-a	59-a	60-a
61 <b>-</b> d	62-b	63-a	64-d	65-c	66-a	67-c	68-b	69-a	70-с
71 <b>-</b> d	72-d	73-a	74-b	75-c	76-b	77-c	78-a	79-с	80-d
81-d	82-b	83-a	84-a	85-d	86-c	87-a	88-d	89-b	90-d
91 <b>-</b> d	92-b	93-a	94-a	95-с	96-с	97-a	98-b	99-b	100-c
101-a	102-d								

10

## CELL CYCLE AND CELL DIVISION

-		1 .	1 .		-
1.	Α	biva	ılent	consists	ot

#### [1989]

- (a) two chromatids and one centromere
- (b) two chromatids and two centromeres
- (c) four chromatids and two centromeres
- (d) four chromatids and four centromeres
- 2. Nucleoproteins are synthesized in [1989]
  - (a) nucleoplasm
- (b) nuclear envelope
- (c) nucleolus
- (d) cytoplasm.
- **3.** Segregation of Mendelian factor (Aa) occurs during [1990]
  - (a) diplotene
  - (b) anaphase-I
  - (c) zygotene/pachytene
  - (d) anaphase-II
- **4.** Hammerling's experiments of Acetabularia involved exchanging [1990]
  - (a) cytoplasm
- (b) nucleus
- (c) rhizoid and stalk
- (d) gametes
- 5. In meiosis, the daughter cells differ from parent cell as well as amongst themselves due to [1991]
  - (a) segregation, independent assortment and crossing over
  - (b) segregation and crossing over
  - (c) independent assortment and crossing over
  - (d) segregation and independent assortment

- 6. Mitotic anaphase differs from metaphase in possessing [1991]
  - (a) same number of chromosomes and same number of chromatids
  - (b) half number of chromosomes and half number of chromatids
  - (c) half number of chromosomes and same number of chromatids
  - (d) same number of chromosomes and half number of chromatids
- 7. Number of chromatids at metaphase is

#### [1992]

- (a) two each in mitosis and meiosis
- (b) two in mitosis and one in meiosis
- (c) two in mitosis and four in meiosis
- (d) one in mitosis and two in meiosis
- **8.** Experiments on Acetabularia by Hammerling proved the role of [1992]
  - (a) cytoplasm in controlling differentiation
  - (b) nucleus in heredity
  - (c) chromosomes in heredity
  - (d) nucleo-cytoplasmie ratio
- Genophore/bacterial genome or nucleoid is made of [1993]
  - (a) histones and non-histones
  - (b) RNA and histones
  - (c) a single double stranded DNA
  - (d) a single stranded DNA

90	Truem	uit 5 AIPMI Biology Redooster specific
10.	Balbiani rings (puffs) are sites of [1993]	17. In cell cycle, DNA replication takes place in
	<ul><li>(a) DNA replication</li><li>(b) RNA and protein synthesis</li><li>(c) synthesis of polysaccharides</li><li>(d) synthesis of lipids</li></ul>	[1996]  (a) G <sub>1</sub> – phase  (b) G <sub>2</sub> –phase  (c) mitotic metaphase
11.	In salivary gland chromosomes/polytene chromosomes pairing is [1993]  (a) absent (b) occasional (c) formed between non-homologous chromosome  (d) formed between homologous chromosomes	(d) S-phase  18. The exchange of genetic material between chromatids of paired homologous chromosomes during first meiotic division is called  [1996]  (a) transformation (b) chiasmata (c) crossing over
12.	Meiosis-II performs [1993]  (a) separation of sex chromosomes  (b) synthesis of DNA and centromeres  (c) separation of homologous chromosomes  (d) separation of chromatids	<ul> <li>(d) synapsis</li> <li>19. During cell division in apical meristem the nuclear membrane appears in [1997]</li> <li>(a) metaphase (b) anaphase</li> <li>(c) telophase (d) cytokinesis</li> </ul>
13.	Best stage to observe shape, size and number of chromosomes is [1994]  (a) interphase (b) metaphase (c) prophase (d) telophase	<ul> <li>20. Which one of the following structures will not be common to mitotic cells of higher plants? [1997]</li> <li>(a) Cell plate (b) Centriole</li> <li>(c) Centromere (d) Spindle fibres</li> </ul>
14.	Meiosis has evolutionary significance because it results in [1994]  (a) genetically similar daughters (b) four daughter cells (c) eggs and sperms (d) recombinations	(c) Centromere (d) Splittle index  21. Genes located on mitochondrial DNA  [1997]  (a) generally show maternal inheritance (b) are always inherited from the male parent (c) show biparental inheritance like the
15.	The point, at which polytene chromosomes appear to be attached together, is called [1995]  (a) centriole (b) centromere (c) chromomere (d) chromocentre	nuclear genes (d) are not inherited  22. Centromere is a part of (a) ribosomes (b) chromosome (c) mitochondria
16.	Lampbrush chromosomes occur during [1996]  (a) prophase of mitosis  (b) diplotene of meiosis	<ul><li>(d) endoplasmic reticulum</li><li>23. How many mitotic divisions are needed for a single cell to make 128 cells? [1997]</li><li>(a) 7 (b) 14</li></ul>

# www.freejobsportal.in

(c) 28

(d) 64

(d) interphase

(c) metaphase of meiosis

24. Bacterium divides every 35 minutes. If a cul-(b) chloroplast, mitochondria ture containing 105 cells per mL is grown (c) mitochondria, ribosome for 175 minutes, what will be the cell con-(d) chloroplast, lysosome

91

- centration per mL after 175 minutes? [1998] 32. Mitotic spindle is mainly composed of which (a)  $5 \times 10^5$  cells (b)  $35 \times 10^5$  cells protein? (c)  $32 \times 10^5$  cells (d)  $175 \times 10^5$  cells
- (a) Actin (b) Myosin 25. Crossing over in diploid organism is respon-(c) Actomyosin (d) Myoglobin [1998] sible for
  - **33.** Which of the following occurs more than one (a) dominance of genes and less than five in a chromosome? [2002] (b) linkage between genes
  - (a) Chromatid (b) Chromosome (c) segregation of alleles (c) Centromere (d) Telomere (d) recombination of linked alleles
- **34.** Ribosomes are produced in [2002] 26. DNA is mainly found in [1999] (a) nucleolus (b) cytoplasm (a) nucleus only (b) cytoplasm only
  - (c) mitochondria (d) Golgibody (c) Both (a) and (b) (d) nucleolus
- 35. Best material for the study of mitosis in labo-27. The eukaryotic genome differs from the [2002] ratory is prokaryotic genome because
  - (a) anther (b) root tip (a) DNA is complexed with histones in prokaryotes (d) ovary
  - (c) leaf tip (b) repetitive sequences are present in
  - eukaryotes it becomes (c) genes in the former cases are organised
  - into operons (c) diploid (d) DNA is circular and single stranded in
- 28. During cell cycle, the DNA replication occurs in
  - cell (a) M-phase (b) S-phase
- (c) G₁-phase 29. During cell division, the spindle fibres at
  - tach to the chromosome at a region called
- your class and are asked to count the chro-(c) centriole (d) chromomere mosomes, which of the following stages can **30.** Extra nuclear DNA (genes) are located in
  - (a) Metaphase (a) lysosomes and chloroplasts
  - (b) Golgi complex and ribosomes
  - mation of the nuclear envelope during M-(d) ribosomes and mitochondria phase of the cell cycle?


## (a) peroxisome, ribosome

#### **36.** If a diploid cell is treated with colchicine then [2002] (a) triploid (b) tetraploid (d) monoploid prokaryotes [2004]**37.** In the somatic cell cycle (a) in G<sub>1</sub>-phase DNA content is double the amount of DNA present in the original (b) DNA replication takes place in S-phase (d) $G_2$ -phase (c) a short interphase is followed by a long mitotic phase (d) G<sub>2</sub>-phase follows mitotic phase [2000] (a) chromocentre (b) kinetochore **38.** If you are provided with root tips of onion in [2004]you most conveniently look into? [2000] (b) Telophase (c) Anaphase (d) Prophase (c) chloroplasts and mitochondria **39.** Which one of the following precedes refor-31. Extra nuclear chromosomes occur in [2001] (a) Decondensation from chromosomes and reassembly of the nuclear lamina

- (b) Transcription from chromosomes and reassembly of the nuclear lamina
- (c) Formation of the contractile ring and formation of the phragmoplast
- (d) Formation of the contractile ring and transcription from chromosomes
- 40. Crossing over that results in genetic recombination in higher organisms occur between [2004]
  - (a) sister chromatids of bivalent
  - (b) non-sister chromatids of a bivalent
  - (c) two daughter nuclei
  - (d) two different bivalents
- **41.** At what stage of the cell cycle are histone proteins synthesized in a eukaryotic cell?

[2005]

- (a) During G<sub>2</sub>-stage of prophase
- (b) During S-phase
- (c) During entire prophase
- (d) During telophase
- **42.** The salivary gland chromosomes in the dipteran larvae are useful in gene mapping [2005] because
  - (a) these are much longer in size
  - (b) these are easy to stain
  - (c) these are fused
  - (d) they have endoreduplicated chromosomes
- **43.** Centromere is required for [2005]
  - (a) movement of chromosomes towards poles
  - (b) cytoplasmic cleavage
  - (c) crossing over (d) transcription
- 44. Given below is a schematic break-up of the [2009] phases / stages of cell cycle:




Which one of the following is the correct indication of the stage/phase in the cell cycle?


- (a) D Synthetic phase
- (b) A Cytokinesis
- (c) B Metaphase
- (d) C Karyokinesis
- [2009] **45.** Cytoskeleton is made up of:
  - (a) Cellulosic microfibrils
  - (b) Proteinaceous filaments
  - (c) Calcium carbonate granules
  - (d) Callose deposits
- **46.** Synapsis occurs between:

[2009]

- (a) spindle fibres and centromere
- (b) two homologous chromosomes
- (c) a male and a female gamete
- (d) mRNA and ribosomes
- 47. During mitosis ER and nucleolus begin to disappear at [Pre. 2010]
  - (a) Late prophase
  - (b) Early metaphase
  - (c) Late metaphase
  - (d) Early prophase
- 48. Which stages of cell division do the following figures A and B represent respectively?

[Pre. 2010]





- (a) Metaphase
- **Telophase**
- (b) Telophase
- Metaphase
- (c) Late Anaphase
- Prophase
- (d) Prophase
- Anaphase
- 49. Which one of the following statements about the particular entity is true? [Mains 2010]
  - (a) The gene for producing insulin is present in every body cell

- (b) Nucleosome is formed of nucleotides
- (c) *DNA* consists of a core of eight histones
- (d) *Centromere* is found in animal cells, which produces aster during cell division.
- **50.** The 3'-5' phosphodiester linkages inside a polynucleotide chain serve to join


#### [Mains 2010]

- (a) One nucleoside with another nucleoside
- (b) One nucleotide with another nucleotide
- (c) One nitrogenous base with pentose
- (d) One DNA strand with the other DNA strand.
- **51.** What are those structures that appear as 'beads-on-string' in the chromosomes, when viewed under electron microscope?

[Pre. 2011]

- (a) Genes
- (b) Nucleotides
- (c) Nucleosomes
- (d) Base pairs
- **52.** What would be the number of chromosomes of the aleurone cells of a plant with 42 chromosomes in its root tip cells? **[Pre. 2011]** 
  - (a) 42
- (b) 63
- (c) 84
- (d) 21
- **53.** Select the correct option with respect to mitosis [Pre. 2011]
  - (a) Chromatids separate but remain in the centre of the cell in anaphase.
  - (b) Chromatids start moving towards opposite poles in telophase.
  - (c) Golgi complex and endoplasmic reticulum are still visible at the end of prophase.
  - (d) Chromosomes move to the spindle equator and get aligned along equatorial plate in metaphase
- **54.** At metaphase, chromosomes are attached to the spindle fibres by their **[Mains 2011]**

- (a) Centromere
- (b) Satellites
- (c) Secondary constrictions
- (d) Kinetochores
- **55.** Identify the meiotic stage in which the homologous chromosomes separate while the sister chromatids remain associated at their centromeres [2012]
  - (a) Metaphase-II
  - (b) Anaphase-I
  - (c) Anaphase-II
  - (d) Metaphase-I
- **56.** During gamete formation, the enzyme recombinase participates during **[2012]** 
  - (a) Prophase-I
  - (b) Prophase-II
  - (c) Metaphase-I
  - (d) Anaphase-II
- **57.** Given below is the representation of a certain event at a particular stage of a type of cell division. Which is this stage? **[2012]**



- (a) Prophase of Mitosis
- (b) Both prophase and metaphase of mitosis
- (c) Prophase I during meiosis
- (d) Prophase II during meiosis
- 58. A stage in cell division is shown in the figure. Select the answer which gives correct identification of the stage with its characteristics. [2013]



- (a) Telophase nuclear envelop reforms,
- golgi complex reforms (b) Late anaphase chromosomes move
- away from equatorial
  - plate, golgi complex not
  - present
- cell plate formed, mito-(c) Cytokinesis
  - chondria distributed between two daughter cells
- (d) Telophase endoplasmic reticulum
  - and nucleolus not reformed yet
- **59.** The complex formed by a pair of synapsed homologous chromosomes is called [2013]
  - (a) Equatorial plate
  - (b) Kinetochore
  - (c) Bivalent
  - (d) Axoneme
- **60.** During which phase(s) of cell cycle, amount of DNA in a cell remains at 4C level if the initial amount is denoted as 2C?

[AIPMT 2014]

- (a)  $G_0$  and  $G_1$
- (b)  $G_1$  and S
- (c) Only G<sub>2</sub>
- (d) G<sub>2</sub> and M
- **61.** In 'S' phase of the cell cycle [AIPMT 2014]
  - (a) Amount of DNA doubles in each cell
  - (b) Amount of DNA remains same in each cell
  - (c) Chromosome number is increased

- (d) Amount of DNA is reduced to half in each cell
- **62.** The enzyme recombinase is required at which stage of meiosis? [AIPMT 2014]
  - (a) Pachytene
  - (b) Zygotene
  - (c) Diplotene
  - (d) Diakinesis
- **63.** Select the correct option :-[AIPMT 2015]

#### Column-I

#### Column-II

- A. Synapsis aligns (i) Anaphase-II homologous chromosomes
- B. Synthesis of RNA (ii) Zygotene and protein
- C. Action of enzyme (iii) G<sub>2</sub> -phase recombinase
- D. Centromeres do (iv) Anaphase-I not separate but chromatids move towards opposite poles
  - (v) Pachytene
- (a)  $A \rightarrow (ii), B \rightarrow (iii), C \rightarrow (v), D \rightarrow (iv)$
- (b)  $A \rightarrow (i)$ ,  $B \rightarrow (ii)$ ,  $C \rightarrow (v)$ ,  $D \rightarrow (iv)$
- (c)  $A \rightarrow (ii)$ ,  $B \rightarrow (iii)$ ,  $C \rightarrow (iv)$ ,  $D \rightarrow (v)$
- (d)  $A \rightarrow (ii), B \rightarrow (i), C \rightarrow (iii), D \rightarrow (iv)$
- **64.** Which is the most common mechanism of genetic variation in the population of sexually reproducing organism? [AIPMT 2015]
  - (a) Chromosomal aberrations
  - (b) Genetic drift
  - (c) Recombination
  - (d) Transduction
- **65.** A somatic cell that has just completed the S phase of its cell cycle, as compared to gamete of the same species, has:

#### [AIPMT 2015]

- (a) same number of chromosomes but twice the amount of DNA
- twice the number of chromosomes and four times the amount of DNA

95

- (c) four times the number of chromosomes and twice the amount of DNA
- (d) twice the number of chromosomes and twice the amount of DNA
- **66.** Arrange the following events of meiosis in correct sequence : **[RE-AIPMT 2015]** 
  - (a) Crossing over

- (b) Synapsis
- (c) Terminalisation of chaismata
- (d) Disappearance of nucleolus
- (a) (b), (c), (d), (a)
- (b) (b), (a), (d), (c)
- (c) (b), (a), (c), (d)
- (d) (a), (b), (c), (d)

<b>○</b> Ar	nswers _								
1-c	2-d	3-b	4-b	5-b	6-d	7-a	8-b	9-с	10-b
11-d	12-d	13-b	14-d	15-d	16-b	17-d	18-c	19-с	20-b
21-a	22-b	23-a	24-c	25-d	26-a	27-b	28-b	29-b	30-с
31-b	32-a	33-d	34-a	35-b	36-b	37-b	38-a	39-a	40-b
41-b	42-d	43-a	44-a	45-b	46-b	47-a	48-c	49-a	50-b
51-c	52-b	53-d	54-d	55-b	56-a	57-c	58-a	59-с	60-c
61-a	62-a	63-a	64-c	65-b	66-c				

11

## TRANSPORT IN PLANTS

- In a terrestrial habitat which of the following is affected by temperature and rainfall condition? [1989]
  - (a) Translocation
  - (b) Transpiration
  - (c) Transformation
  - (d) Thermodenaturation
- 2. Death of protoplasm is a pre-requisite for a vital function like [1989]
  - (a) transport of sap
  - (b) transport of food
  - (c) absorption of water
  - (d) gaseous exchange
- **3.** Sieve tubes are suited for translocation of food because they possess [1989]
  - (a) bordered pits
  - (b) no ends walls
  - (c) broader lumen and perforated cross walls
  - (d) no protoplasm
- **4.** Mainly conduction of water in an angiosperm occurs through [1990]
  - (a) tracheids
- (b) xylem vessels
- (c) sieve tubes
- (d) All of these
- **5.** Root system in a plant is well developed [1990]
  - (a) due to deficiency of auxins
  - (b) due to deficiency of cytokinins

- (c) due to deficiency of minerals
- (d) for increased absorption of water
- 6. An innovative professor who wanted to give a live demonstration of a physiological process, filled a glass bottle with previously moistened mustard seeds and water. He screwcapped the bottle and kept it away in a corner and resumed his lecture. Towards the end of his lecture there was a sudden explosion with glass pieces of bottle thrown around. Which of the following phenomena did the professor want to demonstrate?

[1990]

- (a) Diffusion
- (b) Osmosis
- (c) Anaerobic respiration
- (d) Imbibition
- 7. Water potential can be obtained by [1991]
  - (a) OP + TP
- (b) OP = WP
- (c)  $\psi_s + \psi_p$
- (d) OP-DPD
- **8.** Which is correct about transport or conduction of substances? [1991, 97]
  - (a) Organic food moves up through phloem
  - (b) Organic food moves up through xylem
  - (c) Inorganic food moves upwardly and downwardly through xylem
  - (d) Organic food moves upwardly and downwardly through phloem

- 9. In soil, water available for roots (to plants) is [1991,99]
  - (a) capillary water
  - (b) hygroscopic water
  - (c) gravitational water
  - (d) chemically bound water
- 10. In guard cells when sugar is converted into starch the stomatal pore
  - (a) opens fully
  - (b) opens partially
  - (c) closes completely
  - (d) remains unchanged
- 11. Conversion of starch to organic acid is essential for [1992]
  - (a) stomatal closure
  - (b) stomatal opening
  - (c) stomatal initiation
  - (d) stomatal growth
- **12.** Guttation is caused by

[1992]

- (a) transpiration (b) osmosis/DPD
- (c) root pressure (d) osmotic pressure
- 13. Meaningful girdling (ringing) experiment can not be performed within sugarcane be-
  - (a) its phloem is situated interior to xylem
  - (b) its stem surface is covered with waxy
  - (c) its vascular bundles are not present in a ring
  - (d) its stem is thin
- 14. The direction and rate of water movement from cell to cell is based on [1992]
  - (a) WP
  - (b) TP
  - (c) DPD
  - (d) incipient plasmolysis
- **15.** Translocation of carbohydrate nutrients usually occurs in the form of [1992]
  - (a) glucose
- (b) maltose
- (c) starch
- (d) sucrose

**16.** Which of the following is an effective adaptation for better gas exchange in plants?

[1993]

- (a) Presence of multiple epidermis
- (b) Presence of hair on the lower epidermis
- (c) Presence of waxy cuticle covering the epidermis of the leaves
- (d) The location of the stomata primarily on the lower surface of the leaf, the side turned away from the direct sun rays
- 17. Some of the growth regulators affect stomatal opening. Closure of stomata is brought about [1994]
  - (a) indole butyric acid
  - (b) abscisic acid
  - (c) kinetin
  - (d) gibberellic acid
- **18.** Which of the following is used to determine the rate of transpiration in plants? [1994]
  - (a) Porometer
  - (b) Potometer
  - (c) Auxanometer
  - (d) Tensiometer
- 19. The movement of water from one cell of the cortex to the adjacent one in roots is due to [1995]

- (a) accumulation of inorganic salts in the
- (b) accumulation of organic compounds in the cells
- (c) chemical potential gradient
- (d) water potential gradient
- **20.** Water entering root due to diffusion is part
  - (a) endosmosis
  - (b) osmosis
  - (c) passive absorption
  - (d) active absorption
- 21. Bidirectional translocation of minerals takes [1997] place in
  - (a) xylem
- (b) phloem
- (c) parenchyma
- (d) cambium

- Osmotic pressure in the leaf cells is positive during [1997]
  - (a) excessive transpiration
  - (b) low transpiration
  - (c) excessive absorption
  - (d) guttation
- 23. If turgidity of a cell surrounded by water increases, the wall pressure will [1997]
  - (a) increase
  - (b) decrease
  - (c) fluctuate
  - (d) remain unchanged
- **24.** The water potential and osmotic potential of pure water are [1998]
  - (a) 100 and zero
- (b) zero and zero
- (c) 100 and 200
- (d) zero and 100
- **25.** Water enters a cell due to [2001]
  - (a) OP
- (b) SF
- (c) TP
- (d) WP
- **26.** Passive absorption of minerals depend on **[2001]** 
  - (a) temperature
  - (b) temperature and metabolic inhibitor
  - (c) metabolic inhibitor
  - (d) humidity
- **27.** Glycolate induces opening of stomata in **[2001]** 
  - (a) presence of oxygen
  - (b) low CO<sub>2</sub> concentration
  - (c) high CO<sub>2</sub> concentration
  - (d) absence of CO<sub>2</sub>
- **28.** In which of the following plant sunken stomata are found? [2001]
  - (a) Nerium
- (b) Hydrilla
- (c) Mango
- (d) Guava
- **29.** Main function of lenticel is [2002]
  - (a) transpiration
  - (b) guttation
  - (c) gaseous exchange
  - (d) bleeding

- **30.** Opening and closing of stomata is due to [2002]
  - (a) hormonal change in guard cells
  - (b) change in turgor pressure of guard cells
  - (c) gaseous exchange
  - (d) respiration
- 31. Stomata of CAM plants

[2003]

- (a) open during the night and close during the day
- (b) never open
- (c) are always open
- (d) open during the day and close at night
- 32. Stomata of a plant open due to

[2003]


- (a) influx of calcium ions
- (b) influx of potassium ions
- (c) efflux of potassium ions
- (d) influx of hydrogen ions
- **33.** The translocation of organic solutes in sieve tube members is supported by **[2006]** 
  - (a) P-proteins
  - (b) mass flow involving a carrier and ATP
  - (c) cytoplasmic streaming
  - (d) root pressure and transpiration pull
- 34. Two cells A and B are contiguous. Cell A has osmotic pressure 10 atm, turgor pressure 7 atm and diffusion pressure deficit 3 atm. Cell B has osmotic pressure 8 atm, turgor pressure 3 atm and diffusion pressure deficit 5 atm. The result will be [2007]
  - (a) movement of water from cell B to A
  - (b) no movement of water
  - (c) equilibrium between the two
  - (d) movement of water from cell A to B
- **35.** Carbohydrates are commonly found as starch in plant storage organs, which of the following five properties of starch (A-E) make it useful as a storage material? [2008]
  - (A) Easily translocated
  - (B) chemically non-reactive
  - (C) easily digested by animals
  - (D) osmotically inactive

99

- (E) synthesized during photosynthesis The useful properties are
- (a) (B) and (C)
- (b) (B) and (D)
- (c) (A), (C) and (E) (d) (A) and (E)
- **36.** The rupture and fractionation do not usually occur in the water column in vessel/tracheids during the ascent of sap because of [2008]
  - (a) lignified thick walls
  - (b) cohesion and adhesion
  - (c) weak gravitational pull
  - (d) transpiration pull
- 37. Guard cells help in

[2009]

- (a) Guttation
- (b) Fighting against infection
- (c) Protection against grazing
- (d) Transpiration
- **38.** Transport of food material in higher plants takes place through [Mains 2010]
  - (a) Transfusion tissue
  - (b) Tracheids
  - (c) Sieve elements
  - (d) Companion cells
- **39.** Given below is the diagram of a stomatal apparatus. [Mains 2010] In which of the following all the four parts labelled as A, B, C and D are correctly identified?



	$\mathbf{A}$	В	C	D
(a)	Guard	Stomatal	Subsidiary	Epidermal
	cell	aperture	cell	cell
(b)	Epidermal	Guard	Stomatal	Subsidiary
	cell	cell	aperture	cell
(c)	Epidermal	Subsidiary	Stomatal	Guard
	cell	cell	aperture	cell
(d)	Subsidiary	Epidermal	Guard	Stomatal
	cell	cell	cell	aperture

**40.** Guttation is the result of

[Mains 2011]

- (a) Root pressure (b) Diffusion
- (c) Transpiration (d) Osmosis
- **41.** In land plants, the guard cells differ from other epidermal cells in having **[Pre. 2011]** 
  - (a) Cytoskeleton (b) Mitochondria
  - (c) Endoplasmic reticulum
  - (d) Chloroplasts
- 42. Lenticels are involved in

[2013]

- (a) Transpiration (b) Gaseous exchange
- (c) Food transport (d) Photosynthesis
- **43.** Which one gives the most valid and recent explanation for stomatal movements?

#### [AIPMT 2015]

- (a) Potassium influx and efflux
- (b) Starch hydrolysis
- (c) Guard cell photosynthesis
- (d) Transpiration
- **44.** In a ring girdled plant: [AIPMT 2015]
  - (a) The root dies first
  - (b) The shoot and root die together
  - (c) Neither root nor shoot will die
  - (d) The shoot dies first
- **45.** Transpiration and root pressure cause water to rise in plants by : **[AIPMT 2015]** 
  - (a) Pulling and pushing it, respectively
  - (b) Pushing it upward
  - (c) Pushing and pulling it, respectively
  - (d) Pushing it upward
- **46.** Root pressure develops due to:

#### [RE-AIPMT 2015]

- (a) Increase in transpiration
- (b) Active absorption
- (c) Low osmotic potential in soil
- (d) Passive absorption
- **47.** A column of water within xylem vessels of tall trees does not break under its weight because of: [RE-AIPMT 2015]
  - (a) Positive root pressure
  - (b) Dissolved sugars in water
  - (c) Tensile strength of water
  - (d) Lignification of xylem vessels

# www.anybook.in

# Trueman's AIPMT Biology Rebooster Specific

(		nswers _								
4	1-b	2-a	3-с	4-b	5-d	6-d	7-c	8-d	9-a	10 -с
	11-b	12-c	13-с	14-c	15-d	16-d	17-b	18-b	19 <b>-</b> d	20 -c
	21-a	22-a	23-a	24-b	25-b	26-a	27-b	28-a	29-с	30 -b
	31-a	32-b	33-b	34-d	35-b	36-b	37-d	38-c	39-с	40 -a
	41-d	42-b	43-a	44-a	45-a	46-b	47-c			

# www.freejobsportal.in

100

# 12

# MINERAL NUTRITION

1.	Mineral associated	d with cytochrom	e is		3. Zinc as a nutrient is used by the p			
	(a) Cu	(b) Mg	[1991]		the form of	_	[2000]	
	(c) Fe and Mg	(d) Fe and Cu			(a) Zn	(b) Zn <sup>2+</sup>		
2.	The association be and fungi occurs i		n algae [ <b>1995</b> ]		(c) ZnO The plants grown	0		
3.	<ul><li>(a) lichens</li><li>(c) cannibalism</li><li>Which one of the fent for plants?</li><li>(a) Calcium</li></ul>	<ul><li>(b) symbiosis</li><li>(d) mycorrhiza</li><li>following is a mic</li><li>(b) Magnesium</li></ul>	ronutri- [1996]		but urea sprayed: (a) deep green fol (b) early flowering (c) yellowing of le (d) loss of pigmer	iage g eaves	[2000]	
4.	(c) Manganese Which one of the fitial element for pla (a) Potassium (c) Iodine	(d) Nitrogen following is not a ants? (b) Iron	n essen- [1996]		Which aquatic fertion?  (a) Azolla (c) Salvia Enzyme involved	(b) Nostoc (d) Salvinia	[2001]	
5.	The core metal of c (a) iron (c) nickel	<ul><li>(d) Zinc</li><li>chlorophyll is</li><li>(b) magnesium</li><li>(d) copper</li></ul>	[1997]		(a) nitrogenase (c) transferase	(b) nitrate redu (d) transaminas	<b>[2001</b> ] ctase se	
6.	Which of the follow ciency of mineral r (a) Necrosis (c) Etiolation (d) Shortening of i	nutrition? (b) Chlorosis	by defi- [ <b>1997</b> ]	13.	Element necessary  (a) Ca  (c) K  Choose the correct dew, venusfly trap	(b) Zn (d) Cu t match Bladderw	[2001]	
7.	Which of the following bic non-photosyntle (a) Rhizobium (c) Azospirillum	netic nitrogen-fixe (b) Azotobacter	r?[1997]		<ul><li>(a) Nepenthes, Di</li><li>(b) Nepenthes, Ut</li><li>(c) Utricularia, Di</li><li>(d) Dionea, Trapa</li></ul>	tricularia, Vanda rosera, Dionea		

14.	Boron	in	green	p]	lants	assists	in
-----	-------	----	-------	----	-------	---------	----

[2003]

- (a) sugar transport
- (b) activation of enzymes
- (c) acting as enzyme cofactor
- (d) photosynthesis
- 15. Grey spots of oat are caused by deficiency of
  - (a) Fe
- (b) Cu

[2003]

- (c) Zn
- (d) Mn
- **16.** The major role of minor elements inside living organisms is to act as **[2003]** 
  - (a) binder of cell structure
  - (b) co-factors of enzymes
  - (c) building blocks of important amino acids
  - (d) constituent of hormones
- 17. Which one of the following mineral elements plays an important role in biological nitrogen fixation? [2003]
  - (a) Molybdenum (l
- (b) Copper
  - (c) Manganese
- (d) Zinc
- **18.** The major portion of the dry weight of plants comprises of [2003]
  - (a) carbon, hydrogen and oxygen
  - (b) nitrogen, phosphorus and potassium
  - (c) calcium, magnesium and sulphur
  - (d) carbon, nitrogen and hydrogen
- **19.** A free living, nitrogen-fixing cyanobacterium which can also form symbiotic association with the water fern Azolla is [2004]
  - (a) Tolypothrix
- (b) Chlorella
- (c) Nostoc
- (d) Anabaena
- 20. The deficiencies of micronutrients, not only affects growth of plants but also vital functions such as photosynthetic and mitochondrial electron flow. Among the list given below, which group of three elements shall affect most, both photosynthetic and mitochondrial electron transport? [2005]
  - (a) Co, Ni, Mo
- (b) Ca, K, Na
- (c) Mn, Co, Ca
- (d) Cu, Mn, Fe
- **21.** Farmers in a particular region were concerned that pre-mature yellowing of leaves

of a pulse crop might cause decrease in the yield. Which treatment could be most beneficial to obtain maximum seed yield?


[2006]

- (a) Frequent irrigation of the crop
- (b) Treatment of the plants with cytokinins alongwith a small dose of nitrogenous fertilizer
- (c) Removal of all yellow leaves and spraying the remaining green leaves with 2,4,5-trichlorophenoxy acetic acid
- (d) Application of iron and magnesium to promote synthesis of chlorophyll
- **22.** A plant requires magnesium for [2007]
  - (a) holding cells together
  - (b) protein synthesis
  - (c) chlorophyll synthesis
  - (d) cell wall development
- **23.** Which one of the following elements is not an essential micronutrient for plant growth?
  - (a) Mn
- (b) Zn

[2007]

- (c) Cu (d) Ca
- **24.** Which of the following is a flowering plant with nodules containing filamentous nitrogen-fixing microorganism? [2007]
  - (a) Casuarina equisetifolia
  - (b) Crotalaria juncea
  - (c) Cycas revoluta
  - (d) Cicer arietinum
- **25.** Nitrogen-fixation in root nodules of Alnus is brought about by [2008]
  - (a) Bradyrhizobium
  - (b) Clostridium
  - (c) Frankia
  - (d) Azorhizobium
- **26.** Which of the following is a symbiotic nitrogen fixer? [2009]
  - (a) Frankia
- (b) Azolla
- (c) Glomus
- (d) Azotobacter
- 27. Manganese is required in
- [2009]
- (a) Photolysis of water during photosynthesis

- (b) Chlorophyll synthesis
- (c) Nucleic acid synthesis
- (d) Plant cell wall formation
- 28. An element playing important role in nitrogen fixation is: [Pre. 2010]
  - (a) Molybdenum (b) Copper
  - (c) Manganese
- (d) Zinc
- 29. Which one of the following is not a micronutrient? [Pre. 2010]
  - (a) Molybdenum (b) Magnesium
  - (c) Zinc
- (d) Boron
- 30. One of the free-living, anaerobic nitrogen-[Pre. 2010] fixer is
  - (a) Beijernickia
- (b) Rhodospirillum
- (c) Rhizobium
- (d) Azotobacter
- 31. The common nitrogen-fixer in paddy fields [Pre. 2010]
  - (a) Rhizobium
- (b) Azospirillum
- (c) Oscillatoria
- (d) Frankia
- **32.** Study the cycle shown below and select the option which gives correct words for all the four blanks A, B, C and D. [Mains 2010]



- (a) Denitrification (b) Nitrifi-
- Ammonification
- - **Plants** Animals

**Plants** 

**Plants** 

- Dentrifi-Animals
- cation cation Denitrifi-Nitrifi-Plants Animals cation cation
- (d) Nitrifi-Ammoni- Animals cation fication

- 33. Legumious plants are able to fix atmosphere nitrogen through the process of symbiotic nitrogen fixation. Which one of the following statement is not correct during this process of nitrogen fixation. [Mains 2010]
  - (a) Nodules act as sites for nitrogen fixation
  - (b) The enzyme nitrogense catalyses the conversion of atmospheric N<sub>2</sub> to NH<sub>3</sub>
  - (c) Nitrogenase is insensitive to oxygen
  - (d) Leghaemoglobin scavenges oxygen and in colour
- **34.** Which one of the following is not an essential mineral element for plants while the re-[Mains 2011] maining three are?
  - (a) Phosphorus
- (b) Iron
- (c) Manganese
- (d) Cadmium
- **35.** Which one of the following elements in plants is not remobilised? [Pre. 2011]
  - (a) Phosphorus
- (b) Calcium
- (c) Potassium
- (d) Sulphur
- **36.** Nitrifying bacteria
- [Pre. 2011]
- (a) Oxidize ammonia to nitrates
- (b) Convert free nitrogen to nitrogen compounds
- (c) Convert proteins into ammonia
- (d) Reduce nitrates to free nitrogen
- **37.** The function of leghaemoglobin in the root nodules of legumes is [Pre. 2011]
  - (a) Inhibition of nitrogenase activity
  - (b) Oxygen removal
  - (c) Nodule differentiation
  - (d) Expression of nif gene
- 38. Which one of the following helps in absorption of phosphorus from soil by plants?

[Pre. 2011]

- (a) Glomus
- (b) Rhizobium
- (c) Frankia
- (d) Anabaena
- **39.** For its action, nitrogenase requires

[Mains 2012]

- (a) Light
- (b) Mn<sup>2+</sup>

# www.anybook.in

## Trueman's AIPMT Biology Rebooster Specific

- (c) Super oxygen radicals
  - (d) High input of energy
- **40.** For its activity, carboxypeptidase requires : **[Mains 2012]** 
  - (a) Iron

104

- (b) Niacin
- (c) Copper
- (d) Zinc
- **41.** Best defined function of Manganese in green plants is **[Pre. 2012]** 
  - (a) Nitrogen fixation
  - (b) Water absorption
  - (c) Photolysis of water
  - (d) Calvin cycle
- **42.** A nitrogen fixing microbe associated with *Azolla* in rice-fields is **[Pre. 2012]** 
  - (a) Frankia
- (b) Tolypothrix
- (c) Spirulina
- (d) Anabaena
- **43.** The first stable product of fixation of atmospheric nitrogen in leguminous plants is
  - [2013]

- (a)  $NO_2^-$
- (b) Ammonia
- (c)  $NO_3^-$
- (d) Glutamate
- **44.** Deficiency symptoms of nitrogen and potassium are visible first in **[AIPMT 2014]**

- (a) Senescent leaves
- (b) Young leaves
- (c) Roots
- (d) Buds
- **45.** Minerals known to be required in large amounts for plant growth include:-

#### [AIPMT 2015]

- (a) calcium, magnesium, manganese, copper
- (b) potassium, phosphorus, selenium, boron
- (c) magnesium, sulphur, iron, zinc
- (d) phosphorus, potassium, sulphur, calcium
- **46.** The oxygen evolved during photosynthesis comes from water molecules. Which one of the following pairs of elements is involved in this reaction? [RE-AIPMT 2015]
  - (a) Magnesium and Chlorine
  - (b) Manganese and Chlorine
  - (c) Manganese and Potassium
  - (d) Magnesium and Molybdenum
- **47.** During biological nitrogen fixation, inactivation of nitrogenase by oxygen poisoning prevented by: [RE-AIPMT 2015]
  - (a) Cytochrome
- (b) Leghaemoglobin
- (c) Xanthophyll
- (d) Carotene

(	<b>○</b> Ar	1 <b>swers _</b> 2-a 12-a								
	1-d	2-a	3-c	4-c	5-b	6-c	7-b	8-b	9-c	10-a
	11-a	12-a	13-с	14-a	15-d	16-b	17-a	18-a	19 <b>-</b> d	20-d
	21-d	22-c			25-с				29-b	30-b
	31-d	32-a	33-с	34-d	35-b	36-a	37-b	38-a	39-d	40-d
	41-c	42-d	43-b	44-a	45-d	46-b	47-b			

13

## PHOTOSYNTHESIS IN HIGHER PLANTS

- 1. A very efficient converter of solar energy with net productivity of 2-4 kg/m2 or more is the crop of [1989]
  - (a) wheat
- (b) sugarcane
- (c) rice
- (d) bajra
- 2. In C4-plants, Calvin cycle operates in

[1989]

- (a) stroma of bundle sheath chloroplasts
- (b) grana of bundle sheath chloroplasts
- (c) grana of mesophyll chloroplasts
- (d) stroma of mesophyll chloroplasts
- **3.** The substrate for photorespiration is [1989]
  - (a) ribulose bis-phosphate
  - (b) glycolate
  - (c) serine
  - (d) glycine
- **4.** Greatest producers of organic matter are **[1989,94]** 
  - (a) crop plants
- (b) forests
- (c) plants of the land area
- (d) phytoplankton of oceans
- **5.** The first carbon dioxide acceptor in C 4-plants is [1990,92]
  - (a) phosphoenol-pyruvate
  - (b) ribulose 1,5-diphosphate
  - (c) oxalo acetic acid
  - (d) phosphoglyceric acid

- **6.** Kranz anatomy is typical of [1990, 95]
  - (a) C<sub>4</sub>-plants
- (b) C<sub>3</sub>-plants
- (c) C<sub>2</sub>-plants
- (d) CAM plants
- 7. Ferredoxin is a constituent of

[1991]

- (a) PS-I
- (b) PS-II
- (c) Hill reaction
- (d)  $P_{680}$
- 8. During monsoon, the rice crop of Eastern states of India shows lesser yield due to limiting factor of [1991]
  - (a) CO<sub>2</sub>
- (b) light
- (c) temperature
- (d) water
- **9.** Dark reactions of photosynthesis occur in **[1991]** 
  - (a) granal thylakoid membranes
  - (b) stromal lamella membranes
  - (c) stroma outside photosynthetic lamellae
  - (d) periplastidial space
- **10.** Photosynthetic pigments found in the chloroplasts occur in **[1991]** 
  - (a) thylakoid membranes
  - (b) plastoglobules
  - (c) matrix
  - (d) chloroplast envelope
- **11.** Which technique has helped in investigation of Calvin cycle? [1991]
  - (a) X-ray crystallography
  - (b) X-ray technique

# www.anybook.in

## Trueman's AIPMT Biology Rebooster Specific

- (c) Radioactive isotope technique
  - (d) Intermittent light
- **12.** Which one is a  $C_4$  plant?

[1992]

- (a) Papaya
- (b) Pea
- (c) Potato

106

- (d) Maize/corn
- 13. The enzyme that catalyses initial carbon dioxide fixation in  $C_4$  plants is [1992, 2002]
  - (a) RuBP carboxylase
  - (b) PEP carboxylase
  - (c) carbonic anhydrase
  - (d) carboxydismutase
- **14.** Photosystem-II occurs in

[1992]

- (a) stroma
- (b) cytochrome
- (c) grana
- (d) mitochondrial surface
- **15.** Chlorophyll-a occurs in

[1992]

- (a) all photosynthetic autotrophs
- (b) in all higher plants
- (c) all oxygen liberating autotrophs
- (d) all plants except fungi
- 16. Formation of ATP in photosynthesis and respiration is an oxidation process which utilises the energy from [1992]
  - (a) cytochromes
  - (b) ferredoxin
  - (c) electrons
  - (d) carbon dioxide
- 17. A photosynthesizing plant is releasing <sup>18</sup>O more than the normal. The plant must have been supplied with
  - (a)  $O_3$
- (b)  $H_2O$  with  $^{18}O$
- (c)  $CO_2$  with  $^{18}O$  (d)  $C_6H_{12}O_6$  with  $^{18}O$
- 18. Maximum solar energy is trapped by [1993]
  - (a) planting trees
  - (b) cultivating crops
  - (c) growing algae in tanks
  - (d) growing grasses
- **19.** The carbon dioxide acceptor in Calvin cycle/ [1993, 95, 96, 99]  $C_3$  plants is

- (a) Phosphoenol pyruvate (PEP)
- (b) Ribulose 1,5-diphosphate (RuDP)
- (c) Phosphoglyceric Acid (PGA)
- (d) Ribulose Monophosphate (RMP)
- **20.**  $C_4$ -cycle was discovered by

[1994]

- (a) Hatch and Slack
- (b) Calvin
- (c) Hill
- (d) Arnon
- 21. Which one occurs both during cyclic and non-cyclic modes of photophosphorylation? [1994]
  - (a) Involvement of both PS-I and PS-II
  - (b) Formation of ATP
  - (c) Release of O<sub>2</sub>
  - (d) Formation of NADPH
- 22. Pigment acting as a reaction centre during photosynthesis is
  - (a) carotene
- (b) phytochrome
- (c)  $P_{700}$
- (d) cytochrome
- 23. Nine-tenth of all photosynthesis of world (85-90%) is carried out by [1994]
  - (a) large trees with millions of branches and leaves
  - (b) algae of the ocean
  - (c) chlorophyll containing ferns of the forest
  - (d) scientists in the laboratories
- **24.** Chlorophyll-a molecule at its carbon atom 3 of the pyrrole ring-II has one of the following
  - (a) aldehyde group
- (b) methyl group
- (c) carboxyl group
- (d) magnesium
- 25. Which one of the following is represented by Calvin cycle? [1996]
  - (a) Reductive carboxylation
  - (b) Oxidative carboxylation
  - (c) Photophosphorylation
  - (d) Oxidative phosphorylation
- **26.** Photosynthetically active radiation is represented by the range of wavelength

[1996, 2004, 05]

- (a) 340-450 nm
- (b) 400-700 nm
- (c) 500-600 nm
- (d) 400-950 nm
- **27.** The principle of limiting factors was proposed by **[1996]** 
  - (a) Blackmann
- (b) Hill
- (c) Arnon
- (d) Liebig
- **28.** Photorespiration is favoured by [1996]
  - (a) high O<sub>2</sub> and low CO<sub>2</sub>
  - (b) low light and high O<sub>2</sub>
  - (c) low temperature and high O<sub>2</sub>
  - (d) low O<sub>2</sub> and high CO<sub>2</sub>
- 29. NADPH is generated through

[1997]

- (a) photosystem-I
- (b) photosystem-II
- (c) anaerobic respiration
- (d) glycolysis
- **30.** Protochlorophyll differs from chlorophyll in lacking [1998]
  - (a) 2 hydrogen atoms in one of its pyrrole rings
  - (b) 2 hydrogen atoms in two of its pyrrole rings
  - (c) 4 hydrogen atoms in one of its pyrrole rings
  - (d) 4 hydrogen atoms in two of its pyrrole rings
- 31. Which one of the following statements about cytochrome  $P_{450}$  is wrong? [1998]
  - (a) It contains iron
  - (b) It is an enzyme involved in oxidation reactions
  - (c) It is a coloured cell
  - (d) It has an important role in metabolism
- **32.** Which enzyme is most abundantly found on earth? [1999]
  - (a) Catalase
- (b) Rubisco
- (c) Nitrogenase
- (d) Invertase
- **33.** Fixation of one CO<sub>2</sub> molecule through Calvin cycle requires [2000]
  - (a) 1 ATP and 2NADPH<sub>2</sub>

- (b) 2 ATP and 2NADPH<sub>2</sub>
- (c) 3 ATP and 2NADPH<sub>2</sub>
- (d) 2ATP and 1NADPH<sub>2</sub>
- **34.** How many turns of Calvin cycle yield one molecule of glucose? **[2000]** 
  - (a) 8
- (b) 2
- (c) 6
- (d) 4
- **35.** The first step of photosynthesis is **[2000]** 
  - (a) excitation of electron of chlorophyll by a photon of light
  - (b) formation of ATP
  - (c) attachment of CO<sub>2</sub> to 5 carbon sugar
  - (d) ionisation of water
- **36.** Photochemical reactions in the chloroplast are directly involved in **[2000]** 
  - (a) formation of phosphoglyceric acid
  - (b) fixation of carbon dioxide
  - (c) synthesis of glucose and starch
  - (d) photolysis of water and phosphorylation of ADP to ATP
- **37.** Which pigment system is inactivated in red drop? **[2001]** 
  - (a) PS-Iand PS-II
  - (b) PS-I
  - (c) PS-II
  - (d) None of these
- **38.** Cytochrome is

[2001]

107

- (a) metallo flavo protein
  - (b) Fe-containing porphyrin pigment
  - (c) glycoprotein
  - (d) lipid
- **39.** Which pair is wrong?

[2001]

- (a) C<sub>3</sub>—Maize
- (b) C₄—Kranz anatomy
- (c) Calvin cycle—PGA
- (d) Hatch and Slack Pathway—Oxalo acetic acid
- **40.** In photosynthesis energy from light reaction to dark reaction is transferred in the form of

[2002]

- (a) ADP
- (b) ATP
- (c) RuDP
- (d) chlorophyll
- **41.** Which of the following absorb light energy for photosynthesis? [2002]
  - (a) Chlorophyll
  - (b) Water molecule
  - (c)  $O_2$
  - (d) RuBP
- **42.** Which element is located at the centre of the porphyrin ring in chlorophyll? [2003]
  - (a) Manganese
  - (b) Calcium
  - (c) Magnesium
  - (d) Potassium
- **43.** In sugarcane plant <sup>14</sup>CO<sub>2</sub> is fixed in malic acid, in which the enzyme that fixes CO<sub>2</sub> is [2003]
  - (a) fructose phosphatase
  - (b) ribulose bisphosphate carboxylase
  - (c) phosphoenol pyruvic acid carboxylase
  - (d) ribulose phosphate kinase
- 44. Stomata of CAM plants

[2003]

- (a) never open
- (b) are always open
- (c) open during the day and close at night
- (d) open during the night and close during the day
- **45.** Which fractions of the visible spectrum of solar radiations are primarily absorbed by carotenoids of the higher plants? [2003]
  - (a) Violet and blue
  - (b) Blue and green
  - (c) Green and red
  - (d) Red and violet
- **46.** Which one of the following is wrong in relation to photorespiration? [2003]
  - (a) It is a characteristic of C<sub>3</sub> -plants
  - (b) It occurs'in chloroplasts
  - (c) It occurs in day time only
  - (d) It is a characteristic of C<sub>4</sub>-plants

**47.** In C<sub>3</sub>-plants, the first stable product of photosynthesis during the dark reaction is

[2004]

- (a) malic acid
- (b) oxaloacetic acid
- (c) 3-phosphoglyceric acid
- (d) phosphoglyceraldehyde
- **48.** Chlorophyll in chloroplasts is located in **[2004]** 
  - (a) outer membrane
  - (b) inner membrane
  - (c) thylakoids
  - (d) stroma
- **49.** As compared to a  $C_3$ -plant, how many additional molecules of ATP are needed for net production of one molecule of hexose sugar by  $C_4$ -plants [2005]
  - (a) 2
- (b) 6
- (c) 12
- (d) zero
- **50.** Photosynthesis in  $C_4$ -plants is relatively less limited by atmospheric  $CO_2$  levels because


[2005]

- (a) effective pumping of CO<sub>2</sub> into bundle sheath cells
- (b) rubisco in C<sub>4</sub>-plants has higher affinity for CO<sub>2</sub>
- (c) four carbon acids are the primary initial CO<sub>2</sub> fixation products
- (d) the primary fixation of CO<sub>2</sub> is mediated via PEP carboxylase
- **51.** In photosystem-I the first electron acceptor is **[2006]** 
  - (a) cytochrome
  - (b) plastocyanin
  - (c) an iron-sulphur protein
  - (d) ferredoxin
- **52.** During photorespiration, the oxygen consuming reaction(s) occur in **[2006]** 
  - (a) stroma of chloroplasts and peroxisomes
  - (b) grana of chloroplasts and peroxisomes
  - (c) stroma of chloroplasts
  - (d) stroma of chloroplasts and mitochondria

- **53.** In the leaves of  $C_4$ -plants, malic acid formation during  $CO_2$  fixation occurs in the cells of [2007,08]
  - (a) mesophyll
- (b) bundle sheath
- (c) phloem
- (d) epidermis
- **54.** The first acceptor of electrons from an excited chlorophyll molecule of photosystem-II is [2007, 08]
  - (a) cytochrome
- (b) iron-sulphur protein
- (c) ferredoxin
- (d) quinone
- **55.** The  $C_4$ -plants are photosynthetically more efficient than  $C_3$ -plants because [2008]
  - (a) the CO<sub>2</sub> compensation point is more
  - (b) CO<sub>2</sub> generated during photorespiration is trapped and recycled through PEP carboxylase
  - (c) the CO<sub>2</sub> efflux is not prevented
  - (d) they have more chloroplasts
- **56.** Stroma in the chloroplasts of higher plant contains [2009]
  - (a) Ribosomes
  - (b) Chlorophyll
  - (c) Light-independent reaction enzymes
  - (d) Light-dependent reaction enzymes
- 57. Oxygenic photosynthesis occurs in [2009]
  - (a) Rhodospirillum
- (b) Chlorobium
- (c) Chromatium
- (d) Oscillatoria
- **58.** PGA as the first CO<sub>2</sub> fixation product was discovered in photosynthesis of **[Pre. 2010]** 
  - (a) Bryophyte
  - (b) Gymnosperm
  - (c) Angiosperm alga
  - (d) Alga
- **59.**  $C_4$  plants are more efficient in photosynthesis than  $C_3$  plants due to **[Pre. 2010]** 
  - (a) Higher leaf area
  - (b) Presence of larger number of chloroplasts in the leaf cells
  - (c) Presence of thin cuticle
  - (d) Lower rate of photorespiration

- **60.** Kranz anatomy is one of the characteristics of the leaves of [Mains 2010]
  - (a) Wheat
- (b) Sugarcane
- (c) Mustard
- (d) Potato
- 61. Study the pathway given below

[Mains 2010]



In which of the following options correct words for all the three blanks A, B and C are indicated?

 $\mathbf{C}$ 

(a)	Fixation	Transami-	Regeneration
		nation	
(b)	Fixation	Decarboxy-	Regeneration
		lation	
(c)	Carboxy-	Decarboxy-	Reduction
	lation	lation	
(d)	Decarboxy-	Reduction	Regeneration

В

A

lation

**62.** Read the following four statements A, B, C and D and select the right option having both correct statements [Mains 2010]

#### **STATEMENTS:**

- (1) Z scheme of light reaction takes place in presence of PSI only
- (2) Only PSI is functional in cyclic photophosphorylation

### www.anybook.in

#### Trueman's AIPMT Biology Rebooster Specific

- (3) Cyclic photophosphorylation results into synthesis of ATP and NADPH<sub>2</sub>
- (4) Stroma lamellae lack PSII as well as NADP.
- (a) 1 and 2

110

- (b) 2 and 3
- (c) 3 and 4
- (d) 2 and 4
- **63.** Which one of the following is essential for photolysis of water? [Mains 2011]
  - (a) Boron
- (b) Manganese
- (c) Zinc
- (d) Copper
- **64.** In Kranz anatomy, the bundle sheath cells have [Mains 2011]
  - (a) Thick walls, many intercellular spaces and few chloroplasts
  - (b) Thin walls, many intercellular spaces and no chloroplasts.
  - (c) Thick walls, no intercellular spaces and large number of chloroplasts.
  - (d) Thin walls, no intercellular spaces and several chlorplasts.
- **65.** Of the total incident solar radiation the proportion of PAR is **[Pre. 2011]** 
  - (a) About 70%
- (b) About 60%
- (c) Less than 50% (d) More than 80%
- **66.** CAM helps the plants in

[Pre. 2011]

- (a) Conserving water
- (b) Secondary growth
- (c) Disease resistance (d) Reproduction
- **67.** A process that makes important difference between  $C_3$  and  $C_4$  plants is [Pre. 2012]

- (a) Photosynthesis
- (b) Photorespiration
- (c) Transpiration
- (d) Glycolysis
- **68.** The correct sequence of cell organelles during photorespiration is **[Pre. 2012]** 
  - (a) Chloroplast-mitochondria-peroxisome
  - (b) Chloroplast-vacuole-peroxisome
  - (c) Chloroplast-Golgibodies-mitochondria
  - (d) Chloroplast-rough endoplasmic reticulum-dictyosomes
- **69.** Anoxygenic photosynthesis is characteristic of **[AIPMT 2014]** 
  - (a) Rhodospirillum
- (b) Spirogyra
- (c) Chlamydomonas
- (d) Ulva
- 70. A few normal seedlings of tomato were kept in a dark room. After a few days they were found to have become white-coloured like albinos. Which of the following terms will you use to describe them? [AIPMT 2014]
  - (a) Mutated
- (b) Embolised
- (c) Etiolated
- (d) Defoliated
- 71. Chromatophores take part in:

#### [RE-AIPMT 2015]

- (a) Respiration
- (b) Photosynthesis
- (c) Growth
- (d) Movement
- **72.** In photosynthesis, the light-independent reactions take place at: **[RE-AIPMT 2015]** 
  - (a) Stromal matrix
  - (b) Thylakoid lumen
  - (c) Photosystem I
  - (d) Photosystem-II

(	A	nswers _								
	1-b	2-a	3-b	4-d	5-a	6-a	7-a	8-b	9-c	10-a
	11-с	12-d	13-b	14-c	15-с	16-c	17-b	18-d	19-b	20-a
	21-b	22-c	23-b	24-b	25-a	26-b	27-a	28-a	29-b	30-a
	31-c	32-b	33-c	34-c	35-a	36-d	37 <b>-</b> c	38-b	39-a	40-b
	41-a	42-c	43-c	44-d	45-a	46-d	47-c	48-c	49-c	50-d
	51-c	52-a	53-a	54-d	55-d	56-c	57-d	58-d	59-d	60-b
	61-b	62-d	63-a	64-c	65-c	66-a	67-b	68-a	69-a	70-с
	71-b	72-a								

(d) all are formed inside mitochondria

**5.** End products of aerobic respiration are

(c) carbon dioxide, water and energy

(d) carbon dioxide and energy

(a) sugar and oxygen

(b) water and energy

14

### RESPIRATION IN PLANTS

1. End product of glycolysis is [19 (a) acetyl Co-A (b) pyruvic acid	<b>6.</b> Amino acids are mostly synthesized from [1992]
(c) glucose 1-phosphate	(a) mineral salts (b) fatty acids
(d) fructose 1-phosphate	(c) volatile acids (d) $\alpha$ -ketoglutaric acid
2. EMP can produce a total of [19 (a) 6 ATP (b) 8 ATP	7. Apparatus to measure rate of respiration and RQ is [1992]
(c) 24 ATP (d) 38 ATP	(a) auxanometer (b) potometer (c) respirometer (d) manometer
<ol> <li>Connecting link between glycolysis a Krebs cycle is (before entering Krebs cy pyruvate changed to)</li> </ol>	s. When one glucose molecule is completely
(a) oxaloacetate (b) PEP	(a) 36 ADP molecules into 36 ATP molecules
(c) pyruvate (d) acetyl Co-A	(b) 38 ADP molecules into 38 ATP molecules
4. Out of 36 ATP molecules produced per good cose molecule during respiration [19]	(d) 22 ADD mologuloginto 22 ATD mologulog
(a) 2 are produced outside glycolysis a 34 during respiratory chain	oxidation of fatty acid or carbohydrate and
(b) 2 are produced outside mitochond and 34 inside mitochondria	ria fat metabolism is [1992] (a) oxaloacetic acid
(c) 2 during glycolysis and 34 during Kr	ebs (b) succinic acid

(c) citric acid

(d) acetyl Co-A

10. Oxidative phosphorylation is production of

(a) ATP in photosynthesis

(c) ATP in respiration

(d) NADH in respiration

(b) NADPH in photosynthesis

[1992]

# www.freejobsportal.in

[1992]

[1997]

(b) glucose

(c) amylose

(d) glycogen

11. Terminal cytochrome of respiratory chain which donates electrons to oxygen is  [1992]	<ul><li>18. ATP is injected in cyanide poisoning because it is [1994]</li><li>(a) necessary for cellular functions</li></ul>
<ul> <li>(a) cyt. b</li> <li>(b) cyt. c</li> <li>(c) cyt. a<sub>1</sub></li> <li>(d) cyta<sub>3</sub></li> <li>12. At a temperature above 35°C [1992]</li> <li>(a) rate of photosynthesis will decline earlier than that of respiration</li> <li>(b) rate of respiration will decline earlier than that of photosynthesis</li> <li>(c) there is no fixed pattern</li> </ul>	<ul> <li>(b) necessary for Na<sup>+</sup> -K<sup>+</sup> pump</li> <li>(c) Na<sup>+</sup>-K<sup>+</sup> pump operates at the cell membranes</li> <li>(d) ATP breaks down cyanide</li> <li>19. Fermentation products of yeast are [1994]</li> <li>(a) H<sub>2</sub>O + CO<sub>2</sub></li> <li>(b) methyl alcohol + CO<sub>2</sub></li> <li>(c) methyl alcohol + H<sub>2</sub>O</li> </ul>
<ul><li>(d) both decline simultaneously</li><li>13. Life without air would be [1993]</li><li>(a) reductional</li><li>(b) free from oxidative damage</li></ul>	<ul> <li>(d) ethyl alcohol + CO<sub>2</sub></li> <li>20. Which of the following is essential for conversion of pyruvic acid into acetyl Co-A? [1995]</li> </ul>
<ul><li>(c) impossible</li><li>(d) anaerobic</li></ul>	(a) LAA (b) NAD+ (c) TPP (d) All of these
14. Out of 38 ATP molecules produced per glucose, 32 ATP molecules are formed from NADH/FADH <sub>2</sub> in [1993]  (a) respiratory chain  (b) Krebs cycle  (c) oxidative decarboxylation  (d) EMP	<ul> <li>21. Respiratory quotient (RQ) for fatty acid is [1995]         <ul> <li>(a) &gt; 1</li> <li>(b) &lt; 1</li> <li>(c) 1</li> <li>(d) 0</li> </ul> </li> <li>22. Krebs cycle occurs in [1996]         <ul> <li>(a) mitochondria (b) cytoplasm</li> <li>(c) chloroplast (d) ribosomes</li> </ul> </li> </ul>
<ul> <li>15. End product of citric acid/Krebs cycle is [1993]</li> <li>(a) citric acid (b) lactic acid</li> <li>(c) pyruvic acid (d) CO<sub>2</sub> + H<sub>2</sub>O</li> </ul>	23. Oxidative phosphorylation involves simultaneous oxidation and phosphorylation to finally form [1996]  (a) pyruvate (b) NADP
<ul><li>16. In animal cells, the first stage of glucose break down is [1994]</li><li>(a) Krebs cycle</li><li>(b) glycolysis</li><li>(c) oxidative phosphorylation</li><li>(d) ETC</li></ul>	(c) DPN (d) ATP  24. Fermentation is anaerobic production of  [1996]  (a) protein and acetic acid  (b) alcohol, lactic acid or similar compounds
<ul><li>17. Respiratory substrate yielding maximum number of ATP molecule is [1994]</li><li>(a) ketogenic amino acids</li></ul>	<ul><li>(c) ethers and acetones</li><li>(d) alcohol and lipoproteins</li><li>25. The mechanism of ATP formation both in chloroplast and mitochondria is explained</li></ul>

# www.freejobsportal.in

by

(a) relay pump theory of Godlewski

(b) Munch's pressure/mass flow model

- (c) chemiosmotic theory of Mitchell
- (d) Cholondy-Went's model
- **26.** In Krebs cycle FAD participates as electron acceptor during the conversion of **[1997]** 
  - (a) succinyl Co-A to succinic acid
  - (b)  $\alpha$ -ketoglutarate to succinyl Co-A
  - (c) succinic acid to fumaric acid
  - (d) fumaric acid to malic acid
- **27.** Net gain of ATP molecules during aerobic respiration is [1999]
  - (a) 36 molecules
- (b) 38 molecules
- (c) 40 molecules
- (d) 48 molecules
- **28.** How many ATP molecules are produced by aerobic oxidation of one molecule of glucose? [2002]
  - (a) 2
- (b) 4
- (c) 38
- (d) 34
- **29.** Which one of the following concerns photophosphorylation? [2003]
  - (a) AMP + inorganic  $PO_4 \xrightarrow{\text{Light energy}} ATP$
  - (b)  $ADP + AMP \xrightarrow{Light energy} ATP$
  - (c) ADP + inorganic  $PO_4 \xrightarrow{\text{Light energy}} ATP$
  - (d) ADP + inorganic  $PO_4 \longrightarrow ATP$
- **30.** In which one of the following do the two names refer to one and the same thing?

[2003]

- (a) Tricarboxylic acid cycle and urea cycle
- (b) Krebs cycle and Calvin cycle
- (c) Tricarboxylic acid cycle and citric acid cycle
- (d) Citric acid cycle and Calvin cycle
- 31. In alcoholic fermentation

[2003]


- (a) oxygen is the electron acceptor
- (b) triose phosphate is the electron donor while acetaldehyde is the electron acceptor
- (c) triose phosphate is the electron donor while pyruvic acid is the electron acceptor
- (d) there is no electron donor

- **32.** In glycolysis, during oxidation electrons are removed by **[2004]** 
  - (a) ATP
  - (b) glyceraldehyde-3-phosphate
  - (c) NAD+
  - (d) molecular oxygen
- **33.** During which stage, in the complete oxidation of glucose are the greatest number of ATP molecules formed from ADP [2005]
  - (a) glycolysis
  - (b) Krebs cycle
  - (c) conversion of pyruvic acid to acetyl Co-A
  - (d) electron transport chain
- **34.** Chemiosmotic theory of ATP synthesis in the chloroplast and mitochondria is based on [2005]
  - (a) membrane potential
  - (b) accumulation of Na<sup>+</sup>ions
  - (c) accumulation of K<sup>+</sup> ions
  - (d) proton gradient
- **35.** How many ATP molecules could maximally be generated from one molecule of glucose, if the complete oxidation of one mole of glucose to  $CO_2$  and  $H_2O$  yields 686 kcal and the useful chemical energy available in the high energy phosphate bond of one mole of ATP is 12 kcal? **[2006]** 
  - (a) 30
- (b) 57
- (c) 1
- (d) 2
- **36.** The overall goal of glycolysis, Krebs cycle and the electron transport system is the formation of [2007]
  - (a) ATP in small stepwise units
  - (b) ATP in one large oxidation reaction
  - (c) sugars
  - (d) nucleic acids
- 37. All enzymes of TCA cycle are located in the mitochondrial matrix except one which is located in inner mitochondrial membranes in eukaryotes and in cytosol in prokaryotes. This enzyme is [2007]

#### 114

- (a) lactate dehydrogenase
- (b) isocitrate dehydrogenase
- (c) malate dehydrogenase
- (d) succinate dehydrogenase
- **38.** The chemiosmotic coupling hypothesis of oxidative phosphorylation proposes that Adenosine Triphosphate (ATP) is formed because [2008]
  - (a) high energy bonds are formed in mitochondrial proteins
  - (b) ADP is pumped out of the matrix into the intermembrane space
  - (c) a proton gradient forms across the inner membrane
  - (d) there is a change in the permeability of the inner mitochondrial membrane toward Adenosine Diphosphate (ADP)
- **39.** The energy-releasing process in which the substrate is oxidized without an external electron acceptor is called [2008]
  - (a) fermentation
  - (b) photorespiration
  - (c) aerobic respiration
  - (d) glycolysis
- **40.** Aerobic respiratory pathway is appropriately termed [2009]
  - (a) Amphibolic
- (b) Anabolic
- (c) Catabolic
- (d) Parabolic
- **41.** Cyclic photophosphorylation results in the formation of: [2009]
  - (a) ATP, NADPH and  $O_2$
  - (b) ATP
  - (c) NADPH
  - (d) ATP and NADPH

- **42.** The energy-releasing metabolic process in which substrate is oxidised without an external electron acceptor is called [Pre. 2010]
  - (a) Glycolysis
- (b) Fermentation
- (c) Aerobic respiration
- (d) Photorespiration
- **43.** In mitochondria, protons accumulate in the **[Mains 2011]** 
  - (a) Matrix
- (b) Outer membrane
- (c) Inner membrane
- (d) Inter-membrane space
- **44.** Which of the metabolites is common to respiration mediated breakdown of fats, carbohydrates and proteins? [2013]
  - (a) Glucose-6-phosphate
  - (b) Fructose1, 6-bisphosphate
  - (c) Pyruvic acid
  - (d) Acetyl CoA
- **45.** The three boxes in this diagram represent the three major biosynthetic pathways in aerobic respiration. Arrows represent net reactants or products [2013]



Arrows numbered 4, 8, and 12 can all be

- (a) NADH
- (b) ATP
- (c) H<sub>2</sub>O
- (d) FAD+ or FADH
- **46.** In which one of the following processes, CO<sub>2</sub> is not released? **[AIPMT 2014]** 
  - (a) Aerobic respiration in plants
  - (b) Aerobic respiration in animals
  - (c) Alcoholic fermentation
  - (d) Lactate fermentation

(										
4	1-b	2-b 12-a	3-d	4-b	5-c	6-d	7-c	8-b	9-d	10-с
/	11-d	12-a	13-d	14-a	15-d	16-b	17-b	18-a	19-d	20-d
	21-b	22-a	23-d	24-b	25-с	26-с	27-b	28-с	29-с	30-с
	31-b	32-b	33-d	34-d	35-a	36-a	37-d	38-c	39-d	40-a
	41-b	42-d	43-d	44-d	45-b	46-d				

# **15A**

# PLANT GROWTH AND DEVELOPMENT – PLANT HORMONES

- 1. Leaf fall can be prevented with the help of [1989]
  - (a) abscisic acid
  - (b) auxins
  - (c) florigen
  - (d) cytokinins
- **2.** Which of the following hormones can replace vernalization? [1989]
  - (a) Auxin
  - (b) Cytokinin
  - (c) Gibberellins
  - (d) Ethylene
- **3.** Mowing grass lawn facilitates better maintenance because [1989]
  - (a) wounding stimulates regeneration
  - (b) removal of apical dominance and stimulation of intercalary meristem
  - (c) removal of apical dominance
  - (d) removal of apical dominance and promotion of lateral meristem
- 4. Highest auxin concentration occurs [1990]
  - (a) in growing tips
  - (b) in leaves
  - (c) at base of plant organs
  - (d) in xylem and phloem

- 5. Phytohormones are
- [1990]
- (a) chemicals regulating flowering
- (b) chemicals regulating secondary growth
- (c) hormones regulating growth from seed to adulthood
- (d) regulators synthesized by plants and influencing physiological processes
- **6.** Abscisic acid controls
- [1990,99,2000]
- (a) cell division
- (b) leaf fall and dormancy
- (c) shoot elongation
- (d) Cell elongation and wall formation
- 7. Hormone primarily connected with cell division is [1991]
  - (a) IAA
  - (b) NAA
  - (c) cytokinin/zeatin
  - (d) gibberellic acid
- 8. Abscisic acid causes

[1991]

- (a) stomatal closure
- (b) stem elongation
- (c) leaf expansion
- (d) root elongation
- **9.** The hormone responsible for apical dominance is [1991,92]

### www.anybook.in

#### Trueman's AIPMT Biology Rebooster Specific

116

- (b) GA
- (a) IAA(c) ABA
- (d) florigen
- **10.** A chemical believed to be involved in flowering is **[1991,95]** 
  - (a) gibberellin
- (b) kinetin
- (c) florigen
- (d) IBA
- **11.** Which is employed for artificial ripening of banana fruits? [1992]
  - (a) Auxin
  - (b) Cumarin
  - (c) Ethylene
  - (d) Cytokinin
- **12.** In short-day plants, flowering is induced by **[1992]** 
  - (a) photoperiod less than 12 hr
  - (b) photoperiod below a critical length and uninterrupted long night
  - (c) long night
  - (d) short photoperiod and interrupted long night
- **13.** Bananas can be prevented from over-ripening by [1992]
  - (a) maintaining them at room temperature
  - (b) refrigeration
  - (c) dipping in ascorbic acid solution
  - (d) storing in a freezer
- 14. Cytokinins

[1992]

- (a) promote abscission
- (b) influence water movement
- (c) help retain chlorophyll
- (d) inhibit protoplasmic streaming
- **15.** Flowering dependent on cold treatment is **[1992]** 
  - (a) cryotherapy
  - (b) cryogenics
  - (c) cryoscopy
  - (d) vernalization
- **16.** Dwarfness can be controlled by treating the plant with [1992,2002]
  - (a) cytokinin

- (b) gibberellic acid
- (c) auxin
- (d) antigibberellin
- 17. Which is a stress hormone? or the hormone produced during adverse environmental conditions is [1993]
  - (a) benzyl aminopurine
  - (b) dichlorophenoxy acetic acid
  - (c) ethylene
  - (d) abscisic acid
- 18. Removal of apical bud results in

[1993, 2000]

- (a) formation of new apical bud
- (b) elongation of main stem
- (c) death of plant
- (d) formation of lateral branching
- **19.** Movement of auxin is

[1994]

- (a) centripetal
- (b) basipetal
- (c) acropetal
- (d) both (b) and (c)
- **20.** Ethylene gas is used for

[1995]

- (a) growth of plants
- (b) delaying fruit's abscission
- (c) ripening of fruits
- (d) stopping the leaf abscission
- 21. The pigment, that absorbs red and far-red light in plants, is [1995, 2002]
  - (a) xanthophyll
  - (b) cytochrome
  - (c) phytochrome
  - (d) carotene
- **22.** What will be the effect on phytochrome in a plant subjected to continuous red light?

[1997]

- (a) Level of phytochrome decreases
- (b) Phytochrome is destroyed
- (c) Phytochrome synthesis increases
- (d) Destruction and synthesis of phytochrome remain in equilibrium

#### Trueman's AIPMT Biology Rebooster Specific

117

- 23. If a tree, flowers thrice in a year (Oct., Jan. and July) in Northern India, it is said to be [1997]
  - (a) photosensitive but thermoinsensitive
  - (b) thermosensitive but photoinsensitive
  - (c) photo and thermosensitive
  - (d) photo and thermoinsensitive
- 24. Gibberellins induce

[1997]

- (a) flowering
- (b) production of hydrolyzing enzymes in germinating seeds
- (c) cell division
- (d) hasten leaf senescence
- **25.** What is agent orange?

[1998]

- (a) A biodegradable insecticide
  - (b) A weedicide containing dioxin
  - (c) Colour used in fluorescent lamp
  - (d) A hazardous chemical used in luminous paints
- **26.** Which combination of gases is suitable for fruit ripening?
  - (a) 80% CO<sub>2</sub> and 20%CH<sub>2</sub>
  - (b)  $80\% \text{ CH}_4 \text{ and } 20\% \text{CO}_2$
  - (c) 80% CO<sub>2</sub> and 20% O<sub>2</sub>
  - (d)  $80\% C_2H_4$  and  $20\% CO_2$
- 27. The response of different organisms to environmental rhythms of light and darkness is called [1998]
  - (a) phototaxis
- (b) photoperiodism
- (c) phototropism (d) vernalization
- 28. A plant hormone used for inducing morpho-[1998] genesis in plant tissue culture is
  - (a) gibberellins
- (b) cytokinins
- (c) ethylene
- (d) abscisic acid
- 29. The method that renders the seed coat permeable to water so that embryo expansion is not physically retarded, is [2000]

  - (a) vernalization (b) stratification
  - (c) denudation
- (d) scarification
- 30. What reason will you assign for coconut milk used in tissue culture? [2000, 03]

- (a) Gibberellins
- (b) Cytokinins
- (c) Auxins
- (d) Ethylene
- **31.** Which of the following prevents fall of fruits?
  - (a) GA3 (c) Ethylene
- (b) NAA

(d) Zeatin

- **32.** Hormone responsible for senescence is
  - (a) ABA
- (b) auxin

[2001]

[2001]

(c) GA

- (d) cytokinin
- **33.** Glycolate induces opening of stomata in [2001]
  - (a) presence of oxygen
  - (b) low CO<sub>2</sub> concentration
  - (c) high CO<sub>2</sub> concentration
  - (d) absence of CO<sub>2</sub>
- 34. Proteinaceous pigment which control activities concerned with light
  - (a) phytochrome
- (b) chlorophyll
- (c) anthocyanin
- (d) carotenoids
- 35. Which breaks bud dormancy of potato tuber? [2001]
  - (a) Gibberellin
- (b) IAA
- (c) ABA
- (d) Zeatin
- **36.** Which one is a long-day plant? [2001]
  - (a) Tobacco
- (b) *Glycine max*
- (c) Mirabilis jalapa (d) Spinach
- 37. Plants deficient of element zinc, show its effect on the biosynthesis of plant growth hormone [2003]
  - (a) abscisic acid
- (b) auxin
- (c) cytokinin
- (d) ethylene
- **38.** Differentiation of shoot is controlled by

[2003]

- (a) high gibberellin—cytokinin ratio
- (b) high auxin—cytokinin ratio
- (c) high cytokinin—auxin ratio
- (d) high gibberellin—auxin ratio
- **39.** One set of a plant was grown at 12 hr day and 12 hr night period cycles and it flowered while in the other set night phase was interrupted by flash of light and it did not

# www.anybook.in

118

### Trueman's AIPMT Biology Rebooster Specific

	produce flourer III	ndor which on	o of the fol	47	Imana	mhamaa af d	arr lar	a alla in I	lorizonin	
	produce flower. Under which one of the following categories will you place this plant?  [2004]				Importance of day length in flowering of plants was first shown in [2008]					_
	(a) Long-day	(b) Darkness	neutral		(a) <i>Le</i> (c) cc		` '	tobacco Petunia		
40.	<ul><li>(c) Day neutral</li><li>Cell elongation in green plants takes</li><li>(a) indole acetic ac</li><li>(c) gibberellins</li></ul>	place due to	ions of the [2004]	48.	lular j of a fl (a) ve	scence as an process in the owering placessels and transfer abscission	he gro ant, is achei	wth and indicate	function [2	ning 2008]
41.	Treatment of seed a moist conditions to called	•	ormancy is	49.	(c) ar	nnual plant of the synth	s	(d) flor	•	2009]
	<ul><li>(a) vernalization</li><li>(c) stratification</li></ul>	` '			(a) G. (c) N	A	(b)	IBA IAA	•	
42.	An enzyme that ca of barley seeds is	ın stimulate ge	ermination [2006]	50.	tive o	h one of the f carotenoic	ds?		[2	2009]
	<ul><li>(a) lipase</li><li>(c) invertase</li></ul>	<ul><li>(b) protease</li><li>(d) α-amylase</li></ul>	e		(c) In	ibberellic ac dole butyri dole-3-acet	c acid		cisic ac	id
43.	How does pruning help in making the hedge dense? [2006]				Photo	periodism	was fi	rst chara		
	(a) It frees axillary buds from apical dominance				` '	obacco omato	٠,	Potato Cotton	[Pre. 2	:010]
	<ul><li>(b) The apical shapruning</li><li>(c) It releases wou</li><li>(d) It induces the shoots from the</li></ul>	nd hormones differentiation		52.	mone (a) A (c) In	of the common in tea plan bscisic acid adole-3-acet thylene	tation (b)	is [] Zeatin		
44.	Which one of the for rectly matched?	ollowing pairs	, is not cor- [ <b>2007</b> ]	53.		developme	nt is p		by <b>Mains 2</b>	0101
	<ul><li>(a) Abscisic acid</li><li>(b) Gibberellic acid</li><li>(c) Cytokinin</li></ul>	d – Leaf fall – Cell divis	ion	54.		uxin thylene agh their eff	(d)	Gibbere Abscisio	llin acid	
45.	(d) IAA "Foolish seedling"				trol ir	what do the n the plants	?	[]	Mains 2	2012]
	discovery of (a) GA (c) 2, 4D	(b) ABA (d) IAA	[2007]		(c) Fr	owering ruit elongat pical domir	ion	Closure	of stom	ata
46.	The wavelength of of phytochrome is		by Pr form [2007]	55.	Verna	alisation sti	mulat		ring in - <b>Mains</b> 2	
	(a) 640 nm (c) 720 nm	(b) 680 nm			(a) Tu	urmeric inger		Carrot Zamika	nd	

#### Trueman's AIPMT Biology Rebooster Specific

119

**56.** Which one of the following generally acts as an antagonist to gibberellins?

#### [Mains 2012]

- (a) Ethylene
- (b) ABA
- (c) IAA
- (d) Zeatin
- **57.** Which one of the following is correctly matched? [Pre. 2012]
  - (a) Potassium-Readily immobilization
  - (b) Bakane of rice seedlings-F. Skoog
  - (c) Passive transport of nutrients-ATP
  - (d) Apoplast-Plasmodesmata
- **58.** During seed germination its stored food is mobilized by [2013]
  - (a) Ethylene
- (b) Cytokinin
- (c) ABA
- (d) Gibberellin
- **59.** Dr. F. Went noted that if coleoptile tips were removed and placed on agar for one hour, the agar would produce a bending when placed on one side of freshly cut coleoptile stumps. Of what significance is this experi-[AIPMT 2014]
  - (a) It made possible the isolation and exact identification of auxin
  - (b) It is the basis for quantitative determination of small amounts of growth-promoting substances
  - (c) It supports the hypothesis that IAA is

- (d) It demonstrated polar movement of
- 60. Which one of the following growth regulators is known as 'stress hormone'?

#### [AIPMT 2014]

- (a) Abscisic acid (b) Ethylene
- (c) GA3
- (d) Indole acetic acid
- 61. Typical growth curve in plants is:-

#### [AIPMT 2015]

- (a) Linear
- (b) Stair-steps shaped
- (c) Parabolic
- (d) Sigmoid
- **62.** What causes a green plant exposed to the light on only one side, to bend toward the source of light as it grows? [AIPMT 2015]
  - (a) Green plants seek light because they are phototropic
  - (b) Light stimulates plant cells on the lighted side to grow faster
  - (c) Auxin accumulates on the shaded side, stimulating greater cell elongation there.
  - (d) Green plants need light to perform photosynthesis
- **63.** Auxin can be bioassayed by :

#### [RE-AIPMT 2015]

- (a) Lettuce hypocotyl elongation
- (b) Avena coleoptile curvature
- (c) Hydroponics
- (d) Potometer

Answers												
	1-d	2-c	3-d	4-a	5-d	6-b	7-c	8-a	9-a	10-с		
	11-с	12-b	13-c	14-c	15-d	16-b	17-d	18-d	19-d	20-с		
	21-с	22-b	23-d	24-b	25-b	26-d	27-b	28-b	29-d	30-b		
	31-b	32-a	33-b	34-a	35-a	36-d	37-b	38-c	39-d	40-c		
	41-c	42-d	43-a	44-b	45-a	46-b	47-b	48-b	49-b	50-b		
	51-a	52-c	53-a	54-a	55-b	56-b	57-b	58-d	59-a	60-a		
	61-d	62-c	63-b									

# **15B**

# PLANT GROWTH AND DEVELOPMENT – PLANT MOVEMENTS

- Leaves of many grasses are capable of folding and unfolding because they [1989]
  - (a) are very thin
  - (b) are isobilateral
  - (c) have specialized bulliform cells
  - (d) have parallel vascular bundles
- 2. Which one increases in the absence of light? [1989]
  - (a) Uptake of minerals
  - (b) Uptake of water
  - (c) Elongation of internodes
  - (d) Ascent of sap
- **3.** Phototropic and geotropic movements are linked to [1990]
  - (a) gibberellins
- (b) enzymes
- (c) auxins
- (d) cytokinins
- **4.** Which of the following movement is not related to auxin level? [1990]
  - (a) Bending of shoot towards light
  - (b) Movement of root towards soil
  - (c) Nyctinastic leaf movements
  - (d) Movement of sunflower head tracking the sun
- 5. Tendrils exhibit/twining of tendrils is due to [1991,95]
  - (a) thigmotropism (b) seismonasty
  - (c) heliotropism (d) diageotropism


- 6. Klinostat is employed in the study of [1993]
  - (a) osmosis
  - (b) growth movements
  - (c) photosynthesis
  - (d) respiration
- 7. The closing and opening of the leaves of *Mimosa pudica* is due to [1999]
  - (a) thermonastic movement
  - (b) hydrotropic movement
  - (c) seismonastic movement
  - (d) chemonastic movement
- 8. Geocarpic fruits are produced by [2000,02]
  - (a) onion
- (b) watermelon
- (c) ground nut
- (d) carrot
- 9. Anthesis is a phenomenon which refers to [2004]
  - (a) reception of pollen by stigma
  - (b) formation of pollen
  - (c) development of anther
  - (d) opening of flower bud
- **10.** Opening of floral buds into flowers, is a type of [2007]
  - (a) autonomic movement of locomotion
  - (b) autonomic movement of variation
  - (c) paratonic movement of growth
  - (d) autonomic movement of growth

### www.anybook.in

### Trueman's AIPMT Biology Rebooster Specific

121

- **11.** Phototropic curvature is the result of uneven distribution of : **[Pre. 2010]** 
  - (a) Gibberellin
- (b) Phytochrome
- (c) Cytokinins
- (d) Auxin
- **12.** Coiling of garden pea tendrils around any support is an example of **[Pre. 2010]** 
  - (a) Thigmotaxis
- (b) Thigmonasty
- (c) Thigmotropism
  - pism (d) Thermotaxis



hormones

(c) two digestive enzymes and one hormone

(d) three digestive enzymes and no hormone

# **16A**

# DIGESTION AND ABSORPTION – ANIMAL NUTRITION

1.	Release of pancreatic juice is stimulated by [1989, 90]	<b>6.</b> Where is protein digestion accomplished? [1991]
	<ul><li>(a) enterokinase</li><li>(b) cholecystokinin</li><li>(c) trypsinogen</li><li>(d) secretin</li></ul>	<ul><li>(a) Stomach</li><li>(b) IIeum</li><li>(c) Rectum</li><li>(d) Duodenum</li></ul>
2.	In man the zymogen or chief cells are mainly found in [1990]  (a) cardiac part of stomach  (b) pyloric part of stomach  (c) duodenum  (d) fundic part of stomach	7. Brunner's glands occur in  (a) sub-mucosa of duodenum  (b) sub-mucosa of stomach  (c) mucosa of oesophagus  (d) mucosa of ileum
3.	Emulsification of fat will not occur in the absence of [1990]  (a) lipase (b) bile pigments  (c) bile salts (d) pancreatic juice	<ul> <li>8. Most of the fat digestion occurs in [1993]</li> <li>(a) rectum (b) stomach</li> <li>(c) duodenum (d) small intestine</li> <li>9. Kupffer's cells occur in [1993]</li> </ul>
4.	Pancreatic juice and hormones of pancreas are produced by [1990]  (a) same cells  (b) same cells at different times	<ul><li>(a) spleen</li><li>(b) kidney</li><li>(c) brain</li><li>(d) liver</li><li>10. Secretion of gastric juice is stopped by [1993]</li></ul>
	<ul><li>(c) statement is wrong</li><li>(d) different cells</li></ul>	(a) gastrin (b) pancreozymin (c) cholecystokinin (d) enterogasterone
5.	Pancreas produces [1991]	<b>11.</b> Rennin acts on <b>[1994,2000</b> ]
	<ul><li>(a) three digestive enzymes and one hormone</li><li>(b) three digestive enzymes and two</li></ul>	<ul><li>(a) milk changing casein into calcium paracaseinate at 7.2-8.2 pH</li><li>(b) protein in stomach</li></ul>

## www.freejobsportal.in

(c) fat in intestine

(d) milk changing casein into calcium

paracaseinate at 1-3 pH

- 12. Inhibition of gastric and stimulation of gastric, pancreatic and bile secretions are controlled by hormones [1994]
  - (a) gastrin, secretin, enterokinin and cholecystokinin
  - (b) enterogasterone, gastrin, pancreozymin and cholecystokinin
  - (c) gastrin, enterogasterone, cholecystokinin and pancreozymin
  - (d) secretin, enterogasterone, gastrin and enterokinin
- **13.** The enzyme enterokinase helps in the conversion of [1995]
  - (a) pepsinogen into pepsin
  - (b) trypsinogen into trypsin
  - (c) caseinogen into casein
  - (d) proteins into polypeptides
- **14.** Which one of the following is a matching pair of a substrate and its particular digestive enzyme? [1996]
  - (a) Maltose Maltase
  - (b) Lactose Rennin
  - (c) Starch Steapsin
  - (d) Casein Chymotrypsin
- **15.** In frog, the surface of attachment of tongue is [1997]
  - (a) sphenoid
  - (b) palatine
  - (c) pterygoid
  - (d) hyoid apparatus
- **16.** What is common among amylase, renin and trypsin? [1997]
  - (a) These all are proteins
  - (b) These all are proteolytic enzymes
  - (c) These are produced in stomach
  - (d) These act at a pH lower than 7
- 17. If pancreas is removed, the compound which remain undigested is [1997]
  - (a) carbohydrates
  - (b) fats
  - (c) proteins
  - (d) All of these

- **18.** The hormone that stimulates the stomach to secrete gastric juice is **[1998]** 
  - (a) gastrin
  - (b) renin
  - (c) enterokinase
  - (d) enterogasterone
- The layer of cells that secrete enamel of tooth is [1998]
  - (a) dentoblast
  - (b) amiloblast
  - (c) osteoblast
  - (d) odontoblast
- **20.** The contraction of gall bladder is due to
  - [1998]

- (a) gastrin
- (b) secretin
- (c) cholecystokinin
- (d) enterogasterone
- **21.** Lactose is composed of [1998]
  - (a) glucose + fructose
  - (b) glucose+ glucose
  - (c) glucose + galactose
  - (d) fructose + galactose
- 22. In vertebrates lacteals are found in [1998]
  - (a) ileum
  - (b) ischium
  - (c) oesophagous
  - (d) ear
- **23.** Which one of the following is a protein deficiency disease? [1998]
  - (a) Eczema
  - (b) Cirrhosis
  - (c) Kwashiorkor
  - (d) Night blindness
- **24.** Cholecystokinin and duocrinin are secreted by [1999]
  - (a) adrenal cortex
  - (b) thyroid gland
  - (c) pancreas
  - (d) intestine

- **25.** Which part of body secretes the hormone secretin? [1999]
  - (a) Oesophagus
  - (b) Duodenum
  - (c) Stomach
  - (d) Ileum
- **26.** A certain person eats boiled potato; one of the food component in it is [2000]
  - (a) lactose which is indigestible
  - (b) starch which does not get digested
  - (c) cellulose which is digested by intestinal cellulase
  - (d) DNA which gets digested by pancreatic DNAase
- 27. In a person of advanced age, the hair become thinner gradually. It happens because of decrease in [2000]
  - (a) synthesis of glucose
  - (b) synthesis of proteins
  - (c) energy availability
  - (d) blood supply
- **28.** Stool of a person contains whitish grey colour due to malfunction of which type of organ? [2003]
  - (a) Pancreas
  - (b) Spleen
  - (c) Kidney
  - (d) Liver
- **29.** During prolonged fasting, in what sequence are the following organic compounds used up by the body? [2003]
  - (a) First carbohydrates, next proteins and lastly lipids
  - (b) First proteins, next lipids and lastly carbohydrates
  - (c) First carbohydrates, next fats and lastly proteins
  - (d) First fats, next carbohydrates and lastly proteins
- **30.** Duodenum has characteristic Brunner's glands which secrete two hormones called **[2004]**

- (a) kinase, estrogen
- (b) secretin, cholecystokinin
- (c) prolactin, parathormone
- (d) estradiol, progesterone
- **31.** Epithelial cells of the intestine involved in food absorption have on their surface[2005]
  - (a) pinocytic vesicles
  - (b) phagocytic vesicles
  - (c) zymogen granules
  - (d) microvilli
- **32.** Secretin and cholecystokinin are digestive hormones. They are secreted in **[2005]** 
  - (a) oesophagus
  - (b) ileum
  - (c) duodenum
  - (d) pyloric stomach
- **33.** Which one of the following is the correct matching of the site of action on the given substrate, the enzyme acting upon it and the end product? [2008]
  - (a) Duodenum : Triglycerides, trypsin monoglycerides
  - (b) Small intestine : Starch, α amylase disaccharide (maltose)
  - (c) Small intestine : Proteins pepsin amino acids
  - (d) Stomach: Fats, Lipase micelles
- **34.** What will happen if the secretion of parietal cells of gastric glands is blocked with an inhibitor? [2008]
  - (a) Gastric juice will be deficient in chymosin
  - (b) Gastric juice will be deficient in pepsinogen
  - (c) In the absence of HC1 secretion, inactive pepsinogen is not converted into the active enzyme pepsin
  - (d) Enterokinase will not be released from the duodenal mucosa and so trypsinogen is not converted to trypsin
- **35.** Which one of the following statements is true regarding digestion and absorption of food in humans? [2009]

- (a) Chylomicrons are small lipoprotein particles that are transported from intestine into blood capillaries.
- (b) About 60% of starch is hydrolysed by salivary amylase in our mouth.
- (c) Oxyntic cells in our stomach secrete the proenzyme pepsinogen.
- (d) Fructose and amino acids are absorbed through intestinal mucosa with the help of carrier ions like Na +.
- 36. A young infant may be feeding entirely on / mother's milk which is white in colour but the stools which the infant passes out is quite yellowish. What is this yellow colour due to? [2009]
  - (a) Undigested milk protein casein
  - (b) Pancreatic juice poured into duodenum
  - (c) Intestinal juice
  - (d) Bile pigments passed through bile juice
- **37.** Which one of the following pairs of food components in humans reaches the stomach totally undigested [2009]
  - (a) Fat and cellulose
  - (b) Starch and cellulose
  - (c) Protein and starch
  - (d) Starch and fat
- **38.** Carrier ions like Na<sup>+</sup> facilitate the absorption of substances like **[Pre. 2010]** 
  - (a) amino acids and glucose
  - (b) glucose and fatty acids
  - (c) fatty acids and glycerol
  - (d) fructose and some amino acids
- **39.** If for some reason our goblet cells are non-functional, this will adversely affect:

[Pre. 2010]

- (a) production of somatostatin
- (b) secretion of sebum from the sebaceous glands
- (c) maturation of sperms
- (d) smooth movement of food down the intestine

- 40. If for some reason the parietal cells of the gut epithelium become partially non-functional, what is likely to happen? [Mains 2010]
  - (a) The pH of stomach will fall abruptly
  - (b) Steapsin will be more effective
  - (c) Proteins will not be adequately hydrolysed by pepsin into proteoses and peptones
  - (d) The pancreatic enzymes and specially the trypsin and lipase will not work efficiently
- **41.** Which one of the following correctly represents the normal adult human dental formula? [Mains 2011]
  - (a)  $\frac{3}{2}$ ,  $\frac{1}{1}$ ,  $\frac{3}{3}$ ,  $\frac{3}{3}$
  - (b)  $\frac{3}{3}, \frac{1}{1}, \frac{3}{2}, \frac{1}{1}$
  - (c)  $\frac{2}{2}$ ,  $\frac{1}{1}$ ,  $\frac{3}{2}$ ,  $\frac{3}{3}$
  - (d)  $\frac{2}{2}$ ,  $\frac{1}{1}$ ,  $\frac{2}{2}$ ,  $\frac{3}{3}$
- **42.** One of the constituents of the pancreatic juice while poured into the duodenum in humans is **[Mains 2011]** 
  - (a) Enterokinase
  - (b) Trypsinogen
  - (c) Chymotrypsin
  - (d) Trypsin
- **43.** Which one of the following enzymes carries out initial step in the digestion of milk in humans [Pre. 2011]
  - (a) Pepsin
  - (b) Rennin
  - (c) Lipase
  - (d) Trypsin
- **44.** Where do certain symbiotic microorganisms normally occur in human body?

[Mains 2012]

(a) Oral lining and tongue surface

### www.anybook.in

#### Trueman's AIPMT Biology Rebooster Specific

- (b) Vermiform appendix and rectum
  - (c) Duodenum
  - (d) Caecum

126

**45.** Anxiety and eating spicy food together in an otherwise normal human may lead to

[Pre. 2012]

- (a) Diarrhoea
- (b) Vomiting
- (c) indigestion
- (d) jaundice
- 46. Select the correct match of the digested products in humans given in column I with their absorption site and mechanism in column II. [2013]

Column I	Column II
(a) Glycine, glucose	small intestine,
	active
(b) Fructose, Na+	small intestine,
	passive absorption
(c) Glycerol, fatty	duodenum, move
acids	as chilomicrons
(d) Cholesterol,	large intestine,
maltose	active absorption

- **47.** The initial step in the digestion of milk in humans is carried out by? **[AIPMT 2014]** 
  - (a) Lipase
- (b) Trypsin
- (c) Rennin
- (d) Pepsin
- **48.** Fructose is absorbed into the blood through mucosa cells of intestine by the process called **[AIPMT 2014]** 
  - (a) Active transport

- (b) Facilitated transport
- (c) Simple diffusion
- (d) Co-transport mechanism
- **49.** Gastric juice of infants contains :

#### [AIPMT 2015]

- (a) nuclease, pepsinogen, lipase
- (b) pepsinogen, lipase, rennin
- (c) amylase, rennin, pepsinogen
- (d) maltase, pepsinogen, rennin
- **50.** Which of the following statements is not correct? [AIPMT 2015]
  - (a) Goblet cells are present in the mucosa of intestine and secrete mucus
  - (b) Oxyntic cells are present in the mucosa of stomach and secrete HCl.
  - (c) Acini are present in the pancreas and secrete carboxypeptidase
  - (d) Brunner's glands are present in the submucosa of stomach and secrete pepsinogen
- **51.** The primary dentition in human differs from permanent dentition in not having one of the following type of teeth: [RE-AIPMT 2015]
  - (a) Incisors
- (b) Canine
- (c) Premolars
- (d) Molars
- **52.** The enzymes that is not present in succus entericus is : **[RE-AIPMT 2015]** 
  - (a) lipase
- (b) maltase
- (c) nucleases
- (d) nucleosidase

	Answers								
1-d	2-d	3-c	4-d	5-b	6-b	7-a	8-d	9-d	10-d
11-d	12-b	13-b	14-a	15-d	16-a	17-d	18-a	19-d	20-с
21-c	22-a	23-с	24-d	25-b	26-d	27-b	28-d	29-с	30-b
31-d	32-c	33-b	34-c	35-d	36-d	37-a	38-a	39-d	40-c
41-d	42-b	43-b	44-d	45-c	46-a	47-c	48-b	49-b	50-d
51-с	52-c								

# **16B**

# DIGESTION AND ABSORPTION – VITAMINS AND MINERALS

	Which of the follow by swollen lips, thands and legs and (a) Thiamine—B (b) Protein—Kwa (c) Nicotinamide (d) Iodine—Goitr Vitamin-K is requi	thick pigmented dirritability? [1998] eri-beri ashiorkor — Pellagra re	[1993]	chemical element in drinking water. Which of the following is that element? [1995]  (a) Mercury (b) Chlorine (c) Fluorine (d) Boron  7. The haemorrhagic disease of new born is caused due to the deficiency of [1995]  (a) vitamin-A (b) vitamin-B <sub>1</sub> (c) vitamin-B <sub>12</sub> (d) vitamin-K  8. For person suffering from high blood cho
3.	<ul><li>(a) change of protl</li><li>(b) synthesis of pr</li><li>(c) change of fibring</li><li>(d) formation of the</li><li>Calcium deficience</li></ul>	othrombin nogen to fibrin romboplastin		lesterol, the physicians recommend [1996] (a) pure 'deshi ghee' or butter (b) vegetable oil such as groundnut oil (c) red meat with layers of fats (d) vanaspati margarine
	vitamin (a) D (c) E Maximum amoun	(b) C (d) B	[1994]	9. Which one of the following vitamin can be synthesized by bacteria inside the gut?  [1997]  (a) B <sub>1</sub> (b) C
	ated on oxidation (a) fats (c) starch		[1994]	(c) D (d) K  10. One of the factors required for the matura tion of erythrocytes is [1998]
5.	The vitamin-C or a  (a) rickets (c) scurvy	ascorbic acid pre (b) pellagra (d) antibody sy	[1995]	<ul> <li>(a) vitamin-D</li> <li>(b) vitamin-A</li> <li>(c) vitamin-B<sub>12</sub></li> <li>(d) vitamin-C</li> <li>11. Which of the following is mismatched?</li> <li>[1999]</li> </ul>

# www.freejobsportal.in

(a) Vitamin-K

(b) Vitamin-D

- Beri-beri

- Rickets

6. A dental disease characterised by moltting

of teeth is due to the presence of a certain

- (c) Vitamin-C Scurvy
- (d) Vitamin-A Xerophthalmia
- 12. To which of the following family do folic acid and pantothenic acid belong? [1999]
  - (a) Vitamin-C
- (b) Vitamin-K
- (c) Vitamin-A
- (d) Vitamin-B complex
- **13.** Which one of the following amino acids is an essential part of human diet? [2000]
  - (a) Glycine
- (b) Phenylalanine
- (c) Serine
- (d) Aspartic acid
- **14.** A person suffering from the deficiency of the visual pigment rhodopsin is advised to take [2000]
  - (a) radish and potato
  - (b) apple and grapes
  - (c) carrot and ripe papaya
  - (d) guava and ripe banana
- **15.** Which one is correctly matched? [2001]
  - (a) Vit-E-Tocopherol
  - (b) Vit.-D-Riboflavin
  - (c) Vit.-B-Calciferol
  - (d) Vit.-A-Thiamine
- 16. Continuous bleeding from an injured part of body is due to deficiency of
  - (a) vitamin-A
- (b) vitamin-B
- (c) vitamin-K
- (d) vitamin-E
- 17. Which one of the following pairs is not correctly matched? [2003, 04]
  - (a) Vitamin-B<sub>12</sub> Pernicious anaemia
  - (b) Vitamin-B<sub>1</sub> Beri-beri
  - (c) Vitamin-C—Scurvy
  - (d) Vitamin-B<sub>2</sub> Pellagra
- **18.** Which one of the following is the correct matching of a vitamin, its nature and its deficiency disease? [2004]
  - (a) Vitamin-A—Fat soluble—Night blind-
  - (b) Vitamin-K—Fat soluble—Beri-beri
  - (c) Vitamin-A—Fat soluble—Beri-beri
  - (d) Vitamin-K—Water soluble—Pellagra

19. The richest sources of vitamin-B12 are

[2004]

- (a) goat's liver and Spirulina
- (b) chocolate and green gram
- (c) rice and hen's egg
- (d) carrot and chicken's breast
- **20.** A patient is generally advised to specially, consume more meat, lentils, milk and eggs in diet only when he suffers from
  - (a) kwashiorkor
- (b) rickets
- (c) anaemia
- (d) scurvy
- **21.** Which group of three of the following five statements (A-E) contains all three correct statements regarding beri-beri? [2005]
  - A. A crippling disease prevalent among the native population of sub-Sahara Africa.
  - B. A deficiency disease caused by lack of thiamine (vitamin-B1)
  - C. A nutritional disorder in infants and young children when the diet is persistently deficient in essential protein.
  - D. Occurs in those countries where the staple diet is polished rice.
  - E. The symptoms are pain from neuritis, paralysis, muscle wasting, progressive oedema, mental deterioration and finally heart failure.
  - (a) A, Band D
- (b) B, C and E
- (c) A, C and E
- (d) B, D and E
- 22. Which one of the following is a fat-soluble vitamin and it's related deficiency disease?

[2007]

- (a) Ascorbic acid Scurvy
- (b) Retinol Xerophthalmia
- (c) Cobalamine Beri-beri
- (d) Calciferol Pellagra
- 23. Low Ca<sup>++</sup> in the body fluid may be the cause of [Pre 2010]
  - (a) Tetany
  - (b) Anaemia
  - (c) Angina pectoris
  - (d) Gout

### www.anybook.in

### Trueman's AIPMT Biology Rebooster Specific

129

- **24.** The purple red pigment rhodopsin contained the rods type of photoreceptor cells of the human eye, is a derivative of [**Pre. 2011**]
  - (a) Vitamin B<sub>1</sub>
- (b) Vitamin C
- (c) Vitamin D
- (d) Vitamin A
- **25.** The essential chemical components of many coenzymes are **[2013]** 
  - (a) Proteins
- (b) Nucleic acids
- (c) Carbohydrates (d) Vitamins

(	A	2-b 12-d								
	1-b	2-b	3-a	4-a	5-c	6-c	7-d	8-b	9-d	10-c
	11-a	12-d	13-b	14-c	15-a	16-c	17-d	18-a	19-a	20-a
		22-b								

17

#### Breathing and Exchange of Gases

- 1. The alveolar epithelium in the lung is[1990]
  - (a) non-ciliated columnar
  - (b) non-ciliated squamous
  - (c) ciliated columnar
  - (d) ciliated squamous
- 2. Skin is an accessory organ of respiration in
  - (a) human
- (b) frog

[1990]

- (c) rabbit
- (d) lizard
- **3.** Carbon dioxide is transported from tissues to respiratory surface by only [1993]
  - (a) plasma and erythrocytes
  - (b) plasma
  - (c) erythrocytes
  - (d) erythrocytes and leucocytes
- **4.** Air is breathed through

[1994]

- (a) trachea—lungs—larynx—pharynx—alveoli
- (b) nose—larynx—pharynx—bronchus—alveoli—bronchioles
- (c) nostrils—pharynx—larynx—trachea bronchi—bronchioles—alveoli
- (d) nose mouth lungs
- **5.** Oxygen dissociation curve of haemoglobin is **[1994]** 
  - (a) sigmoid
- (b) hyperbolic
- (c) linear
- (d) hypobolic

- **6.** Although much CO<sub>2</sub> is carried in blood, yet blood does not become acidic, because [1995]
  - (a) it is absorbed by the leucocytes
  - (b) blood buffers play an important role in CO<sub>2</sub> transport
  - (c) it combines with water to form H<sub>2</sub>CO<sub>3</sub> which is neutralized by Na<sub>2</sub>CO<sub>3</sub>
  - (d) it is continuously diffused through tissues and is not allowed to accumulate
- 7. The carbon dioxide is transported via blood to lungs as [1995]
  - (a) dissolved in blood plasma
  - (b) in the form of carbonic acid only
  - (c) in combination with haemoglobin only
  - (d) carbaminohaemoglobin and as carbonic acid
- **8.** The quantity 1500 mL in the respiratory volumes of a normal human adult refers to

[1996]

- (a) maximum air that can be breathed in and breathed out
- (b) residual volume
- (c) expiratory reserve volume
- (d) total lung capacity
- In alveoli of the lungs, the air at the site of gas exchange, is separated from the blood by [1997]
  - (a) alveolar epithelium only

- (b) alveolar epithelium and capillary endothelium
- (c) alveolar epithelium, capillary endothelium and tunica adventitia
- (d) alveolar epithelium, capillary endothelium, a thin layer of tunica media and tunica adventitia
- **10.** The exchange of gases in the alveoli of the lungs takes place by [1998]
  - (a) simple diffusion (b) osmosis
  - (c) active transport (d) passive transport
- 11. Which one of the following organs in the human body is most affected due to shortage of oxygen? [1999]
  - (a) Intestine
- (b) Skin
- (c) Kidney
- (d) Brain
- **12.** The process of migration of chloride ions from plasma to RBC and of carbonate ions from RBC to plasma is [1999]
  - (a) chloride shift (b) ionic shift
- - (c) atomic shift
- (d) Na<sup>+</sup> pump
- **13.** When CO<sub>2</sub> concentration in blood increases, breathing becomes [2004]
  - (a) shallower and slow
  - (b) there is no effect on breathing
  - (c) slow and deep
  - (d) faster and deeper
- 14. Blood analysis of a patient reveals an unusually high quantity of carboxyhaemoglobin content. Which of the following conclusions is most likely to be correct?
  - (a) The patient has been inhaling polluted air containing unusually high content of carbon disulphide
  - (b) The patient has been inhaling polluted air containing unusually high content of chloroform
  - (c) The patient has been inhaling polluted air containing unusually high content of carbon dioxide
  - (d) The patient has been inhaling polluted air containing unusually high content of carbon monoxide

- **15.** People living at sea level have around 5 million RBC per cubic millimeter of their blood whereas those living at an altitude of 5400 metre have around 8 million. This is because at high altitude [2006]
  - (a) atmospheric O<sub>2</sub> level is less and hence, more RBCs are needed to absorb the required amount of O<sub>2</sub> to survive
  - (b) there is more UV radiation which enhances RBC production
  - (c) people eat more nutritive food, therefore, more RBCs are formed
  - (d) people get pollution-free air to breathe and more oxygen is available
- **16.** What is the vital capacity of our lungs? [2008]
  - (a) Inspiratory reserve volume plus tidal volume
  - (b) Total lung capacity minus expiratory reserve volume
  - (c) Inspiratory reserve volume plus expiratory reserve volume
  - (d) Total lung capacity minus residual volume
- **17.** The haemoglobin of a human foetus [2008]
  - (a) has a lower affinity for oxygen than that of the adult
  - (b) its affinity for oxygen is the same as that of an adult
  - (c) has only 2 protein subunits instead of 4
  - (d) has a higher affinity for oxygen than that of an adult
- **18.** Listed below are four respiratory capacities (a-d) and four jumbled respiratory volumes of a normal human adult [Pre. 2010]

Respiratory volumes Respiratory capacities

(i) Residual volume

2500 mL

(ii) Vital capacity

3500 mL

(iii) Inspiratory reserve

1200 mL volume

(iv) Inspiratory


capacity

4500 mL

(a) (ii) 2500 mL, (b) (iii) 1200 mL,

(iii) 4500 mL (iv) 2500 mL

- (c) (iv) 3500 mL,
- (i) 1200 mL
- (d) (i) 4500 mL,
- (ii) 3500 mL
- **19.** Which one of the following is a possibility for most of us in regard to breathing, by making a conscious effort? [Mains 2011]
  - (a) The lungs can be made fully empty by forcefully breathing out all air from them
  - (b) One can breathe out air totally without oxygen.
  - (c) One can breathe out air through eustachian tubes by closing both the nose and the mouth
  - (d) One can consciously breath in and breath out by moving the diaphragm alone, without moving the ribs at all.
- 20. The figure given below shows a small part of human lung where exchange of gases takes place. In which one of the options given below, the one part, A, B, C or D is correctly identified along with its function [Pre. 2011]



#### Options:

- (a) C : arterial capillary-passes oxygen to tissue
- (b) A: alveolar cavity-main site of exchange of respiratory gases
- (c) D : Capillary wall-exchange of O<sub>2</sub> and CO<sub>2</sub> takes place here
- (d) B: red blood cell-transport of CO, mainly
- 21. A large proportion of oxygen is left unused in the human blood even after its uptake by the body tissues. This O<sub>2</sub> [Pre. 2011]
  - (a) Acts as a reserve during muscular exercise
  - (b) Raises the pCO<sub>2</sub> of blood to 75 mm of Hg.
  - (c) Is enough to keep oxyhaemoglobin sturation at 96%
  - (d) Helps in releasing more  $O_2$  to the epithelial tissues


- 22. Two friends are eating together on a dining table. One of them suddenly starts coughing while swallowing some food. This coughing would have been due to improper movement of [Pre. 2011]
  - (a) Epiglottis
- (b) Diaphragm
- (c) Neck
- (d) Tongue
- **23.** Bulk of carbon dioxide (CO<sub>2</sub>) released from body tissues into the blood is present as

[Pre. 2011]

- (a) Carbamino-haemoglobin in RBCs
- (b) Bicarbonate in blood plasma and RBCs
- (c) Free CO<sub>2</sub> in blood plasma
- (d) 70% carbamino-haemoglobin and 30% as bicarbonate
- **24.** Which one of the following is the correct statement for respiration in humans

[Pre. 2012]

- (a) Workers in grinding and stone-breaking industries may suffer from lung fibrosis
- (b) About 90% of carbon dioxide is carried by haemoglobin as carbaminohaemoglobin
- (c) Cigarette smoking may lead to inflammation of bronchi
- (d) Neural signals from pneumotaxic centre in pons region of brain can increase the duration of inspiration
- **25.** The figure shows a diagrammatic view of human respiratory system with labels A, B, C and D. Select the option which gives correct identification and main function and / or characteristic. [2013]



(a) A-trachea – long tube supported by complete cartilaginous rings for conducting inspired air

- (b) B-pleural membrane surround ribs on both sides to provide cushion against rubbing.
- (c) C-Alveoli thin walled vascular bag like structures for exchange of gases.
- (d) D-Lower end of lungs diaphragm pulls it down during inspiration.
- **26.** Approximately seventy percent of carbondioxide absorbed by the blood will be transported to the lungs [AIPMT 2014]
  - (a) As bicarbonate ions
  - (b) In the form of dissolved gas molecules
  - (c) By binding to R.B.C.
  - (d) As carbamino-haemoglobin

- **27.** When you hold your breath, which of the following gas changes in blood would first lead to the urge to breathe? **[AIPMT 2015]** 
  - (a) rising CO<sub>2</sub> concentration
  - (b) falling CO<sub>2</sub> concentration
  - (c) rising CO<sub>2</sub> and falling O<sub>2</sub> concentration
  - (d) falling O<sub>2</sub> concentration
- **28.** Name the pulmonary disease in which alveolar surface area involved in gas exchange is drastically reduced due to damage in the alveolar walls:

  [RE-AIPMT 2015]
  - (a) Asthma
  - (b) Pleurisy
  - (c) Emphysema
  - (d) Pneumonia

(	∑Ar	2-b 12-a								
	1-b	2-b	3-a	4-c	5-a	6-b	7-d	8-b	9-b	10-a
	11 <b>-</b> d	12-a	13-d	14-d	15-a	16-d	17-d	18-c	19 <b>-</b> d	20-b
		22-a								

18

#### BODY FLUIDS AND CIRCULATION

1.	Arteries carry oxygenated blood e	xcept
		[1989]

- (a) pulmonary
- (b) cardiac
- (c) hepatic
- (d) systemic
- 2. Tricuspid valve is found in between [1989]
  - (a) sinus venosus and right auricle
  - (b) right auricle and right ventricle
  - (c) left ventricle and left auricle
  - (d) ventricle and aorta
- 3. Splenic artery arises from

[1990]

- (a) anterior mesenteric artery
- (b) coeliac artery
- (c) posterior mesenteric artery
- (d) intestinal artery
- **4.** A vein possesses a large lumen because

[1990]

- (a) tunica media and tunica externa form a single coat
- (b) tunica interna and tunica media form a single coat
- (c) tunica interna, tunica media and tunica externa are thin
- (d) tunica media is a thin coat
- **5.** Carbonic anhydrase occurs in [1991]
  - (a) lymphocytes
- (b) blood plasma
- (c) RBC
- (d) leucocytes

**6.** Wall of blood capillary is formed of

[1991,93]

- (a) haemocytes
- (b) parietal cells
- (c) endothelial cells
- (d) oxyntic cells
- 7. Cells formed in bone marrow include

[1993]

- (a) RBC
- (b) RBC and leucocytes
- (c) leucocytes
- (d) lymphocytes
- **8.** Pacemaker of heart is [19]
  - [1994, 99, 2002, 04]
  - (a) AVnode
- (b) bundle of His
- (c) SA node
- (d) Purkinje fibres
- 'Dup' sound is produced during closure of [1994]
  - (a) semilunar valves
  - (b) bicuspid valve
  - (c) tricuspid valve
  - (d) Both (b) and (c)
- **10.** The lymph serves to

[1995]

- (a) transport oxygen to the brain
  - (b) transport carbon dioxide to the lungs
  - (c) return the interstitial fluid to the blood
  - (d) return the WBCs and RBCs to the lymph nodes

- 11. The blood cancer is known as [1995] 17. Glucose is carried from digestive tract to liver (a) leukemia (b) thrombosis (c) haemolysis (d) haemophilia (a) pulmonary vein (b) hepatic portal vein 12. The correct route through which pulse-mak-(c) hepatic artery ing impulse travels in the heart is
  - (a) AV node  $\longrightarrow$  Bundle of His  $\longrightarrow$  SA node  $\longrightarrow$  Purkinje fibres  $\longrightarrow$  Heart muscles (b) AV node  $\longrightarrow$  SA node  $\longrightarrow$  Purkinje
  - fibres  $\longrightarrow$  Bundle of His  $\longrightarrow$  Heart muscles
  - (c) SA node → Purkinje fibres → Bundle of His  $\longrightarrow$  AV node  $\longrightarrow$  Heart muscles
  - (d) SA node $\longrightarrow$ AV node $\longrightarrow$ Bundle of His → Purkinje fibres → Heart muscles
- 13. Which one of the following statements about blood constituents and transport of respiratory gases is most accurate?
  - (a) RBCs transport oxygen whereas WBCs transport CO<sub>2</sub>
  - (b) RBCs transport oxygen whereas plasma transports only CO<sub>2</sub>
  - (c) RBCs as well as WBCs transport both oxygen and CO<sub>2</sub>
  - (d) RBCs as well as plasma transport both oxygen and CO<sub>2</sub>
- 14. Which one of the following vertebrate organs receives the oxygenated blood only? [1996]
  - (a) Gill
- (b) Lung
- (c) Liver
- (d) Spleen
- 15. An adult human with average health has systolic and diastolic pressures as [1998]
  - (a) 80 mm Hg and 80 mm Hg
  - (b) 70 mm Hg and 120 mm Hg
  - (c) 120 mm Hg and 80 mm Hg
  - (d) 50 mm Hg and 80 mm Hg
- **16.** Which of the following is not main function of lymph glands? [1998]
  - (a) Forming WBC
  - (b) Forming antibodies
  - (c) Forming RBC
  - (d) Destroying bacteria

- - (d) None of the above
- 18. The antibodies are

[1999]

- (a) germs
- (b) carbohydrates
- (c) proteins
- (d) lipids
- **19.** The thickening of walls of arteries is called [1999]
  - (a) arthritis
- (b) atherosclerosis
- (c) aneurysm
- (d) Both (a) and (c)
- 20. Pulmonary artery is different from pulmonary vein because it has [2000]
  - (a) larger lumen
  - (b) thick muscular walls
  - (c) no endothelum
  - (d) valves
- **21.** Which of the following statements is true for [2002] lymph?
  - (a) WBC and serum
  - (b) All components of blood except RBCs and some proteins
  - (c) RBCs, WBCs and plasma
  - (d) RBCs, proteins and platelets
- 22. What is true about T-lymphocytes in mammals? [2003]
  - (a) They scavenge damaged cells and cellular debris
  - (b) These are produced in thyroid
  - (c) There are of three main types—cytotoxic T-cells, helper T-cells and suppressor T-
  - (d) These originate in lymphoid tissues
- 23. Systemic heart refers to

[2003]

- (a) enteric heart in lower vertebrates
- (b) the two ventricles together in humans
- (c) the heart that contracts under stimulation from nervous system

- (d) left auricle and left ventricle in higher vertebrates
- 24. Bundle of His is a network of

[2003]

- (a) nerve fibres distributed in ventricles
- (b) nerve fibres found throughout the heart
- (c) muscle fibres distributed throughout the heart walls
- (d) muscle fibres found only in the ventricle wall
- **25.** Short-lived immunity acquired from mother to foetus across placenta or through mother's milk to the infant is categorised as

[2003]

- (a) cellular immunity
- (b) innate non-specific immunity
- (c) active immunity
- (d) passive immunity
- **26.** Damage to thymus in a child may lead to [2005]
  - (a) a reduction in haemoglobin content of blood
  - (b) a reduction in stem cell production
  - (c) loss of antibody mediated immunity
  - (d) loss of cell mediated immunity
- **27.** Which of the following substances, if introduce in the blood stream, would cause coagulation, at the site of its introduction?

#### [2005]

- (a) Fibrinogen
- (b) Prothrombin
- (c) Heparin
- (d) Thromboplastin
- **28.** AIDS is caused by HIV that principally infects [2005]
  - (a) all lymphocytes
  - (b) activator B-cells
  - (c) T4 lymphocytes
  - (d) cytotoxic T-cells
- 29. Examination of blood of a person suspected of having anaemia, shows large, immature, nucleated erythrocytes without haemoglobin. Supplementing his diet with which of the following, is likely to alleviate his symptoms? [2006]

- (a) Thiamine
- (b) Folic acid and cobalamin
- (c) Riboflavin
- (d) Iron compounds
- 30. Antibodies in our body are complex [2006]
  - (a) lipoproteins
  - (b) steroids
  - (c) prostaglandins
  - (d) glycoproteins
- **31.** If you suspect major deficiency of antibodies in a person, to which of the following would you look for confirmatory evidence? [2007]
  - (a) Serum albumins
  - (b) Serum globulins
  - (c) Fibrinogen in the plasma
  - (d) Haemocytes
- **32.** In humans, blood passes from the post caval to the diastolic right atrium of heart due to [2008]
  - (a) pushing open of the venous valves
  - (b) suction pull
  - (c) stimulation of the sino auricular node
  - (d) pressure difference between the post caval and atrium
- 33. In a standard ECG which one of the following alphabets is the correct representation of the respective activity of the human heart?

  [2009]
  - (a) T-end of diastole
  - (b) P-depolarisation of the atria
  - (c) R-repolarisation of ventricles
  - (d) S-start of systole
- 34. If due to some injury the chordae tendinae of the tricuspid valve of the human heart is partially non-functional, what will be the immediate effect? [Pre. 2010]
  - (a) The flow of the blood into the aorta will be slowed down
  - (b) The 'pacemaker' will stop working
  - (c) The blood will tend to flow back into the left atrium
  - (d) The flow of blood into the pulmonary artery will be reduced

#### Trueman's AIPMT Biology Rebooster Specific

137

**35.** Fastest distribution of some injectible material/ medicine and with no risk of any kind can be achieved by injecting it into the

#### [Mains 2010]

- (a) Arteries
- (b) Veins
- (c) Lymph vessesls
- (d) Muscles
- **36.** Given below are four statements (a-d) regarding human blood circulatory system

#### [Mains 2010]

- (1) Arteries are thick-walled and have narrow lumen as compared to veins.
- (2) Angina is acute chest pain when the blood circulation to the brain is reduced
- (3) Persons with blood group AB can donate blood to any person with any blood group under ABO system.
- (4) Calcium ions play a very important role in blood clotting.

Which two of the above statements are **correct**?


- (a) (1) and (2)
- (b) (2) and (3)
- (c) (3) and (4)
- (d) (1) and (4)
- **37.** Jaundice is a disorder of

[Mains 2010]

- (a) Skin and eyes
- (b) Digestive system
- (c) Circulatory system
- (d) Excretory system
- **38.** The haemoglobin content per 100 ml of blood o a normal healthy human adult is:-

#### [Mains 2010]

- (a) 25-30 g
- (b) 17-20 g
- (c) 12-16 g
- (d) 5-11 g
- 39. Given below is the ECG of a normal human. Which one of its components is correctly interpreted below [Mains 2011]




- (a) Peak P Initiation of left atrial contraction only
- (b) Complex QRS One complete pulse
- (c) Peak T-Initiation of total cardiac contraction
- (d) Peak P and Peak R together systolic and diastolic blood pressures.
- **40.** Bundle of His' is a part of which one of the following organs in humans? [Pre. 2011]
  - (a) Brain
- (b) Heart
- (c) Kidney
- (d) Pancreas
- **41.** Arteries are best defined as the vessels which **[Pre. 2011]** 
  - (a) Supply oxygenated blood to the different organs
  - (b) Carry blood away from the heart to different organs
  - (c) Break up into capillaries which reunite to from a vein
  - (d) Carry blood from one visceral organ to another visceral organ
- **42.** Which one of the following statements is correct regarding blood pressure? [Pre. 2011]
  - (a) 130/90 mmHg is considered high and requires treatment
  - (b) 100/55 mmHg is considered an ideal blood pressure
  - (c) 105/50 mmHg makes one very active
  - (d) 190/110 mmHg may harm vital organs like brain and kidney
- **43.** Which one of the following human organs is often called the "graveyard" of RBCs?


[Mains 2012]

- (a) Kidney
- (b) Spleen
- (c) Liver
- (d) Gall bladder
- **44.** Figure shows schematic plant of blood circulation in humans with labels A to D. Identify the label and give its function/s.

[2013]



- (a) A -Pulmonary vein takes impure blood from body parts,  $PO_2 = 60 \text{ mm Hg}$
- (b) B -Pulmonary artery takes blood from heart to lungs,  $PO_2 = 90 \text{ mm Hg}$
- (c) C-Vena Cava takes blood from body parts to right auricle,  $PCO_2 = 45 \text{ mm Hg}$
- (d) D-Dorsal aorta takes blood from heart to body parts,  $PO_2 = 95 \text{ mm Hg}$
- **45.** The diagram given here is the standard ECG of a normal person. The P-wave represents the [2013]



- (a) Contraction of both the atria
- (b) Initiation of the ventricular contraction
- (c) Beginning of the systole
- (d) End of systole
- **46.** Person with blood group AB is considered as universal recipient because he has

#### [AIPMT 2014]

- (a) Both A and B antigens on RBC but no antibodies in the plasma
- (b) Both A and B antibodies in the plasma

- (c) No antigen on RBC and no antibody in the plasma
- (d) Both A and B antigens in the plasma but no antibodies
- **47.** How do parasympathetic neural signals affect the working of the heart?[**AIPMT 2014**]
  - (a) Reduce both heart rate and cardiac output
  - (b) Heart rate is increased without affecting the cardiac output
  - (c) Both heart rate and cardiac output increase
  - (d) Heart rate decreases but cardiac output increases
- **48.** Which one of the following is correct?

  [AIPMT 2015]
  - (a) Serum = Blood + Fibrinogen
  - (b) Lymph = Plasma + RBC + WBC
  - (c) Blood = Plasma + RBC + WBC
  - (d) Plasma = Blood Lymphocytes
- **49.** Blood pressure in the mammalian aorta is maximum during: [AIPMT 2015]
  - (a) Diastole of the right ventricle
  - (b) Systole of the left ventricle
  - (c) Diastole of the right atrium
  - (d) Systole of the left atrium
- **50.** Doctors use stethoscope to hear the sound; produced during each cardiac cycle. The second sound is heard when [**RE-AIPMT 2015**]
  - (a) AV node receives signal from SA node
  - (b) AV valves open up
  - (c) Ventricular walls vibrate due to gushing of blood from atria
  - (d) Semilunar valves close down after the blood flows into vessels from ventricles.

( ) A	nswers _								
1-a	2-b 12-d	3-b	4-d	5-c	6-c	7-b	8-c	9-a	10-с
11-a	12-d	13-d	14-d	15-с	16-c	17-b	18-c	19-b	20-b
21-b	22-c	23-a	24-d	25-d	26-d	27-d	28-c	29-b	30-d
31-b	32-d	33-b	34-d	35-b	36-d	37 <b>-</b> c	38-c	39-b	40-b
41-b	42-d	43-b	44-c	45-a	46-a	47-a	48-c	49-b	50-d

19

#### **EXCRETORY PRODUCTS AND THEIR ELIMINATION**

- **1.** Reabsorption of useful substances from glomerular filtrate occurs in [1989]
  - (a) collecting tube
  - (b) loop of Henle
  - (c) proximal convoluted tubule
  - (d) distal convoluted tubule
- **2.** Proximal and distal convoluted tubules are parts of [1990]
  - (a) seminiferous tubules
  - (b) nephron
  - (c) oviduct
  - (d) vas deferens
- **3.** Under normal conditions which one is completely reabsorbed in the renal tubule?

[1991]

- (a) Urea
- (b) Uric acid
- (c) Salts
- (d) Glucose
- **4.** Nitrogenous waste products are eliminated mainly as [1991]
  - (a) urea in tadpole and ammonia in adult frog
  - (b) ammonia in tadpole and urea in adult frog
  - (c) urea in both tadpole and adult frog
  - (d) urea in tadpole and uric acid in adult frog

- **5.** Glucose is taken back from glomerular filtrate through [1993]
  - (a) active transport(b) passive transport
  - (c) osmosis
- (d) diffusion
- **6.** Uric acid is nitrogenous waste in [1994]
  - (a) mammals and molluscs
  - (b) birds and lizards
  - (c) frog and cartilaginous fishes
  - (d) insects and bony fishes
- If kidneys fail to reabsorb water, the effect on tissue would [1994]
  - (a) remain unaffected
  - (b) shrink and shrivel
  - (c) absorb water from blood plasma
  - (d) take more O2 from blood
- **8.** Part not belonging to uriniferous tubule is **[1994]** 
  - (a) glomerulus
  - (b) Henle'sloop
  - (c) distal convoluted tubule
  - (d) connecting tubule
- 9. In ornithine cycle, which one pair of the following wastes are removed from the blood?
  [1994]
  - (a) CO<sub>2</sub> and urea (b) CO<sub>2</sub> and ammonia
  - (c) Ammonia and urea
  - (d) Urea and sodium salts

- **10.** A patient suffering from cholera is given saline drip because [1996, 2000]
  - (a) Cl<sup>-</sup> ions are important component of blood plasma
  - (b) Na<sup>+</sup> ions help to retain water in the body
  - (c) Na<sup>+</sup> ions are important in transport of substances across membrane
  - (d) Cl<sup>-</sup> ions help in the formation of HCl in stomach for digestion
- **11.** The kidney of an adult frog is

[1997]

- (a) pronephros
- (b) mesonephros
- (c) metanephros
- (d) opisthonephros
- **12.** The basic functional unit of human kidney is [1997]
  - (a) nephron
- (b) pyramid
- (c) nephridia
- (d) Henle's loop
- 13. In ureotelic animals, urea is formed by [1997]
  - (a) ornithine cycle (b) Cori cycle
  - (c) Krebs cycle
- (d) EMP pathway
- **14.** A condition of failure of kidney to form urine is called [1998]
  - (a) deamination
- (b) entropy
- (c) anuria
- (d) None of these
- **15.** Aquatic reptiles are

[1999]

- (a) ammonotelic (l
- (b) ureotelic
- (c) ureotelic in water
- (d) ureotelic over land
- **16.** In living beings, ammonia is converted into urea through [2000]
  - (a) ornithine cycle (b) citrulline cycle
  - (c) fumarine cycle (d) arginine cycle
- 17. The ability of the vertebrates to produce concentrated (hyperosmotic) urine usually depends upon the [2000]
  - (a) area of Bowman's capsule epithelium
  - (b) length of Henle's loop
  - (c) length of the proximal convoluted tubule
  - (d) capillary network forming glomerulus
- **18.** If Henle's loop were absent from mammalian nephron, which of the following is to be expected? [2002]

- (a) The urine will be more concentrated
- (b) The urine will be more dilute
- (c) There will be no urine formation
- (d) There will be hardly any change in the quality and quantity of urine formed
- 19. Uricotelism is found in

[2004]

- (a) mammals and birds
- (b) fishes and fresh water protozoans
- (c) birds, reptiles and insects
- (d) frogs and toads
- **20.** The net pressure gradient that causes the fluid to filter out of the glomeruli into the capsule is [2005]
  - (a) 20mmHg
- (b) 75mmHg
- (c) 30mmHg
- (d) 50mmHg
- **21.** A person is undergoing prolonged fasting. His urine will be found to contain abnormal quantities of [2005]
  - (a) fats
- (b) ketones
- (c) amino acids
- (d) glucose
- **22.** Angiotensinogen is a protein produced and secreted by [2006]
  - (a) macula densa cells
  - (b) endothelial cells (cells lining the blood vessels)
  - (c) liver cells
  - (d) Juxtaglomerular (JG) cells
- **23.** A person who is on a long hunger strike and is surviving only on water, will have [2007]
  - (a) more sodium in his urine
  - (b) less amino acids in his urine
  - (c) more glucose in his blood
  - (d) less urea in his urine
- **24.** Consider the following four statements (A-D) about certain desert animals such as kangaroo rat [2008]
  - (A) They have dark colour and high rate of reproduction and excrete solid urine.
  - (B) They do not drink water, breathe at a slow rate to conserve water and have their body covered with thick hairs.

### Trueman's AIPMT Biology Rebooster Specific

- (C) They feed on dry seeds and do not require drinking water.
- (D) They excrete very concentrated urine and do not use water to regulate body temperature.

Which two of the above statements for such animals are true?

- (a) C and D
- (b) B and C
- (c) C and A
- (d) A and D
- **25.** What will happen if the stretch receptors of the urinary bladder wall are totally removed? **[2009]** 
  - (a) Urine will continue to collect normally in the bladder
  - (b) There will be no micturition
  - (c) Urine will not collect in the bladder
  - (d) Micturition will continue
- **26.** Uric acid is the chief nitrogenous component of the excretory products of [2009]
  - (a) Cockroach
- (b) Frog
- (c) Man
- (d) Earthworm
- 27. Which one of the following statements in regard to the excretion by the human kidneys is correct? [Pre. 2010]
  - (a) Descending limb of Loop of Henle is impermeable to water
  - (b) Distal convoluted tubule is incapable of reabsorbing HCO<sub>3</sub><sup>-</sup>
  - (c) Nearly 99 per cent of the glomercular filtrate is reabsorbed by the renal tubules
  - (d) Ascending limb of Loop of Henle is impermeable to electrolytes
- **28.** The principal nitrogenous excretory compound in humans is synthesized[**Pre. 2010**]
  - (a) in kidneys but eliminated mostly through
  - (b) in kidneys as well as eliminated by kidneys
  - (c) in liver and also eliminated by the same through bile
  - (d) in the liver, but eliminated mostly through kidneys

- **29.** Which one of the following is not a part of a renal pyramid? **[Pre. 2011]** 
  - (a) Peritubular capillaries
  - (b) Convoluted tubules
  - (c) Collecting ducts
  - (d) Loops of Henle
- **30.** Which one of the following correctly explains the function of a specific part of a human nephron? [Pre. 2011]
  - (a) *Podocytes*: Create minute spaces (slit pores) for the filtration of blood into the Bowman's capsule
  - (b) *Henle's loop*: most reabsorption of the major substances from the glomerular filtrate
  - (c) *Distal convoluted tubule:* reabsorption of K<sup>+</sup> ions into the surrounding blood capillaries
  - (d) *Afferent arteriole*: carries the blood away from the glomerulus towards renal vein.
- **31.** Which one of the following statements is correct with respect to kidney function regulation? [Pre. 2011]
  - (a) When someone drinks lot of water, ADH release is suppressed.
  - (b) Exposure to cold temperature stimulates ADH release.
  - (c) An increase in glomerular blood flow stimulates formation of Angiotensin II.
  - (d) During summer when body loses lot of water by evaporation, the release of ADH is suppressed.
- **32.** Uricotelic mode of passing out nitrogenous wastes is found in **[Pre. 2011]** 
  - (a) Reptiles and Birds
  - (b) Birds and Annelids
  - (c) Amphibians and Reptiles
  - (d) Insects and Amphibians
- **33.** A fall in glomerular filtration rate (GFR) activates [Mains 2012]
  - (a) Adrenal cortex to release aldosterone
  - (b) Adrenal medulla to release adrenaline
  - (c) Posterior pituitary to release vasopressin
  - (d) Juxta glomerular cells to release renin


### www.freejobsportal.in

141

**34.** Which one of the following option gives the correct categorization of six animals according to the type of nitrogenous wastes (A, B, C,), they give out? [Mains 2012]

A AMMONOTELIC	B UREOTELIC	CURICOTELIC
(a) Frog, Lizards	Aquatic Amphibia, Humans	Cockroach, Pigeon
(b) Aquatic Amphibia	Frog, Humans	Pigeon, Lizards, Cockroach
(c) Aquatic Amphibia	Cockroach, Humans	Frog, Pigeon, Lizards
(d) Pigeon, Humans	AquaticAmphibia, Lizards	Cockroach, Forg

- **35.** The maximam amount of electrolytes and water (70-80 percent) from the glomerular filtrate is reabsorbed in which part of the nephron? [Pre. 2012]
  - (a) Proximal convoluted tubule
  - (b) Descending limb of loop of Henle
  - (c) Ascending limb of loop of Henle
  - (d) Distal convoluted tubule
- **36.** Figure shows human urinary system with structures labeled A to D. Select option which correctly identifies them and gives their characteristics and/or functions. **[2013]**



- (a) A Adrenal gland-located at the anterior part of Kidney. Secrete catecholamines which stimulate glycogen breakdown
- (b) B Pelvis-broad funnel shaped space inner to hilum, directly connected to loops of Henle.

- (c) C Medulla-inner zone of kidney and contains complete nephrons.
- (d) D Cortex-outer part of kidney and do not contain any part of nephrons.
- **37.** The shared terminal duct of the reproductive and urinary system in the human male is **[AIPMT 2014]** 
  - (a) Urethra (b) Ureter
  - (c) Vas deferens (d) Vasa efferentia
- **38.** Removal of proximal convoluted tubule from the nephron will result in: [AIPMT 2015]
  - (a) More concentrated urine
  - (b) No change in quality and quantity of urine
  - (c) No urine formation
  - (d) More diluted urine
- **39.** Human urine is usually acidic because:

#### [RE-AIPMT 2015]

- (a) hydrogen ions are actively secreted into the filtrate.
- (b) the sodium transporter exchanges one hydrogen ion for each sodium ion, in peritubular capillaries.
- (c) excreted plasma proteins are acidic
- (d) potassium and sodium exchange generates acidity

(	Answers  1-c 2-b 3-d 4-b 5-a 6-b 7-b 8-a 9-b 10-b 11-b 12-a 13-a 14-c 15-b 16-a 17-b 18-b 19-c 20-a											
	1-c	2-b	3-d	4-b	5-a	6-b	7-b	8-a	9-b	10-b		
	11-b	12-a	13-a	14-c	15-b	16-a	17-b	18-b	19-с	20-a		
	21-b	22-c	23-a	24-a	25-b	26-a	27-с	28-d	29-b	30-a		
	31-a	32-a	33-d	34-b	35-a	36-a	37-a	38-d	39-a			

**20** 

### LOCOMOTION AND MOVEMENT

1.	Extremities of long bones possess cartilage				Which is a part of pectoral girdle?			[1994]
	(a) calcified	(b) fibrous	[1989]		(a) Glenoid cavity	. ,		
	(c) elastic	(d) hyaline			(c) Ilium	(d)	Acetabulum	
2.	Number of cervica	al vertebrae in car	nel is	8.	The number of flo	atin	g ribs, in the	
	(a) more than that	[1990]		body, is			[1995]	
	(b) less than that of	of rabbit			(a) 6 pairs		5 pairs	
	(c) same as that of	fwhale			(c) 3 pairs	(d)	2 pairs	
	(d) more than that of horse			9.	The roof of the crai	niun	n of frog is for	med by
3.	A deltoid ridge oc	curs in	[1990]					[1997]
	(a) radius	(b) ulna			(a) parasphenoid		(b) alisphen	ioid
	(c) femur	(d) humerus			(c) frontoparietal		(d) orbitosp	henoid
4.	The cervical vertel	orae in humans is	[1993]	10.	. The lower jaw in mammals is made up of			
	(a) same as in whale				(a) mandible	(b)	dentary	[1998]
	(b) more than that				(c) maxilla	(d)	angulars	
	(c) double than th			<b>11.</b> Total number of bones in the hi				limb of
	(d) less than that i				man is			[1998]
5.	Long bones functi	[1993]		(a) 14	(b)	30		
	(a) support			(c) 24	(d)	21		
	(b) support, eryt synthesis	hrocyte and le	ucocyte	12.	Which of the follow tein of a muscle?	ving	is the contrac	tile pro- [ <b>1998</b> ]
	(c) support and er	ythrocyte synthe	esis		(a) Myosin	(b)	Tropomyosi	n
	(d) erythrocyte for	mation			(c) Actin	(d)	Tubulin	
6.	Which ion is essential for muscle contraction? [1994]			13.	Which one of the f	ollo	wing is a skul	ll bone? <b>[2000]</b>
	(a) Na	(b) K			(a) Atlas	(b)	Coracoid	
	(c) Ca	(d) Cl			(c) Arytenoid	(d)	Pterygoid	

- **14.** The joint found between sternum and the ribs in humans is **[2000]** 
  - (a) angular joint
  - (b) fibrous joint
  - (c) cartilaginous joint
  - (d) gliding joint
- **15.** Which statement is correct for muscle contraction? **[2001]** 
  - (a) Length of H-zone decrease
  - (b) Length of A-band remains constant
  - (c) Length of I-band increases
  - (d) Length of two Z-line increases
- **16.** What is sarcomere?

[2001]

- (a) Part between two H-lines
- (b) Part between two A-lines
- (c) Part between two I-bands
- (d) Part between two Z-lines
- 17. What will happen if ligaments are cut or broken? [2002]
  - (a) Bones will move freely at joints
  - (b) No movement at joint
  - (c) Bone will become unfix
  - (d) Bone will become fixed
- **18.** ATPase enzyme needed for muscle contraction is located in [2004]
  - (a) actinin
- (b) troponin
- (c) myosin
- (d) actin
- **19.** Which of the following pairs, is correctly matched? [2005]
  - (a) Hinge joint—between vertebrae
  - (b) Gliding joint—between zygapophyses of the successive vertebrae
  - (c) Cartilaginous joint—skull bones
  - (d) Fibrous joint—between phalanges
- **20.** An acromian process is characteristically found in the **[2005]** 
  - (a) pelvic girdle of mammals
  - (b) pectoral girdle of mammals
  - (c) skull of frog
  - (d) sperm of mammals

- **21.** The contractile protein of skeletal muscle involving ATPase activity is **[2006]** 
  - (a) myosin
  - (b)  $\alpha$ -actinin
  - (c) tropomyosin
  - (d) troponin
- **22.** Which one of the following is correct pairing of a body part and the kind of muscle tissue that moves it? [2009]
  - (a) Abdominal Smooth muscle wall
  - (b) Iris Involuntary smooth muscle
  - (c) Heart wall Involuntary unstriated muscle
  - (d) Biceps of upper Smooth muscle arm fibres
- **23.** Elbow joint is an example of [2009]
  - (a) gliding joint
  - (b) ball and socket joint
  - (c) pivot joint
  - (d) hinge joint
- **24.** Which one of the following is the *correct description* of a certain part of a normal human skeleton? [Mains 2010]
  - (a) First vertebra is axis which articulates with the occipital condyles.
  - (b) The 9<sup>th</sup> and 10<sup>th</sup> pairs of ribs are called the floating ribs.
  - (c) Glenoid cavity is a depression to which the thigh bone articulates.
  - (d) Parietal bone and the temporal bone of the skull are joined by fibrous joint.
- **25.** Which one of the following pairs of structures is correctly matched with their correct description? [Mains 2010]

# Structures (a) Cartilage and cornea - Wo blood supply but do require oxygen for respiratory need (b) Shoulder joint - Ball and socket type of joint

145

- (c) Premolars and 20 in all and molars 3-rooted
- (d) Tibia & fibula Both form parts of knee joint
- **26.** The type of muscles present in our

#### [Mains 2011]

- (a) upper arm are smooth muscle fibres fusiform in shape.
- (b) heart are involuntary and unstriated smooth muscles.
- (c) intestine are striated and involuntary.
- (d) thigh are striated and voluntary.
- 27. Three of the following pairs of the human skeleton parts are correctly matched with their respective skeletal category and one pair is matched. Identify the non-matching pair

#### [Mains 2011]

# Pairs of skeletal parts (a) Malleus and stapes (b) Sternum and Ribs (c) Clavicle and Glenoid Cavity (d) Humerus and ulna Category Ear ossicles Axial skeleton Pelvic girdle Appendicular skeleton

**28.** Which one of the following pairs of chemical substances, is correctly categorized?

#### [Mains 2012]

- (a) Pepsin and prolactin Two digestive enzymes secreted in stomach
- (b) Troponin and myosin Complex proteins in striated muscles
- (c) Secretin and rhodopsin Polypeptide hormones
- (d) Calcitonin and thymosin Thyroid hormones
- **29.** Select the correct statement with respect to locomotion in humans [2013]
  - (a) A decreased level of progesterone causes osteoporosis in old people.
  - (b) Accumulation of uric acid crystals in joints causes their inflammation.

- (c) The vertebral column has 10 thoracic vertebrae.
- (d) The joint between adjacent vertebrae is a fibrous joint.
- **30.** The characteristics and an example of a synovial joint in humans is **[2013]**

# Characteristics Examples (a) Fluid cartilage Knee joint between two bones, limited movements

- (b) Fluid filled between Skull bones two joints, provides cushion
- (c) Fluid filled synovial Joint between cavity between two bones Joint between atlas and axis
- (d) Lymph filled between Gliding joint two bones, limited between carpals movement
- 31. The H-zone in the skeletal muscle fibre is due to [2013]
  - (a) the absence of myofibrils in the central portion of A-band
  - (b) the central gap between myosin filaments in the A-band
  - (c) the central gap between actin filaments extending through myosin filaments in the A-band
  - (d) extension of myosin filaments in the central portion of the A-band.
- **32.** Select the correct matching of the type of the joint with the example in human skeletal system: Type of joint Example.

#### [AIPMT 2014]

- (a) Cartilaginous joint between frontal and parietal
- (b) Pivot joint between third and fourth cervical vertebrae
- (c) Hinge joint between humerus and pectoral girdle
- (d) Gliding joint between carpals

#### Trueman's AIPMT Biology Rebooster Specific

- **33.** Stimulation of a muscle fiber by a motor neuron occurs at **[AIPMT 2014]** 
  - (a) The neuromuscular junction
  - (b) The transverse tubules
  - (c) The myofibril

146

- (d) The sacroplasmic reticulum
- **34.** Sliding filament theory can be best explained as:- **[AIPMT 2015]** 
  - (a) Actin and Myosin filaments shorten and slide pass each other
  - (b) Actin and Myosin filaments do not shorten but rather slide and pass each other
  - (c) When myofilaments slide pass each other Myosin filaments shorten while Actin filaments do not shorten.
  - (d) When myofilaments slide pass each other Actin filaments shorten while Myosin filaments do not shorten.
- **35.** Glenoid cavity articulates: [AIPMT 2015]
  - (a) Scapula with acromion

- (b) Clavicle with scapula
- (c) Humerus with scapula
- (d) Clavicle with acromion
- **36.** Erythropoiesis starts in : **[AIPMT 2015]** 
  - (a) Liver
  - (b) Spleen
  - (c) Red bone marrow
  - (d) Kidney
- **37.** Which of the following is not a function of the skeletal system? **[RE-AIPMT 2015]** 
  - (a) Locomotion
  - (b) Production of erythrocytes
  - (c) Storage of minerals
  - (d) Production of body heat
- **38.** Which of the following joints would allow no movement? **[RE-AIPMT 2015]** 
  - (a) Ball and Socket joint
  - (b) Fibrous joint
  - (c) Cartilaginous joint
  - (d) Synovial joint

(	A	nswers _								10-b 20-b
	1-d	2-c	3-d	4-a	5-b	6-c	7-a	8-d	9-c	10-b
	11-b	12-a	13-d	14-c	15-b	16-d	17-c	18-c	19-b	20-b
	21-a	22-b	23-d	24-d	25-a	26-d	27-c	28-b	29-b	30-с
	31-с	32-d	33-a	34-b	35-с	36-a	37-d	38-b		

**21** 

#### **N**EURAL CONTROL AND COORDINATION

1. Which of the foregulate heart b		erves can [1989]	<ul><li>(b) receptors to CNS</li><li>(c) CNS to receptors</li></ul>
(a) X (c) VIII	(b) IX (d) VII		(d) CNS to muscles 8. Iris is part of [1992]
<ol> <li>Sensitive pigme</li> <li>(a) cornea</li> <li>(c) sclerotic</li> <li>Third ventricle</li> </ol>	(b) retina (d) iris		<ul><li>(a) sclerotic</li><li>(b) choroid/uvula</li><li>(c) choroid and retina</li><li>(d) sclerotic and choroid</li></ul>
<ul><li>(a) metacoel</li><li>(c) paracoel</li></ul>	<ul><li>(b) rhinocoel</li><li>(d) diacoel</li></ul>	[1990]	<ul><li>9. Retina is most sensitive at [1993]</li><li>(a) optic disc (b) periphery</li></ul>
` '	of hair muscles of sweat glands of heart beat	c nervous [1990]	<ul> <li>(c) macula lutea (d) fovea centralis</li> <li>10. Light rays entering the eye are controlled by <ul> <li>(a) pupil</li> <li>(b) iris</li> <li>[1993]</li> </ul> </li> <li>(c) comea</li> <li>(d) lens</li> </ul> <li>11. Ivan Pavlov performed experiments on <ul> <li>[1993]</li> </ul></li>
5. Ecdysis is shed (a) stratum cor (b) epidermis (c) dermis	neum	[1990]	<ul> <li>(a) simple reflexes (b) conditioned reflexes</li> <li>(c) cardiac reflexes(d) origin of life</li> <li>12. Function of iris is to [1993]</li> <li>(a) move lens forward and backward</li> </ul>
<ul><li>(d) stratum Ma</li><li>6. Vagus nerve is</li><li>(a) X</li><li>(c) VII</li></ul>		[1992, 97]	<ul><li>(b) refract light rays</li><li>(c) bring about movements of eye lids</li><li>(d) alter the size of pupil</li></ul>
7. Afferent nerve	fibres carry impuls	ses from [1992]	<ul><li>13. CNS is mostly made of [1993]</li><li>(a) motor neurons and sensory neurons</li><li>(b) sensory neurons and association neurons</li></ul>

- (c) association neurons
- (d) motor neurons and association neurons
- 14. The layer of actively dividing cells of skin is termed as [1993]
  - (a) stratum compactum
  - (b) stratum corneum
  - (c) stratum Malpighi/stratum germinativum
  - (d) stratum lucidum
- **15.** Hair present in the skin are

[1993]

- (a) epidermal in origin and made of dead
- (b) epidermal in origin and made of living
- (c) dermal in origin and made of living cells
- (d) dermal in origin and made of dead cells
- **16.** Respiratory centre is situated in [1994, 99]
  - (a) cerebellum
- (b) medulla oblongata
- (c) hypothalamus (d) cerebrum
- 17. The sympathetic nerves, in mammals arise [1995]
  - (a) sacral nerves
  - (b) cervical nerves
  - (c) thoraco-lumbar nerves
  - (d) III, VII, IX and X cranial nerves
- 18. In humans, visceral organs are innervated [1996]
  - (a) sympathetic nerves and are under conscious control
  - (b) parasympathetic nerves and are under conscious control
  - (c) Both (a) and (b)
  - (d) both sympathetic and parasympathetic nerves but are not under conscious control
- **19.** Cornea transplantation is outstandingly successful because [1996]
  - (a) cornea is easy to preserve
  - (b) cornea is not linked up with blood vascular and immune systems

- (c) the technique involved is very simple
- (d) cornea is easily available
- 20. In the chemistry of vision in mammals, the photosensitive substance is called
  - (a) sclerotin
- (b) retinal
- (c) rhodopsin
- (d) melanin
- 21. In frog, "fenestra ovalis" is

[1997]

- (a) the opening in the auditory capsule which separates the middle ear from internal ear
- (b) the air-filled cavity of the middle ear
- (c) the communication between the pharynx and the tympanic cavity
- (d) the external opening of the tympanic cavity which is covered by the tympanic membrane
- 22. Sympathetic nervous system induces [1997]
  - (a) heart beat
  - (b) secretion of digestive juices
  - (c) secretion of saliva
  - (d) All of the above
- 23. Which cranial nerve has the highest number of branches? [1999]
  - (a) Facial nerve
- (b) Trigeminal
- (c) Vagus nerve
- (d) None of these
- 24. Which of the following is regarded as a unit of nervous tissue? [1999]
  - (a) Myelin sheath (b) Axons
  - (c) Dendrites
- (d) Neurons
- 25. The junction between the axon of one neuron and the dendrite of the next is called
  - (a) junction point (b) a synapse
- [1999]

- (c) a joint
- (d) constant bridge
- **26.** Which one of the following is correctly matched pair of the given secretion and its primary role in human physiology? [2000]
  - (a) Sebum Sexual attraction
  - (b) Sweat Thermoregulation
  - (c) Saliva Tasting food
  - (d) Tears Excretion of salts

- **27.** What is the intensity of sound in normal conversation? [2001]
  - (a) 10-20 dB
  - (b) 35-60 dB
  - (c) 70-90 dB
  - (d) 120-150 dB
- **28.** Characteristic feature of human cornea is that **[2001]** 
  - (a) it is secreted by conjunctiva and glandular tissue
  - (b) it is lacrimal gland which secretes tears
  - (c) blood circulation is absent in cornea
  - (d) in old age it become hard and white layer deposits on it which causes the cataract
- **29.** When we migrate from dark to light, we fail to see for some time but after a time visibility becomes normal. It is an example of **[2001]** 
  - (a) accommodation
  - (b) adaptation
  - (c) mutation
    - (d)


photoperiodism

- **30.** Injury to vagus nerve in human is not likely to affect [2004]
  - (a) tongue movements
  - (b) gastrointestinal movements
  - (c) pancreatic secretion
  - (d) cardiac movements
- 31. Parkinson's disease (characterized by tremors and progressive rigidity of limbs) is caused by degeneration of brain neurons that are involved in movement control and make use of neurotransmitter [2005]
  - (a) acetylcholine
  - (b) norepinephrine
  - (c) dopamine
  - (d) GABA
- **32.** In a man, abducens nerve is injured. Which one of the following functions will be affected? [2005]
  - (a) Movement of the eye ball
  - (b) Swallowing

- (c) Movement of the tongue
- (d) Movement of the neck
- **33.** One of the examples of the action of the autonomous nervous system is [2005]
  - (a) knee-jerk response
  - (b) pupillary reflex
  - (c) swallowing of food
  - (d) peristalsis of the intestine
- **34.** Four healthy people in their twenties got involved in injuries resulting in damage and death of a few cells of the following. Which of the cells are least likely to be replaced by new cells? [2005]
  - (a) Osteocytes
  - (b) Malpighian layer of the skin
  - (c) Liver cells
  - (d) Neurons
- **35.** Which one of the following statements is correct? [2006]
  - (a) Neurons regulate endocrine activity, but not vice versa
  - (b) Endocrine glands regulate neural activity and nervous system regulates endocrine glands
  - (c) Neither hormones control neural activity nor the neurons control endocrine activity
  - (d) Endocrine glands regulate neural activity, but not vice versa
- **36.** Bowman's glands are found in [2006]
  - (a) olfactory epithelium
  - (b) external auditory canal
  - (c) cortical nephrons only
  - (d) juxtamedullary nephrons
- **37.** Which one of the following not act as a neurotransmitter? [2006]
  - (a) Acetylcholine
  - (b) Epinephrine
  - (c) Norepinephrine
  - (d) Cortisone

### www.freejobsportal.in

- 38. Bowman's glands are located in the [2007]
  - (a) proximal end of uriniferous tubules
  - (b) anterior pituitary
  - (c) female reproductive system of cockroach
  - (d) olfactory epithelium of our nose
- **39.** Given below is a diagrammatic cross section of a single loop of human cochlea. **[2008]**



Which one of the following options correctly represents the names of three different parts?

- (a) B : Tectorial membrane C : Perilymph D: Secretory cells
- (b) C: Endolymph D: Sensory hair cells A: Serum
- (c) D : Sensory hair cells A : Endolymph B: Tectorial membrane
- (d) A : Perilymph B : Tectorial membrane C : Endolymph
- **40.** Which one of the following is the correct difference between rod cells and cone cells of our retina? [2008]

	Features	Rod Cell	Cone Cell
(a)	Visual acuity	High	Low
(b)	Visual pigment contained	Iodopsin	Rhodopsin
(c)	Overall function	Vision in poor light	Colour vision and detailed vision in bright light
(d)	Distribution	More concent- rated in centre of retina	Evenly distributed all over retina

**41.** Cornea transplant in human is almost never rejected. This is because [2008]

- (a) its cells are least penetrable by bacteria
- (b) it has no blood supply
- (c) it is composed of enucleated cells
- (d) it is a non-living layer
- **42.** Which part of human brain is concerned with the regulation of body temperature? [2009]
  - (a) Cerebrum
  - (b) Hypothalamus
  - (c) Medulla Oblongata
  - (d) Cerebellum
- **43.** The nerve centres which control the body temperature and the urge for eating are contained in **[Pre. 2010]** 
  - (a) Hypothalamus
  - (b) Pons
  - (c) Cerebellum
  - (d) Thalamus
- **44.** Select the answer with *correct matching* of the structure, its location and function.


#### [Mains 2010] Structure Location **Function** Cerebellum Mid brain (a) Controls respiration and gastric secretions (b) Hypothalamus Fore brain Controls body temperature, urge for eating and drinking (c) Blind spot Near the place Rods and cones where optic are present but nerve leaves inactive here the eye Eustachian Anterior Equalizes air pressure on either tube part of internal ear side of tympanic

- **45.** When a neuron is in resting state *i.e.* not conducting any impulse, the axonal membrane is **[Pre. 2011]** 
  - (a) Comparatively more permeable to Na+ ions and nearly impermeable to K<sup>+</sup> ions


membrane

- (b) Equally permeable to both Na<sup>+</sup> and K<sup>+</sup> ions
- (c) Impermeable to both Na<sup>+</sup> and K<sup>+</sup> ions
- (d) Comparatively more permeable to K<sup>+</sup> ions and nearly impermeable to Na<sup>+</sup> ions

- **46.** The human hind brain comprises three parts, one of which is **[Pre. 2012]** 
  - (a) Cerebellum
  - (b) Hypothalamus
  - (c) Spinal cord
  - (d) Corpus callosum
- **47.** Which part of the human ear plays no role in hearing as such but is otherwise very much required? [Pre. 2012]
  - (a) Vestibular Apparatus
  - (b) Ear ossicles
  - (c) Eustachian tube
  - (d) Organ of Corti
- **48.** A diagram showing axon terminal and synapse is given. Identify correctly at least two of A-D. [2013]



- (a) A-Receptor; C-Synaptic vesicles
- (b) B-Synaptic connection; D-K+
- (c) A-Neurotransmitter; B-Synaptic cleft
- (d) C-Neurotransmitter; D-Ca++
- **49.** Parts A, B, C and D of the human eye are shown in the diagram. Select the option which gives correct identification along with its functions / characteristics [2013]



- (a) A Retina Contains photo receptors-rods and cones.
- (b) B Blind spot Has only a few rods and cones
- (c) C Aqueous chamber Reflects the light which does not pass through the lens
- (d) D Choroid Its anterior part forms ciliary body
- **50.** The most abundant intracellular cation is
  - (a) Na+
- (b) Ca++
- [2013]

- (c) H<sup>+</sup>
- (d) K+
- **51.** Injury localized to the hypothalamus would most likely disrupt **[AIPMT 2014]** 
  - (a) Short term memory
  - (b) Co-ordination during locomotion
  - (c) Executive function, such as decision making
  - (d) Regulation of body temperature
- **52.** Which one of the following statements is not correct? **[AIPMT 2014]** 
  - (a) Retinal is the light absorbing portion of visual photo pigments
  - (b) In retina the rods have the photopigment rhodopsin while cones have three different photopigments
  - (c) Retinal is a derivative of vitamin C
  - (d) Rhodopsin is the purplish red protein present in rods only
- **53.** A gymnast is able to balance his body upside down even in the total darkness because of **[AIPMT 2015]** 
  - (a) Vestibular apparatus
  - (b) Tectorial membrane
  - (c) Organ of corti
  - (d) Cochlea
- **54.** Which of the following regions of the brain is incorrectly paired with its function?

#### [AIPMT 2015]

- (a) Cerebellum-language comprehension
- (b) Corpus callosum-communication between the left and right cerebral cortices

#### Trueman's AIPMT Biology Rebooster Specific

- (c) Cerebrum- calculation and contemplation
- (d) Medulla oblongata homeostatic control

152

**55.** In mammalian eye, the 'fovea' is the center of the visual field, where

#### [RE-AIPMT 2015]

- (a) more rods than cones are found.
- (b) high density of cones occur, but has no rods

- (c) the optic nerve leaves the eye
- (d) only rods are present
- **56.** Destruction of the anterior horn cells of the spinal cord would result in loss of :

#### [RE-AIPMT 2015]

- (a) Integrating impulses
- (b) Sensory impulses
- (c) Voluntary motor impulses
- (d) Commissural impulses

Answers											
1 -a	2 -b	3 -d	4 -d	5 -a	6 <b>-</b> a	7 <b>-</b> b	8 -c	9 <b>-</b> d	10 -a		
11 -b	12 -d	13 -с	14 -с	15 -a	16 -b	17 -с	18 -с	19 -b	20 -с		
					26 -b						
31 -с	32 <b>-</b> a	33 -d	34 -d	35 -a	36 -a	37 -d	38 -d	39 -d	40 -c		
41 <b>-</b> b	42 -b	43 -a	44 -b	45 -d	46 -a	47 -a	48 -a	49 <b>-</b> a	50 -d		
51 -d	52 -c	53 -a	54 -a	55 -b	56 -c						

**22** 

## CHEMICAL COORDINATION AND INTEGRATION

(b) glycine

(d) proline

(a) tryptophan

(c) tyrosine

1. Insulin is [1990](c) continue to respond to the hormone but in the opposite way (a) vitamin (b) lipid (d) continue to respond to the hormone but (d) enzyme (c) hormone will require higher concentration **2.** Addition of a trace of thyroxine or iodine in water containing tadpoles will [1990] **6.** Which of the following endocrine gland stores its secretion in the extracellular space (a) keep them in larval stage before discharging into the blood? (b) hasten their metamorphosis (b) Adrenal (a) Pancreas (c) slow down their metamorphosis (c) Testis (d) Thyroid (d) kill the tadpoles 7. Nicotine acts as a stimulant, because it mim-[1991] **3.** ADH or vasopressin is ics the effect of [1995](a) enzyme that hydrolyses peptides (a) thyroxine (b)acetylcholine (b) hormone secreted by pituitary that (c) testosterone (d) dopamine promotes reabsorption of water from 8. Which of the following radioactive isotope glomerular filtrate is used in the detection of thyroid cancer? (c) hormone that promotes glycogenolysis [1995,2002] (d) energy rich compound connected with (b) Carbon-14 (a) Iodine-131 muscle contraction (c) Uranium-238 (d) Phosphorus-32 4. Gastric secretion is stopped by hormone [1993,94] 9. Which one of the following hormones stimulates the "let down" (release) of milk from (a) enterogesterone (b) gastrin the mother's breasts when the baby is suck-(d) cholecystokinin (c) pancryeozymin [1995] **5.** According to the accepted concept of hor-(a) Progesterone (b) Oxytocin mone action, if receptor molecules are re-(c) Prolactin (d) Relaxin moved from target organs, then the target [1995] 10. Hormones thyroxine, adrenalin and the pigorgan will [1997] ment melanin are formed from (a) not respond to the hormone

### www.freejobsportal.in

(b) continue to respond to hormone without

any difference

- 11. The hormone which regulates the basal metabolism in our body is secreted from [1998] (b) thyroid (a) pituitary (c) adrenal cortex (d) pancreas [1999] **12.** Diabetes is due to (a) iodine deficiency (b) hormonal deficiency (c) Na+deficiency (d) enzyme deficiency 13. The gonadotropic hormones are produced (a) interstitial cells of testes (b) adrenal cortex
- **14.** The function of oxytocin is to help in [1999]

(c) adenohypophysis of pituitary

(d) posterior part of thyroid

- (a) growth
- (b) lactation
- (c) child birth
- (d) gametogenesis
- 15. Melatonin is secreted by

[2000]

- (a) skin
- (b) thymus
- (c) pituitary
- (d) pineal gland
- **16.** Melanocyte Stimulating Hormone (MSH) is produced by [2000]
  - (a) anterior pituitary
  - (b) posterior pituitary
  - (c) pars intermedia of pituitary
  - (d) parathyroid
- 17. A common scent-producing gland among mammals is
  - (a) anal gland
- (b) prostate gland
- (c) adrenal gland (d) Bartholin's gland
- **18.** Acromegaly is caused by

[2002]

- (a) excess of STH
- (b) excess of thyroxin
- (c) deficiency of thyroxin
- (d) excess of adrenalin
- **19.** Melanin protects from

[2002]

- (a) UV rays
- (b) visible rays
- (c) infra-red rays (d) X-rays

20. Adrenaline directly affects

[2002]

- (a) SA node
- (b) β-cells of Langerhans
- (c) dorsal root of spinal cord
- (d) epithelial cells of stomach
- **21.** Which steroid is used for transformation?
  - (a) Cortisol
- (b) Cholesterol
- (c) Testosterone
- (d) Progesterone
- **22.** Chemically hormones are

[2004]

- (a) biogenic amines only
- (b) proteins, steroids and biogenic amines
- (c) proteins only
- (d) steroids only
- 23. Which one of the following pairs correctly matches a hormone with a disease resulting from its deficiency? [2004]
  - (a) Luteinizing hormone Failure of ovulation
  - (b) Insulin Diabetes insipidus
  - (c) Thyroxine Tetany
  - (d) Parathyroid hormone Diabetes mellitus
- **24.** Which of the following hormones is not a secretion product of human placenta? [2004]
  - (a) Human chorionic gonadotropin
  - (b) Prolactin
  - (c) Estrogen
  - (d) Progesterone
- 25. Which one of the following hormones is a modified amino acid? [2004]
  - (a) Epinephrine
- (b) Progesterone
- (c) Prostaglandin (d) Estrogen
- 26. A steroid hormone which regulates glucose metabolism is [2006]
  - (a) cortisol
  - (b) corticosterone
  - (c) 11-deoxycorticosterone
  - (d) cortisone
- 27. Which of the following is an accumulation and release centre of neurohormones?

F---1--

- (a) Posterior pituitary lobe
- [2006]
- (b) Intermediate lobe of the pituitary
- (c) Hypothalamus
- (d) Anterior pituitary lobe
- **28.** Which hormone causes dilation of blood vessels, increased oxygen consumption and glucogenesis? [2006]
  - (a) ACTH
  - (b) Insulin
  - (c) Adrenalin
  - (d) Glucagon
- **29.** Feeling the tremors of an earthquake a scared resident of seventh floor of a multistoryed building starts climbing down the stairs rapidly. Which hormone initiated this action?
  - (a) Thyroxin

[2007]

- (b) Adrenalin
- (c) Glucagon
- (d) Gastrin
- 30. A person is having problems with calcium and phosphorus metabolism in his body. Which one of the following glands may not be functioning properly? [2007]
  - (a) Parathyroid
  - (b) Parotid
  - (c) Pancreas
  - (d) Thyroid
- **31.** Compared to a bull a bullock is docile because of [2007]
  - (a) higher levels of thyroxin
  - (b) higher levels of cortisone
  - (c) lower levels of blood testosterone
  - (d) lower levels of adrenalin/ noradrenalin in its blood
- **32.** Which one of the following pairs of organs includes only the endocrine glands? [2008]
  - (a) Parathyroid and adrenal
  - (b) Pancreas and parathyroid
  - (c) Thymus and testes
  - (d) Adrenal and ovary

- **33.** The blood calcium level is lowered by the deficiency of [2008]
  - (a) parathormone
  - (b) thyroxine
  - (c) calcitonin
  - (d) Both (a) and (c)
- 34. In human adult females, oxytocin [2008]
  - (a) is secreted by anterior pituitary
  - (b) stimulates growth of mammary glands
  - (c) stimulates pituitary to secrete vasopressin
  - (d) causes strong uterine contractions during parturition
- **35.** Injury to adrenal cortex is not likely to affect the secretion of which one of the following?
  - (a) Aldosterone

[Pre. 2010]

- (b) Both Androstenedione and Dehydroepiandrosterone
- (c) Adrenaline
- (d) Cortisol
- **36.** Which one of the following pairs is *incorrectly* matched? **[Pre. 2010]** 
  - (a) Glucagon Beta cells (source)
  - (b) Somatostatin Delta cells (source)
  - (c) Corpus luteum Relaxin (secretion)
  - (d) Insulin Diabetes mellitus (disease)
- **37.** Toxic agents present in food which interfere with thyroxine synthesis lead to the development of **[Pre. 2010]** 
  - (a) toxic goitre
  - (b) cretinism
  - (c) simple goitre
  - (d) thyrotoxicosis
- **38.** The 24 hour (diurnal) rhythm of our body such the sleep awake cycle is regulated by the hormone [Mains 2011]
  - (a) Melatonin
  - (b) Calcitonin
  - (c) Prolactin
  - (d) Adrenaline

### www.freejobsportal.in

<b>39.</b> Select the	correct matching of a hormo	ne, its source and fund	ction. [Mains 2010]

Hormone	Source	Function
(a) Norepinephrine	Adrenal medulla	Increases heart beat, rate of respiration
		and alertness
(b) Glucagon	Beta-cells of Islets of	Stimulates glycogenolysis
_	langerhans	
(c) Prolactin	Posterior pituitary	Regulates growth of mammary glands
		and milk formation in female
(d) Vasopressin	Posterior pituitary	Increases loss of water through urine

**40.** Match the source gland with its respective hormone as well as the functions

[Pre. 2011]

Source gland	Hormone	Function
(a) Anterior pituitary	Oxytocin	Contraction of uterus muscles during child birth
(b) Posterior pituitary	Vasopressin	Stimulates resorption of water in the distal tubules in nephron
(c) Corpus luteum	Estrogen	Supports pregnancy
(d) Thyroid	Thyroxine	Regulates blood calcium level

**41.** Given below is an incomplete table about certain hormones, their source glands and one major effect of each on the body in humans. Identify the correct option for the three blanks A, B and C

Gland	Secretion	Effect on Body	[Pre. 2011]
$\mathbf{A}$	Oestrogen	Maintenance of secondary se	exual characters
Alpha cells of Islets of Langerhans	В	Raises blood sugar level	
Anterior pituitary	C	Over secretion leads to gigar	ntism
Options:			
A B		C	
(a) Ovary Glucago	on	Growth hormone	

(a) Ovary Glucagon Growth hormon
(b) Placenta Insulin Vasopressin
(c) Ovary Insulin Calcitonin
(d) Placenta Glucagon Calcitonin

- **42.** Which one of the following pairs of hormones are the examples of those that can easily pass through the cell membrane of the target cell and bind to a receptor inside it (mostly in the nucleus) [Pre. 2012]
  - (a) Somatostain, oxytocin
  - (b) Cortisol, testosterone
  - (c) Insulin, glucagon

156

- (d) Thyroxin, insulin
- **43.** A person entering an empty room suddenly finds a snake right in front on opening the door. Which one of the following is likely to

happen in his neurohormonal control system [Pre. 2012]

- (a) Hypothalamus actives the parasympathetic divison of brain
- (b) Sympathetic nervous system is activated releasing epinephrine and norepinephrine from adrenal cortex
- (c) Sympathetic nervous system is activated releasing epinephrine and norepinephrine from adrenal cortex
- (d) Nurotransmitters diffuse rapidly across the cleft and transmit a nerve impulse.

157

**44.** A pregnant female delivers a baby who suffers from stunted growth, mental retardation, low intelligence quotient and abnormal skin.

This is the result of:

[2013]

- (a) Deficiency of iodine in diet
- (b) Low secretion of growth hormone
- (c) Cancer of the thyroid gland
- (d) Over secretion of pars distalis
- **45.** Which of the following statements is correct in relation to the endocrine system? **[2013]**

- (a) Adenohypophysis is under direct neural regulation of the hypothalamus
- (b) Organs in the body like gastrointestinal tract, heart, kidney and liver do not produce any hormones
- (c) Non-nutrient chemicals produced by the body in trace amount that act as intercellular messenger are known as hormones
- (d) Releasing and inhibitory hormones are produced by the pituitary gland
- **46.** Select the answer which correctly matches the endocrine gland with the hormone it secretes and its function/deficiency symptom [2013]

<b>Endocrine gland</b>	Hormone	Function/deficiency symptoms
(a) Anterior pituitary	Oxytocin	Stimulates uterus contraction during
		child birth
(b) Posterior pituitary	Growth Hormone (GH)	Oversecretion stimulates abnormal
		growth
(c) Thyroid gland	Thyroxine	Lack of iodine in diet results in goiter
(d) Corpus luteum	Testosterone	Stimulates spermatogenesis

- **47.** Which of the following causes an increase in sodium reabsorption in the distal convoluted tubule? [AIPMT 2014]
  - (a) Increase in aldosterone levels
  - (b) Increase in antidiuretic hormone levels
  - (c) Decrease in aldosterone levels
  - (d) Decrease in antidiuretic hormone levels
- **48.** Identify the hormone with its correct matching of source and function [AIPMT 2014]
  - (a) Oxytocin posterior pituitary, growth and maintenance of mammary glands
  - (b) Melatonin pineal gland, regulates the normal rhythm of sleepwake cycle
  - (c) Progesterone corpus-luteum, stimulation of growth and activities of female secondary sex organs
  - (d) Atrial natriuretic factor ventricular wall, increases the blood pressure

- **49.** Fight-or-flight reactions cause activation of **[AIPMT 2014]** 
  - (a) The parathyroid glands, leading to increased metabolic rate
  - (b) The kidney, leading to suppression of rennin angiotensin-aldosterone pathway
  - (c) The adrenal medulla, leading to increased secretion of epinephrine and norepinephrene
  - (d) The pancreas leading to a reduction in the blood sugar levels
- **50.** A chemical signal that has both endocrine and neural roles is ? [AIPMT 2015]
  - (a) Calcitonin
  - (b) Epinephrine
  - (c) Cortisol
  - (d) Melatonin

#### Trueman's AIPMT Biology Rebooster Specific

**51.** Which one of the following hormones is not involved in sugar metabolism?

[RE-AIPMT 2015]

(a) Glucagon

158

- (b) Cortisone
- (c) Aldosterone
- (d) Insulin

**52.** Which one of the following hormones though synthesized elsewhere, is stored and released by the master gland?

#### [RE-AIPMT 2015]

- (a) Melanocyte stimulating hormone
- (b) Antidiuretic hormone
- (c) Luteinizing hormone
- (d) Prolactin

1-c 11-b 21-b	nswers .								
1-c	2 -b	3 -b	4 -a	5 -a	6 -d	7 <b>-</b> b	8 -a	9 <b>-</b> b	10 -с
11 -b	12 -b	13 -с	14 -с	15 -d	16 -с	17 -a	18 <b>-</b> a	19 <b>-</b> a	20 -a
21 -b	22 -b	23 -a	24 -b	25 -a	26 -a	27 -с	28 -c	29 -b	30 -a
31 -с	32 <b>-</b> a	33 -a	34 -d	35 -c	36 -a	37 -c	38 -a	39 <b>-</b> a	40 -b
41 -a	42 -b	43 -с	44 -a	45 -с	46 -с	47 -a	48 -b	49 -с	50 -b
51 -с	52 -b								

**23** 

#### REPRODUCTION IN ORGANISMS

(b) It adversely affects the fertility of the plant

(c) The seeds exhibit long dormancy

1. Which is correct? [1989]  (a) Gametes are invariably haploid  (b) Spores are invariably haploid	<ul><li>(a) callus</li><li>(b) clone</li><li>(c) deme</li><li>(d) aggregate</li></ul> 7. Which plant will lose its economic value if
<ul><li>(c) Gametes are generally haploid</li><li>(d) Both (a) and (b)</li></ul>	its fruits are produced by induced partheno- carpy? [1997]
<ul><li>2. Cellular totipotency was demonstrated by</li><li>(a) Theodore Schwann [1991]</li></ul>	(a) Grape (b) Pomegranate (c) Banana (d) Orange
<ul><li>(b) A v Leeuwenhoek</li><li>(c) F C Steward</li><li>(d) Robert Hooke</li></ul>	<ul><li>8. In oogamy, fertilization involves [2004]</li><li>(a) a small non-motile female gamete and a large motile male gamete</li></ul>
<ul><li>3. Syngamy means [1991]</li><li>(a) fusion of gametes</li><li>(b) fusion of cytoplasms</li><li>(c) fusion of two similar spores</li><li>(d) fusion of two dissimilar spores</li></ul>	<ul><li>(b) a large non-motile female gamete and a small motile male gamete</li><li>(c) a large non-motile female gamete and a small non motile male gamete</li><li>(d) a large motile female gamete and a small non-motile gamete</li></ul>
<ul><li>4. Meiosis is best observed in dividing [1992]</li><li>(a) cells of apical meristem</li><li>(b) cells of lateral meristem</li><li>(c) microspores and anther wall</li><li>(d) microsporocytes</li></ul>	<ul> <li>9. In which one pair both the plants can be vegetatively propagated by leaf pieces? [2005]</li> <li>(a) Agave and Kalanchoe</li> <li>(b) Bryophyllum and Kalanchoe</li> <li>(c) Asparagus and Bryophyllum</li> </ul>
<ul><li>5. Which of the following plant cells will show totipotency? [1993]</li><li>(a) Sieve tubes (b) Xylem vessels</li><li>(c) Meristems (d) Cork cells</li></ul>	<ul><li>(d) Chrysanthemum and Agave</li><li>10. Why is vivipary an undesirable character for annual crop plants? [2005]</li><li>(a) It reduces the vigour of the plant</li></ul>

### www.freejobsportal.in

[1993]

6. A population of genetically identical indi-


viduals, obtained from asexual reproduction

#### Trueman's AIPMT Biology Rebooster Specific

- (d) The seeds cannot be stored under normal conditions for the next season
- 11. Vegetative propagation in mint occurs [2009]
  - (a) Rhizome

- (b) Sucker
- (c) Runner
- (d) Offset
- **12.** What is common between vegetative reproduction and apomixis? **[Mains 2011]** 
  - (a) Both produces progeny identical to the parent.

- (b) Both are applicable to only dicot plants.
- (c) Both bypass the flowering phase.
- (d) Both occur round the year.
- **13.** In ginger vegetative propagation occurs through: [AIPMT 2015]
  - (a) Offsets
- (b) Bulbils
- (c) Runners
- (d) Rhizome



#### SEXUAL REPRODUCTION IN FLOWERING PLANTS

- 1. A diploid female plant and a tetraploid male plant are crossed. The ploidy of endosperm shall be [1989, 2004]
  - (a) tetraploid
- (b) triploid
- (c) diploid
- (d) pentaploid
- 2. Generative cell was destroyed by laser but a normal pollen tube was still formed because [1989]
  - (a) vegetative cell is not damaged
  - (b) contents of killed generative cell stimulate pollen growth
  - (c) laser beam stimulates growth of pollen tube
  - (d) the region of emergence of pollen tube is not harmed
- **3.** Development of an organism from female gamete/egg without involving fertilization [1989]
  - (a) adventitive embryony
  - (b) polyembryony
  - (c) parthenocarpy
  - (d) parthenogenesis
- 4. Nucellus embryo is

[1989]

- (a) amphimictic haploid
- (b) amphimictic diploid
- (c) apomictic haploid
- (d) apomictic diploid
- **5.** Entry of pollen tube through micropyle is [1990]

- (a) chalazogamy (b) mesogamy
- (c) porogamy
- (d) pseudogamy
- 6. Male gametophyte of angiosperms/mono-[1990] cots is
  - (a) microsporangium
  - (b) nucellus
  - (c) microspore
  - (d) stamen
- 7. Sperm and egg nuclei fuse due to [1990]
  - (a) base pairing of their DNA and RNA
  - (b) formation of hydrogen bonds
  - (c) mutual attraction due to differences in electrical charges
  - (d) attraction of their protoplasts
- 8. Female gametophyte of angiosperms is rep-[1990,91] resented by
  - (a) ovule
  - (b) megaspore mother cell
  - (c) embryo sac
  - (d) nucellus
- 9. Which one produce androgenic haploids in anther cultures? [1990, 94]
  - (a) Anther wall
  - (b) Tapetal layer of anther wall
  - (c) Connective tissue
  - (d) Young pollen grains

10. Pollination occurs in

[1991]

(a) bryophytes and angiosperms

#### Trueman's AIPMT Biology Rebooster Specific

(b) pteridophytes and angiosperms (c) angiosperms and gymnosperms (d) angiosperms and fungi 11. Point out the odd one [1991] (a) nucellus (b) embryo sac (d) pollen grain (c) micropyle 12. Which of the following pair has haploid structures? [1991] (a) Nucellus and antipodal cells (b) Antipodal cells and egg cell (c) Antipodal cells and megaspore mother (d) Nucellus and primary endosperm nucleus 13. Double fertilization is fusion of [1991] (a) two eggs (b) two eggs and polar nuclei with pollen (c) one male gamete with egg and other with synergid (d) one male gamete with egg and other with secondary nucleus 14. Embryo sac occurs in [1991](a) embryo (b) axis part of embryo (c) ovule (d) endosperm **15.** Study of formation, growth and development of new individual from an egg is [1993] (a) apomixis (b) embryology (c) embryogeny (d) cytology 16. Number of meiotic divisions required to produce 200/400 seeds of pea would be [1993] (b) 400/800 (a) 200/400 (c) 300/600 (d) 250/500 17. Double fertilization and triple fusion were discovered by [1993] (a) Hofmeister (b) Nawaschin and Guignard (c) Leeuwenhoek (d) Strasburger

18. Ovule is straight with funiculus, embryo sac,

line. It is

chalaza and micropyle lying on one straight

162

(a) orthotropous (b) anatropous (c) campylotropous (d) amphitropous 19. Double fertilization is characteristic of [1993] (a) angiosperms (b) pteridophytes (c) gymnosperms (d) bryophytes 20. Chief pollinators of agricultural crops are (a) butterflies (b) bees [1994] (c) moths (d) beetles **21.** Haploid plant cultures are got from **[1994]** (a) leaves (b) root tip (d) buds (c) pollen grain 22. Transfer of pollen to the stigma of another flower of the same plant is [1994] (b) allogamy (a) autogamy (c) xenogamy (d) geitonogamy 23. One of the most resistant biological material [1994] (a) lignin (b) hemicellulose (c) lignocellulose (d) sporopollenin 24. Fertilization involving carrying of male gametes by pollen tube is (a) porogamy (b) siphonogamy (c) chalazogamy (d) syngonogamy 25. In an angiosperm, how many microspore mother cells are required to produce 100 pollen grains? [1995] (a) 25 (b) 50 (d) 100 (c) 75 **26.** The polyembryony commonly occurs in (a) Citrus (b) turmeric [1995] (c) tomato (d) potato 27. In angiosperms, triple fusion is required for the formation of [1996] (a) embryo (b) endosperm (c) seed coat (d) fruit wall

28. How many pollen grains will be formed after meiotic division in 10 microspore mother

[1996]

### www.freejobsportal.in

[1993]

cells?

- **35.** Adventive embryony in Citrus is due to
- (a) nucellus (b) integuments [2001]
  - (c) zygotic embryo (d) fertilized egg
  - **36.** Anemophily type of pollination is found in
    - (a) Salvia (b) bottle brush [2001]

- (c) Vallisneria (d) coconut
- **37.** In angiosperms all the four microspores of tetrad are covered by a layer which is formed [2002]
  - (a) pectocellulose (b) callose
  - (c) cellulose (d) sporopollenin
- 38. What is the direction of micropyle in anatro-[2002] pous ovule?
  - (a) Upward (b) Downward
  - (c) Right (d) Left
- 39. In angiosperms pollen tubes liberate their male gametes into the [2002]
  - (a) central cell (b) antipodal cell
  - (c) egg cell (d) synergid
- **40.** In a flowering plant, archesporium gives rise
  - (a) only tapetum and sporogenous cells
  - (b) only the wall of the sporangium
  - (c) both wall and the sporogenous cells
  - (d) wall and the tapetum
- 41. An ovule which becomes curved so that the nucellus and embryo sac lie at right angles to the funicle is [2004]
  - (a) hemitropous (b) campylotropous
  - (c) anatropous (d) orthotropous
- **42.** Which one of the following represents an ovule, where the embryo sac becomes horseshoe shaped and the funiculus and micropyle are close to each other? [2005]
  - (a) Circinotropous (b) Atropous
  - (c) Anatropous (d) Amphitropous
- **43.** Which one of the following represents an ovule, where the embryo sac. becomes horse shoe-shaped and the funiculus and micro-[2005] pyle are close to each other?

- - (a) 10
- (b) 20
- (c) 40
- (d) 80
- 29. If an angiospermic male plant is diploid and female plant tetraploid, the ploidy level of endosperm will be
  - (a) haploid
- (b) triploid
- (c) tetraploid
- (d) pentaploid
- **30.** The endosperm of gymnosperms is **[1999]** 
  - (a) triploid
- (b) haploid
- (c) diploid
- (d) polyploid
- 31. Flowers showing ornithophily show few characteristic like
  - (a) blue flower with nectaries at base of corolla
  - (b) red sweet scented flower with nectaries
  - (c) bright red flower into thick inflorescence
  - (d) white flowers with fragrance
- 32. In the young cob of maize, numerous filamentous hair like structures protruding from its tip are [2000]
  - (a) hair of seeds
  - (b) long styles of carpels
  - (c) anthers
  - (d) hairy projections from the bracts
- [2000] 33. Eight nucleate embryo sacs are

  - (a) always tetrasporic
  - (b) always monosporic
  - (c) always bisporic
  - (d) sometimes monosporic, sometimes bisporic and sometimes tetrasporic
- **34.** Double fertilization leading to initiation of endosperm in angiosperms require [2000]
  - (a) fusion of one polar nucleus and the second male gamete only
  - (b) fusion of two polar nuclei and the second male gamete
  - (c) fusion of four or more polar nuclei and the second male gamete only
  - (d) all of the above kinds of fusion in different angiosperms

#### Trueman's AIPMT Biology Rebooster Specific

- (a) Amphitropous (b) Circinotropous
  - (c) Atropous

164

- (d) Anatropous
- **44.** Through which cell of the embryo sac, does the pollen tube enter the embryo sac?[2005]
  - (a) Egg cell
  - (b) Persistant synergid
  - (c) Degenerated synergid
  - (d) Central cell
- **45.** Top-shaped multiciliate male gametes and the mature seed which bears only one embryo with two cotyledons, are characteristic features of [2005]
  - (a) cycads
  - (b) conifers
  - (c) polypetalous angiosperms
  - (d) gamopetalous angiosperms
- **46.** In a type of apomixis known as adventive embryony, embryos develop directly from the
  - (a) nucellus or integuments

[2005]

- (b) zygote
- (c) synergids or antipodals in an embryo sac
- (d) accessory embryo sac in the ovule
- **47.** Pine apple fruit develops from [2006]
  - (a) a unilocular polycarpellary flower
  - (b) a multipistillate syncarpous flower
  - (c) a cluster of compactly borne flowers on a common axis
  - (d) a multilocular monocarpellary flower
- **48.** Parthenocarpic tomato fruits can be produced by [2006]
  - (a) removing androecium of flowers before pollen grains are released
  - (b) treating the plants with low concentrations of gibberellic acid and auxins
  - (c) raising the plants from vernalized seeds
  - (d) treating the plants with phenylmercuric acetate
- **49.** The arrangement of the nuclei in a normal embryo sac in the dicot plants is **[2006]**

- (a) 3 + 2 + 3
- (b) 2 + 3 + 3
- (c) 3+3+2
- (d) 2+4+2
- 50. What would be the number of chromosomes in the cells of the aleuronelayer in a plant species with 8 chromosomes in its synergids? [2006]
  - (a) 24
- (b) 32
- (c) 8
- (d) 16
- **51.** In a cereal grain the single cotyledon of embryo is represented by [2006]
  - (a) coleorhiza
- (b) scutellum
- (c) prophyll
- (d) coleoptile
- **52.** Which one of the following is surrounded by a callose wall? [2007]
  - (a) Microspore mother cell
  - (b) Male gamete
  - (c) Egg
  - (d) Pollen grain
- **53.** Male gametes in angiosperms are formed by the division of [2007]
  - (a) microspore
  - (b) generative cell
  - (c) vegetative cell
  - (d) microspore mother cell
- **54.** Endosperm is consumed by developing embryo in the seed of [2008]
  - (a) coconut
- (b) castor
- (c) pea
- (d) maize
- **55.** What does the filiform apparatus do at the entrance into ovule? [2008]
  - (a) It helps in the entry of pollen tube into a synergid
  - (b) It prevents entry of more than one pollen tube into the embryo sac
  - (c) It brings about opening of the pollen tube
  - (d) It guides pollen tube from a synergid to egg
- **56.** Which one of the following pairs of plant structures has haploid number of chromosomes? [2008]
  - (a) Megaspore mother cell and antipodal cells

165

- (b) Egg cell and antipodal cells
- (c) Nucellus and antipodal cells
- (d) Egg nucleus and secondary nucleus
- 57. Which one of the following is resistant to enzyme action?
  - (a) Cork
- (b) Wood fibre
- (c) Pollen exine
- (d) Leaf cuticle
- **58.** Unisexuality of flowers prevents [2008]
  - (a) autogamy, but not geitonogamy
  - (b) both geitonogamy and xenogamy
  - (c) geitonogamy, but not xenogamy
  - (d) autogamy and geitonogamy
- **59.** An example of a seed with endosperm, perisperm, and caruncle is: [2009]
  - (a) lily
- (b) castor
- (c) cotton
- (d) coffee
- **60.** Apomictic embryos in *citrus* arise form

[Pre. 2010]

- (a) Synergids
- (b) Maternal sporophytic tissue in ovule
- (c) Antipodal cells
- (d) Diploid egg
- **61.** Transfer of pollen grains from the anther to the stigma of another flower of the same plant is called [Pre. 2010]
  - (a) Xenogamy
- (b) Geitonogamy
- (c) Karyogamy
- (d) Autogamy
- 62. The scutellum observe in a grain of wheat or maize is comparable to which part of the seed [Pre. 2010] in other monocotyledons?
  - (a) Cotyledon
- (b) Endosperm
- (c) Aleurone layer (d) Plumule
- **63.** Wind pollinated flower are : [Pre. 2010]
  - (a) small, brightly coloured, producing large number of pollen grains
  - (b) small, producing large number of dry pollen grains
  - (c) large producing abundant nectar and
  - (d) small, producing nectar and dry pollen
- **64.** In angiosperms, functional megaspore develops into: [Mains 2011]

- (a) Pollen sac
- (b) Embryo sac
- (c) Ovule
- (d) Endosperm
- **65.** Filiform apparatus is a characteristic feature [Pre. 2011]
  - (a) Suspensor
- (b) Egg
- (c) Synergid
- (d) Zygote
- 66. Nucellar polyembryony is reported in species of [Pre. 2011]
  - (a) Citrus
- (b) Gossypium
- (c) Triticum
- (d) Brassica
- 67. In which one of the following pollination is autogamous? [Pre. 2011]
  - (a) Geitonogamy (b) Xenogamy
  - (c) Chasmogamy (d) Cleistogamy
- 68. Wind pollination is common in [Pre. 2011]
  - (a) Legumes
- (b) Lilies
- (c) Grasses
- (d) Orchids
- **69.** Plants with ovaries having only one or a few ovules, are generally pollinated by

#### [Mains 2012]

- (a) Butterflies
- (b) Birds
- (c) Wind
- (d) Bees
- 70. What is the function of germ pore?

#### [Mains 2012]

- (a) Absorption of water for seed germination
- (b) Initiation of pollen tube
- (c) Release of male gametes
- (d) Emergence of radicle
- 71. Which one of the following statements is [Mains 2012] wrong?
  - (a) Vegetative cell is larger than generative
  - (b) Pollen grains in some plants remain viable for months
  - (c) Intine is made up of cellulose and pectin
  - (d) When pollen is shed at two-celled stage, double fertilization does not take place
- 72. Both, autogamy and geitonogamy are prevented in [Pre. 2012]
  - (a) Castor
- (b) Maize
- (c) Papaya
- (d) Cucumber

#### Trueman's AIPMT Biology Rebooster Specific

- 73. Even in absence of pollinating agents seedsetting is assured in - [Pre. 2012]
  - (a) Salvia

166

- (b) Fig
- (c) Commellina
- (d) Zostera
- 74. Megasporangium is equivalent to [2013]
  - (a) Embryo sac
- (b) Fruit
- (c) Nucellus
- (d) Ovule
- 75. Seed coat is not thin, membranous in [2013]
  - (a) Maize
- (2) Coconut
- (c) Groundnut
- (d) Gram
- **76.** Which one of the following statements is correct? **[2013]** 
  - (a) Hard outer layer of pollen is called intine
  - (b) Sporogenous tissue is haploid
  - (c) Endothecium produces the microspores
  - (d) Tapetum nourishes the developing pollen
- 77. Product of sexual reproduction generally generates: [2013]
  - (a) Longer viability of seeds
  - (b) Prolonged dormancy
  - (c) New genetic combination leading to variation
  - (d) Large biomass
- **78.** Advantage of cleistogamy is [2013]
  - (a) Higher genetic variability
  - (b) More vigorous offspring
  - (c) No dependence on pollinators
  - (d) Vivipary
- 79. Perisperm differs from endosperm in [2013]
  - (a) Being a haploid tissue
  - (b) Having no reserve food
  - (c) Being a diploid tissue
  - (d) Its formation by fusion of secondary nucleus with several sperms
- **80.** Geitonogamy involves [AIPMT 2014]
  - (a) Fertilisation of a flower by the pollen from another flower of the same plant
  - (b) Fertilisation of a flower by the pollen from the same flower

- (c) Fertilisation of a flower by the pollen from a flower of another plant in the same population
- (d) Fertilisation of a flower by the pollen from a flower of another plant belonging to a distant population
- **81.** Male gametophyte with least number of cells is present in: **[AIPMT 2014]** 
  - (a) Pteris
- (b) Funaria
- (c) Lilium
- (d) Pinus
- **82.** Pollen tablets are available in the market for [AIPMT 2014]
  - (a) In vitro fertilization
  - (b) Breeding programmes
  - (c) Supplementing food
  - (d) Ex situ conservation
- **83.** Function of filiform apparatus is to:

#### [AIPMT 2014]

- (a) Recognize the suitable pollen at stigma
- (b) Stimulate division of generative cell
- (c) Produce nectar
- (d) Guide the entry of pollen tube
- **84.** Non-albuminous seed is produced in [AIPMT 2014]
  - (a) Maize
- (b) Castor
- (c) Wheat
- (d) Pea
- **85.** Transmission tissue is characteristic feature of: [AIPMT 2015]
  - (a) Solid style
- (b) Dry stigma
- (c) Wet stigma
- (d) Hollow style
- **86.** Which one of the following may require pollinators, but is genetically similar to autogamy? [AIPMT 2015]
  - (a) Xenogamy
- (b) Apogamy
- (c) Cleistogamy
- (d) Geitonogamy
- **87.** Which one of the following statements is not true? [AIPMT 2015]
  - (a) Pollen grains of some plants cause severe allergies and bronchial afflictions in some people

167

- (b) The flowers pollinated by flies and bats secrete foul odour to attract them
- (c) Honey is made by bees by digesting pollen collected from flowers
- (d) Pollen grains are rich in nutrients, and they are used in the form of tablets and syrups
- 88. The hilum is a scar on the: [AIPMT 2015]
  - (a) Fruit, where it was attached to pedicel
  - (b) Fruit, where style was present
  - (c) Seed, where micropyle was present
  - (d) Seed, where funicle was attached
- **89.** Which of the following are the important floral rewards to the animal pollinators?

#### [AIPMT 2015]

- (a) Nectar and pollen grains
- (b) Floral fragrance and calcium crystals
- (c) Protein pellicle and stigmatic exudates
- (d) Colour and large size flower
- **90.** Male gametophyte in angiosperms produces: [RE-AIPMT 2015]
  - (a) Three sperms
  - (b) Two sperms and a vegetative cell

- (c) Single sperm and a vegetative cell
- (d) Single sperm and two vegetative cells
- **91.** Coconut water from a tender coconut is: **[RE-AIPMT 2015]** 
  - (a) Degenerated nucellus
  - (b) Immature embryo
  - (c) Free nuclear endosperm
  - (d) Innermost layers of the seed coat
- **92.** Filiform apparatus is characteristic feature of: **[RE-AIPMT 2015]** 
  - (a) Synergids
- (b) Generative cell
- (c) Nucellar embryo
- (d) Aleurone cell
- **93.** Which one of the following fruits is parthenocarpic? **[RE-AIPMT 2015]** 
  - (a) Banana
- (b) Brinjal
- (c) Apple
- (d) Jackfruit
- **94.** In angiosperms, microsporogenesis and megasporogenesis: **[RE-AIPMT 2015]** 
  - (a) occur in ovule
  - (b) occur in anther
  - (c) form gametes without furthers divisions
  - (d) involve meiosis

OA	nswers .								
1 -a	2 -a	3 -d	4 -d	5 -c	6 <b>-</b> c	7 <b>-</b> d	8 -c	9 <b>-</b> d	10 -с
11 -d	12 -b	13 -d	14 -с	15 -b	16 <b>-</b> d	17 -b	18 <b>-</b> a	19 <b>-</b> a	20 -b
21 -c	22 -d	23 -d	24 -b	25 -a	26 -a	27 -b	28 -c	29 -d	30 -b
31 -b	32 -b	33 -d	34 -b	35 -a	36 -d	37-b	38 -b	39 -d	40 -c
41 -a	42 -d	43 -a	44 -c	45 -a	46 -a	47 -с	48 -b	49 <b>-</b> a	50 -a
51 -b	52 -a	53 -b	54 -c	55 -a	56 -b	57 -c	58 -a	59 -b	60 -b
61 -b	62 -a	63 -b	64 -b	65 -c	66 -a	67 <b>-</b> d	68 -c	69 <b>-</b> c	70 -b
71 -d	72 -c	73 <b>-</b> c	74 -d	75 <b>-</b> d	76 <b>-</b> d	77 <b>-</b> c	78 -c	79 <b>-</b> c	80 -a
81 -c	82 -c	83 -d	84 -d	85 -a	86 -d	87 <b>-</b> c	88 -d	89 <b>-</b> a	90 -b
91 <b>-</b> c	92 -a	93 -a	94 -d						

### **25A**

## HUMAN REPRODUCTION: REPRODUCTIVE SYSTEM

<ol> <li>Egg is liberated from ovary in         <ul> <li>(a) secondary oocyte stage</li> <li>(b) primary oocyte stage</li> <li>(c) oogonial stage</li> <li>(d) mature ovum stage</li> </ul> </li> </ol>	7. Freshly released human egg has [1991]  (a) one Y - chromosome  (b) one X - chromosome  (c) two X - chromosomes  (d) Both (a) and (b)				
2. Gonads develop from embryonic [1990] (a) ectoderm (b) endoderm (c) mesoderm (d) Both (b) and (c)	(a) liver—cholesterol [1991] (b) ovary—estrogen				
<ul><li>3. How many sperms are formed from a secondary spermatocyte? [1990]</li><li>(a) 4 (b) 8</li></ul>	<ul><li>(d) pancreas — glucagon</li><li>9. Extrusion of second polar body from egg</li></ul>				
<ul> <li>(c) 2 (d) 1</li> <li>4. Occurrence of Leydig's cells and their secretion is [1991,98]</li> <li>(a) ovary and estrogen</li> <li>(b) liver and cholesterol</li> <li>(c) pancreas and glucagon</li> </ul>	nucleus occurs [1993  (a) after entry of sperm but before completion of fertilization  (b) after completion of fertilization  (c) before entry of sperm  (d) without any relation of sperm entry				
<ul> <li>(d) testis and testosterone</li> <li>5. Middle piece of mammalian sperm possesses [1991,99]</li> <li>(a) mitochondria and centriole</li> </ul>	<ul><li>10. Male hormone is produced in the testis by cells of [1993]</li><li>(a) sertoli (b) epithelial</li><li>(c) spermatocytes (d) Leydig</li></ul>				
<ul><li>(b) mitochondria only</li><li>(c) centriole only</li><li>(d) nucleus and mitochondria</li></ul>	<ul> <li>11. Acrosome reaction in sperm is triggered by [1993]</li> <li>(a) capacitation (b) release of lysin</li> <li>(c) influx of Na+ (d) release of fertilizin</li> </ul>				
<ul><li>6. Fertilizins are emitted by [1991, 97]</li><li>(a) immature eggs (b) mature eggs</li><li>(c) sperms (d) polar bodies</li></ul>	<ul><li>12. Ovulation occurs under the influence of</li><li>(a) LH</li><li>(b) FSH</li><li>[1994]</li><li>(c) estrogen</li><li>(d) progesterone</li></ul>				

169


13. In 28 days human ovarian cycle, ovulation (b) LH occurs on [1994, 97] (c) FSH, LH, estrogen (d) Progesterone (a) 1 day (b) 5 day 22. When both ovaries are removed from rat (c) 14 day (d) 28 day which hormone is decreased in blood? [2002] 14. At the end of first meiotic division, male germ [1994, 2008] differentiates into (a) Oxytocin (b) Prolactin (c) Estrogen (a) secondary spermatocyte (d) Gonadotropic releasing factor (b) primary spermatocyte 23. Bartholin's glands are situated [2003] (c) spermatogonium (a) on either side of vagina in humans (d) spermatid (b) on either side of vas deference in humans 15. The mammalian corpus luteum produces (c) on the sides of the head of some (a) estrogen [1995] amphibians (b) progesterone (d) at the reduced tail end of birds (c) luteotropic hormone **24.** Ovulation in the human female normally (d) luteinizing hormone takes place during the menstrual cycle **16.** The estrus cycle is a characteristic of [1995] (a) at the mid secretory phase (a) human males only (b) just before the end of the secretory phase (b) human females only (c) at the beginning of the proliferative (c) mammalian males other than primates (d) mammalian females other than primates (d) at the end of the proliferative phase 17. Stratum germinativum is an example of 25. If mammalian ovum fails to get fertilized, which kind of epithelium? which one of the following is unlikely? (a) Cuboidal (b) Ciliated (a) Corpus luteum will disintegrate [2005] (c) Columnar (d) Squamous (b) Estrogen secretion further decreases (c) Primary follicle starts developing **18.** After ovulation, Graafian follicle regresses [1999] into (d) Progesterone secretion rapidly declines (a) corpus luteum (b) corpus callosum **26.** Sertoli cells are regulated by the pituitary hor-(c) corpus albicans (d) corpus atresia mone known as [Pre. 2006] (a) FSH (b) GH **19.** Secretion of progesterone by corpus luteum is initiated by [1999] (d) LH (c) prolactin (a) thyroxine (b) LH 27. Withdrawal of which of the following hor-(c) MSH (d) testosterone mones is the immediate cause of menstruation? [Pre. 2006] 20. Which set is similar? [2001] (a) Estrogen (b) FSH (a) Corpus luteum — Graafian follicle (c) FSH-RH (d) Progesterone (b) Sebum —Sweat (c) Bundle of His — Pacemaker 28. Which part of ovary in mammals acts as an endocrine gland after ovulation? [2007] (d) Vit-B7 — Niacin (a) Graafian follicle (b) Stroma 21. Mainly which type of hormones control the (c) Germinal epithelium menstrual cycle in human beings? [2002] (d) Vitelline membrane

- **29.** In the human female, menstruation can be deferred by the administration of **[2007]** 
  - (a) LH only
  - (b) combination of FSH and LH
  - (c) combination of estrogen and progesterone
  - (d) FSH only
- **30.** Which one of the following is the *correct* matching of the events occurring during menstrual cycle? [2009]
  - (a) *Development of* : Secretory phase and increased secretion of progesterone
  - (b) *Menstruation*: breakdown of myometrium and ovum not fertilized.
  - (c) *Ovulation*: LH and FSH attain peak level and sharp fall in the secretion of progesterone.
  - (d) *Proliferative phase*: Rapid regeneration of myometrium and maturation of Graafian follicle
- **31.** The correct sequence of spermatogenetic stages leading to the formation of sperms in a mature human testis is: [2009]
  - (a) spermatid spermatocyte spermatogonia sperms
  - (b) spermatogonia-spermatid-spermatocytesperms
  - (c) spermatocyte-spermatogonia-spermatid– sperms
  - (d) spermatogonia spermatocyte spermatid sperms
- **32.** Which one of the following is the most likely root cause why menstruation is not taking place in regularly cycling human female?

[2009

- (a) maintenance of high concentration of sex-hormones in the blood stream
- (b) retention of well-developed corpus luteum
- (c) fertilisation of the ovum
- (d) maintenance of the hypertrophical endometrial lining.

**33.** Given below is a diagrammatic sketch of a portion of human male reproductive system. Select the correct set of the names of the parts labelled A, B, C, D [2009]



- (a) A. vas deferens, B. seminal vesicle, C. bulbourethral gland, D. prostate
- (b) A. ureter, B. seminal vesicle, C. prostate,D. bulbourethral gland
- (c) A. ureter, B. prostate, C. seminal vesicle, D. bulbourethral gland
- (d) A. vas deferens, B. seminal vesicle, C. prostate, D. bulbourethral gland
- **34.** Seminal plasma in humans is rich in [2009]
  - (a) glucose and certain enzymes but has no calcium
  - (b) fructose and certain enzymes but poor in calcium
  - (c) fructose, calcium and certain enzymes
  - (d) fructose and calcium but has no enzymes
- **35.** Sertoli cells are found in [2010]
  - (a) ovaries and secrete progesterone
  - (b) adrenal cortex and secrete adrenaline
  - (c) seminiferous tubules and provide, nutrition to germ cells
  - (d) pancreas and secrete cholecystokinin
- **36.** Vasa efferentia are the ductules leading from
  - (a) Testicular lobules to rete testis [2010]
  - (b) Rete testis to vas deferens
  - (c) Vas deferens to epididymis
  - (d) Epididymis to urethra
- 37. Seminal plasma in human males is rich in
  - (a) fructose and calcium

[Pre. 2010]

(b) glucose and calcium

- (c) DNA and testosterone
- (d) ribose and potassium
- **38.** The second maturation division of the mammalian ovum occurs [Pre. 2010]
  - (a) Shortly after ovulation before the ovum makes entry into the Fallopian tube
  - (b) Until after the ovum has been penetrated by a sperm
  - (c) Until the nucleus of the sperm has fused wilh that of the ovum
  - (d) in the Graafian follicle following the first maturation division
- **39.** Which one of the following statements about human sperm is correct? **[Pre. 2010]** 
  - (a) Acrosome has a conical pointed structure used for piercing and penetrating the egg, resulting in fertilisation
  - (b) The sperm lysins in the acrosome dissolve the egg envelope facilitating fertilisation
  - (c) Acrosome serves as a sensory structure leading the sperm towards the ovum
  - (d) Acrosome serves no particular function
- **40.** The part of Fallopian tube closest to the ovary is **[Pre. 2010]** 
  - (a) Isthmus
  - (b) Infundibulum
  - (c) Cervix
  - (d) Ampulla
- **41.** Secretions from which one of the following are rich in fructose, calcium and some enzymes? [Mains 2010]
  - (a) Liver
  - (b) Pancreas
  - (c) Salivary glands
  - (d) Male accessory glands
- **42.** What happens during fertilization in humans after many sperms reach close to the ovum? [Mains 2011]
  - (a) Only two sperms nearest the ovum penetrate zona pellucida


- (b) Secretion of acrosome helps one sperm enter cytoplasm of ovum through zona pellucid
- (c) All sperms except the one nearest to the ovum lose their tails
- (d) Cells of corona radiata trap all the sperm except one
- 43. About which day in normal human menstrual cycle does rapid secretion of LH (popularly called LH-surge) normally occurs? [Mains 2011]
  - (a) 11th day
- (b) 14th day
- (c) 20<sup>th</sup> day
- (d) 5<sup>th</sup> day
- **44.** If for some reason, the vasa efferentia in the humar reproductive system get blocked, the gametes will not be transported from

[Pre. 2011]

- (a) Testes to epididymis
- (b) Epididymis to vas deferens
- (c) Ovary to uterus
- (d) Vagina to uterus
- **45.** The testes in humans are situated outside the abdominal cavity inside a pouch called scrotum. The purpose served is for

[Pre. 2011]

- (a) Maintaining the scrotal temperature lower than the internal body temperature
- (b) Escaping any possible compression by the visceral organs.
- (c) Providing more space for the growth of epididymis
- (d) Providing a secondary sexual feature for exhibiting the male sex.
- 46. The figure given below depicts a diagrammatic sectional view of the female reproductive system of humans. Which one set of three parts out of I-VI have been correctly identified? [2011]



- (a) (II) Endometrium, (III) Infundibulum, (IV) Fimbriae
- (b) (III) Infundibulum, (IV) Fimbriae, (V) Cervix
- (c) (IV) Oviducal funnel, (V) Uterus, (VI) Cervix
- (d) (I) Perimetrium, (II) Myometrium, (III) Fallopian tube
- **47.** The secretory phase in the human menstrual cycle is also called : [Mains 2012]
  - (a) Follicular phase lasting for about 6 days
  - (b) Luteal phase and lasts for about 13 days
  - (c) Follicular phase and lasts for about 13 days
  - (d) Luteal phase and lasts for about 6 days
- **48.** The Leydig cells as found in the human body are the secretory source of **[Pre. 2012]** 
  - (a) glucagon
  - (b) androgens
  - (c) progesterone
  - (d) intestinal mucus
- **49.** What is correct to say about the hormone action in humans? **[Pre. 2012]** 
  - (a) In female, FSH first bind with specific receptor on ovarian cell membrane
  - (b) FSH stimulates the secretion of estrogen and progesterone
  - (c) Glucagon is secreted by B-cells of Islets of Langerhans and stimulates glycogenolysis
  - (d) Secretion of thymosins is stimulated with ageing
- 50. In normal pregnant woman, the amount of total gonadotropin activity was assessed. The result expected was [Pre. 2012]
  - (a) High levels of FSH and LH in uterus to stimulate endometrial thickening
  - (b) High levels of circulating HCG to stimulate estrogen and progesterone synthesis
  - (c) High level of circulating FSH and LH in the uterus to stimulate implantation of the embryo

- (d) High level of circulating HCG to stimulate endometrial thickening
- **51.** Which one of the following statements is false in respect of viability mammalian sperm [Pre. 2012]
  - (a) Viability of sperm is determined by its motility
  - (b) Sperm must be concentrated in a thick suspension
  - (c) Sperm is viable for only up to 24 hours
  - (d) Survival of sperm depends on the pH of the medium and more active in alkaline medium
- **52.** Meiosis takes place in **[2013]** 
  - (a) Meiocyte
  - (b) Conidia
  - (c) Gemmule
  - (d) Megaspore
- **53.** What is the correct sequence of sperm formation? [2013]
  - (a) Spermatid, spermatocyte, spermatogonia, spermatozoa
  - (b) Spermatogonia, spermatocyte, spermatozoa, spermatid
  - (c) Spermatogonia, spermatozoa, spermatocyte, spermatid
  - (d) Spermatogonia, spermatocyte, spermatid, spermatozoa
- **54.** Menstruel flow occurs due to lack of [2013]
  - (a) Pnogesterme
  - (b) FSH
  - (c) Oxytocin
  - (d) Vasopressin.
- **55.** The main function of mammalian corpus luteum is to produce [AIPMT 2014]
  - (a) Estrogen only
  - (b) Progesterone
  - (c) Human chorionic gonadotropin
  - (d) Relaxin only
- **56.** Capacitation refers to changes in the :- **[AIPMT 2015]**

#### Trueman's AIPMT Biology Rebooster Specific

173

- (a) Ovum before fertilization
- (b) Ovum after fertilization
- (c) Sperm after fertilization
- (d) Sperm before fertilization
- **57.** Hysteresctomy is surgical removal of:

#### [AIPMT 2015]

- (a) Prostate gland
- (b) Vas-deference
- (c) Mammary glands
- (d) Uterus
- **58.** Which of the following cells during gametogenesis is normally diploid?

#### [AIPMT 2015]

- (a) Spermatid
- (b) Spermatogonia
- (c) Secondary polar body
- (d) Primary polar body

- **59.** Which of the following events is not associated with ovulation in human female?
  - [RE-AIPMT 2015]
  - (a) LH surge
  - (b) Decrease in estradiol
  - (c) Full development of Graafian follicle
  - (d) Release of secondary oocyte
- **60.** In human females, meiosis-II is not completed until? **[RE-AIPMT 2015]** 
  - (a) birth
  - (b) puberty
  - (c) fertilization
  - (d) uterine implantation
- **61.** Which of the following layers in an antral follicle is acellular? **[RE-AIPMT 2015]** 
  - (a) Zona pellucida
  - (b) Granulosa
  - (c) Theca interna
  - (d) Stroma

Answers  1 -a 2 -c 3 -c 4 -d 5 -b 6 -b 7 -b 8 -c 9 -a 10 -d 11 -d 12 -a 13 -c 14 -a 15 -b 16 -d 17 -a 18 -a 19 -b 20 -a										_
1 -a	2 -c	3 -c	4 -d	5 -b	6 -b	7 <b>-</b> b	8 -c	9 -a	10 <b>-</b> d	
11 -d	12 -a	13 -с	14 -a	15 -b	16 <b>-</b> d	17 -a	18 -a	19 <b>-</b> b	20 -a	
21 <b>-</b> c	22 -c	23 -a	24 -d	25 -b		27 <b>-</b> d	28 -a	29 <b>-</b> c	30 -a	
31 -d	32 -c	33 -d	34 -b	35 <b>-</b> c	36 -b	37 -a	38 -b	39 -b	40 -b	
41 -d	42 -b	43 -b	44 -a	45 -a	46 -b	47 <b>-</b> b	48 -b	49 -a	50 -b	
51 <b>-</b> c	52 -a	53 -d	54-a	55 -b	56 -d	57 <b>-</b> d	58 -b	59 <b>-</b> b	60 -c	
61 <b>-</b> a										

(c) endoderm

### **25B**

### **HUMAN REPRODUCTION:** HUMAN EMBRYOLOGY

1.	Cells become variable in morphology and function in different regions of the embryo. The process is [1989]  (a) differentiation (b) metamorphosis (c) organization (d) rearrangement	<ul> <li>7. Amount of yolk and its distribution are changed in the egg. Which one is affected?</li> <li>(a) Pattern of cleavage [1993,95]</li> <li>(b) Formation of zygote</li> <li>(c) Number of blastomeres</li> <li>(d) Fertilization</li> </ul>
2.	Human eggs are [1989, 97]	8. Termination of gastrulation is indicated by
	(a) alecithal (b) microlecithal	(a) obliteration of blastocoel [1993]
	(c) mesolecithal (d) macrolecithal	(b) obliteration of archenteron
3.	During cleavage, what is true about cells? [1991]	<ul><li>(c) closure of blastopore</li><li>(d) closure of neural tube</li></ul>
	(a) Nucleocytoplasmic ratio remains unchanged	<ul><li>9. In telolecithal egg the yolk is found [1993]</li><li>(a) all over the egg (b) on one side</li></ul>
	(b) Size does not increase	(c) both the sides (d) at centre
	(c) There is less consumption of oxygen	10. What is true about cleavage in fertilized egg
	(d) The division is like meiosis	of human? [1994]
4.	Blastopore is [1992, 2000]	(a) Meroblastic
	(a) opening of neural tube	(b) Starts when egg reaches uterus
	(b) opening of gastrocoel	(c) Starts in fallopian tube
	<ul><li>(c) future anterior end of embryo</li><li>(d) found in blastula</li></ul>	(d) It is identical to normal mitosis
5.	Meroblastic cleavage is division [1992]	11. Extra-embryonic membranes of the mammalian embryo are derived from [1994]
	(a) horizontal (b) partial/parietal	(a) inner cell mass (b) trophoblast
	(c) total (d) spiral	(c) formative cells (d) follicle cells
6.	Eye lens is formed from [1992]	<b>12.</b> Cleavage in mammalian egg is [2000]
	(a) ectoderm (b) mesoderm	(a) equal holoblastic

### www.freejobsportal.in

(d) both (a) and (b)

(a) equal holoblastic

(b) unequal holoblastic

- (c) superficial meroblastic
- (d) discoidal meroblastic
- 13. At the time of organogenesis, genes regulate the process at different levels and at different time due to [2001]
  - (a) promoter
- (b) regulator
- (c) intron
- (d) exon
- 14. What is true for cleavage?

[2002]

- (a) Size of embryo increases
  - (b) Size of cells decreases
  - (c) Size of cells increases
  - (d) Size of embryo decreases
- **15.** During embryonic development, the establishment of polarity along anterior/ posterior, dorsal/ventral or medial/lateral axis is called [2003]
  - (a) anamorphosis
  - (b) pattern formation
  - (c) organizer phenomena
  - (d) axis formation
- **16.** Test-tube baby means a baby born when **[2003]** 
  - (a) the ovum is fertilized externally and there after implanted in the uterus
  - (b) it develops from a non-fertilized egg
  - (c) it is developed in a test tube
  - (d) it is developed through tissue culture method
- **17.** Gray crescent is the area [2005]
  - (a) at the point of entry of sperm into ovum
  - (b) just opposite to the site of entry of sperm into ovum
  - (c) at the animal pole
  - (d) at the vegetal pole
- **18.** The living organisms can be unexceptionally distinguished from the non-living things on the basis of their ability for [2007]
  - (a) responsiveness to touch
  - (b) interaction with the environment and progressive evolution

- (c) reproduction
- (d) growth and movement
- 19. Which extra-embryonic membrane in humans prevents desiccation of the embryo inside the uterus?
  - (a) Chorion
- (b) Allantois
- (c) Yolk sac
- (d) Amnion

[2008]

- **20.** Which one of the following statement is incorrect about menstruation? [2008]
  - (a) During normal menstruation about 40 mL blood is lost
  - (b) The menstrual fluid can easily clot
  - (c) At menopause in the female, there is especially abrupt increase in gonadotropic hormones
  - (d) The beginning of the cycle of menstruation is called menarche
- **21.** Foetal ejection reflex in human female is induced by: [2009]
  - (a) fully developed foetus and placenta
  - (b) differentiation of mammary glands
  - (c) pressure exerted by amniotic fluid
  - (d) release of oxytocin from pituitary
- **22.** A change in the amount of yolk and its distribution in the egg will affect **[2009]** 
  - (a) Number of blastomeres produced
  - (b) Fertilization
  - (c) Formation of zygote
  - (d) Pattern of cleavage
- **23.** The signals for parturition originate from
  - (a) placenta only

[Pre. 2010]

- (b) Placenta as well as fully developed foetus
- (c) oxytocin released from maternal pituitary
- (d) fully developed foetus only
- **24.** The first movements of the foetus and appearance of hair on its head are usually observed during which month of pregnancy?

[Pre. 2010]


- (a) Fourth month (b) Fifth month
- (c) Sixth month
- (d) Third month

### www.freejobsportal.in

25. In human female the blastocyst

#### [Mains 2010]

- (a) gets implanted into uterus 3 days after ovulation
- (b) gets nutrition from uterine endometrial secretion only after implantation
- (c) gets implanted in endometrium by the trophoblast cells.
- (d) forms placenta even before implantation
- **26.** Signals from fully developed foetus and placenta ultimately lead to parturition which requires the release of : [Mains 2010]
  - (a) Oxytocin from maternal pituitary
  - (b) Oxytocin from foetal pituitary
  - (c) Relaxin from placenta
  - (d) Estrogen from placenta
- **27.** The technique called *gamete intrafallopian transfer* (GIFT) is recommended for those females: [Mains 2011]
  - (a) who cannot provide suitable environment for fertilization
  - (b) who cannot produce an ovum
  - (c) who cannot retain the foetus inside uterus
  - (d) whose cervical canal is too narrow to allow passage for the sperms
- 28. Identify the human development stage shown below as well as the related right place of its occurrence in a normal pregnant women and select the right option for the two together [Mains 2012]



Developmental stage

Site of occurrence

(a) Blastula

End part of Fallopian tube

- (b) Blastocyst Uterine wall
- (c) 8-celled morula Starting point of Fallo-

pian tube

(d) Late morula Middle part of Fallopian

tube

**29.** The test –tube baby programme employs which one of the following techniques

[Pre. 2012]

- (a) Gamete intra fallopian transfer (GIFT)
- (b) Zygote intra fallopian transfer (ZIFT)
- (c) Intra cytoplasmic sperm injection (ICSI)
- (d) Intra uterine insemination (IUI)
- 30. Signals for parturition originate from

[Pre. 2012]

- (a) Placenta only
- (b) Fully developed foetus only
- (c) Both placenta as well as fully developed foetus
- (d) Oxytocin released from maternal pituitary
- **31.** Which one of the following is not the function of placenta? it: [2013]
  - (a) Facilitates supply of oxygen and nutrients to embryo
  - (b) Secretes estrogen
  - (c) Facilitates removal of carbon dioxide and waste material from embryo
  - (d) Secretes oxytocin during parturition
- **32.** Artificial insemination means : [2013]
  - (a) transfer of sperms of a healthy donor to a test tube containing ova
  - (b) transfer of sperms of husband to a test tube containing ova
  - (c) artificial introduction of sperms of a healthy donor into the vagina
  - (d) introduction of sperms of a healthy donor directly into the ovary
- 33. Select the correct option describing gonadotropin activity in a normal pregnant female [AIPMT 2014]
  - (a) High level of FSH and LH stimulates the thickening of endometrium

- (b) High level of FSH and LH facilitate implantation of the embryo
- (c) High level of hCG stimulates the synthesis of estrogen and progesterone
- (d) High level of hCG stimulates the thickening of endometrium
- **34.** Which of these is not an important component of initiation of parturition in humans? [AIPMT 2015]
  - (a) Synthesis of prostaglandins
  - (b) Release of oxytocin

- (c) Release of prolactin
- (d) Increase in estrogen and progesterone ratio
- **35.** Ectopic pregnancies are referred to as:

#### [RE-AIPMT 2015]

- (a) Pregnancies terminated due to hormonal imbalance
- (b) Pregnancies with genetic abnormality.
- (c) Implantation of embryo at site other than uterus.
- (d) Implantation of defective embryo in the uterus

() A	nswers .						8 -a 18 -c			_
1 -a	2 -a	3 <b>-</b> b	4 -b	5 -b	6 -a	7 -a	8 -a	9 <b>-</b> b	10 -с	
11 -b	12 -b	13 -b	14 -b	15 -d	16 -a	17 <b>-</b> b	18 -c	19 <b>-</b> d	20 -b	
							28 -b			
31 <b>-</b> d	32 <b>-</b> c	33 -c	34 -c	35 -c						

**26** 

#### REPRODUCTIVE HEALTH

- The concept that population tends to increase geometrically while food supply increases arithmetically was put forward by
   [1995]
  - (a) Stuart Mill (b) Adam Smith
  - (c) Charles Darwin
  - (d) Thomas Malthus
- 2. In India, human population is heavily weighed towards the younger age groups as a result of [1995]
  - (a) short life span of many individuals and low birth rate
  - (b) long life span of many individuals and low birth rate
  - (c) short life span of many individuals and high birth rate
  - (d) long life span of many individuals and high birth rate
- **3.** Test-tube baby is one who [1996]
  - (a) is born out of artificial insemination
  - (b) has undergone development in a test tube
  - (c) is born out of the technique of fertilization in vitro
  - (d) has been developed without fertilization
- 4. Human population growth in India [1996]
  - (a) tends to follow a sigmoid curve as in case of many other animal species

- (b) tends to reach zero population growth as in case of some animal species
- (c) can be reduced by permitting natural calamities and enforcing birth control measures
- (d) can be regulated by following the National programme of family planning
- **5.** Amniocentesis is a process to [1997]
  - (a) determine any disease in heart
  - (b) determine any hereditary disease in the embryo
  - (c) know about the disease of brain
  - (d) All of the above
- **6.** What is the most important factor for the success of animal population? [1997]
  - (a) Natality
- (b) Unlimited food
- (c) Adaptability
- (d) Inter-species activity
- 7. Two opposite forces operate in the growth and development of every population. One of them is related to the ability to reproduce at a given rate. The force opposing to it is called [1998, 2003]
  - (a) biotic control (b) mortality
  - (c) fecundity
  - (d) environmental resistance
- 8. Genetic drift operates only in [1998, 2002]
  - (a) island populations
  - (b) smaller populations

- (c) larger populations
- (d) Mendelian populations
- 9. Tablets to prevent contraception contain
  - (a) progesterone
- (b) FSH

[1999]

- (c) LH
- (d) Both (b) and (c)
- 10. The function of copper-T is to prevent [2000]
  - (a) fertilization
- (b) egg maturation
- (c) ovulation
- (d) implantation of blastocyst
- Progesterone, which is the most important component of oral contraceptive pills, prevents pregnancy by [2000]
  - (a) preventing the formation of egg
  - (b) preventing the cleavage of the fertilized egg
  - (c) creating unfavourable chemical environment for the sperms to survive in the female reproductive tract
  - (d) blocking ovulation
- **12.** Probability of four sons to a couple is [2001]
  - (a) 1/4
- (b) 1/8
- (c) 1/16
- (d) 1/32
- **13.** Frequency of an allele in an isolated population may change due to **[2001]** 
  - (a) genetic drift
- (b) gene flow
- (c) mutation
- (d) natural selection
- **14.** In a population, unrestricted reproductive capacity is called **[2002]** 
  - (a) biotic potential
  - (b) fertility
  - (c) carrying capacity
  - (d) birth rate
- 15. In a random mating population in equilibrium, which of the following brings about a change in gene frequency in non-directional manner? [2003]
  - (a) Selection
- (b) Migration
- (c) Mutation
- (d) Random drift
- **16.** Random genetic drift in a population probably results from [2003]

- (a) constant low mutation rate
- (b) large population size
- (c) highly genetically variable individuals
- (d) interbreeding within this population
- **17.** Certain characteristic demographic features of developing countries are **[2004]** 
  - (a) high fertility, low or rapidly falling mortality rate, rapid population growth and a very young age distribution
  - (b) high fertility, high density, rapidly rising mortality rate and a very young age distribution
  - (c) high infant mortality, low fertility, uneven population growth and a very young age distribution
  - (d) high mortality, high density, uneven population growth and a very old age distribution
- **18.** The formula for exponential population growth is [2006]
  - (a) dt/dN = rN
- (b) dN/rN = dt
- (c) rN/dN = dt
- (d) dN/dt = rN
- **19.** Geometric representation of age structure is a characteristic of **[2007]** 
  - (a) biotic community
  - (b) population
  - (c) landscape
  - (d) ecosystem
- 20. If the mean and the median pertaining to a certain character of a population are of the same value, the following is most likely to occur [2007]
  - (a) normal distribution
  - (b) bi-modal distribution
  - (c) T-shaped curve
  - (d) skewed curve
- 21. The population of an insect species shows an explosive increase in numbers during rainy season followed by its disappearance at the end of the season. What does this show?

[2007]

(a) S-shaped or sigmoid growth of this insect

### www.freejobsportal.in

- (b) The food plants mature and die at the end of the rainy season
- (c) Its population growth curve is of J-type
- (d) The population of its predators increases enormously
- **22.** Which one of the following is the correct statement regarding the particular psychotropic drug specified? [2008]
  - (a) Hashish causes alter thought perceptions and hallucinations
  - (b) Opium stimulates nervous system and causes hallucinations
  - (c) Morphine leads to delusions and disturbed emotions
  - (d) Barbiturates cause relaxation and temporary Euphoria
- 23. Consider the statements given below regarding contraception and answer as directed thereafter [2008]
  - (A) Medical Termination of Pregnancy (MTP) during first trimester is generally safe
  - (B) Generally chances of conception are nil until mother breast-feeds the infant upto two year
  - (C) Intrauterine devices like copper-T are effective contraceptives
  - (D) Contraception pills may be taken upto one week after coitus to prevent conception

Which two of the above statements are correct?

- (a) B, C
- (b) C, D
- (c) A, C
- (d) A, B
- **24.** Given below are four methods (A-D) and their modes of action (1-4) in achieving contraception. Select their correct matching from the four options that follow [2008]

#### Method


#### Mode of Action

- A. The pill
- 1. Prevents sperms Reactions cervix
- B. Condom
- Prevents implantation

- C. Vasectomy
- 3. Prevents ovulation
- D. Copper T
- 4. Semen contains no sperms

	A	В	C	D
(a)	3	1	4	2
(b)	4	1	2	3
(c)	3	4	1	2
(d)	2	3	1	4

**25.** A country with a high rate of population growth took measures to reduce it. The figure below shows age-sex pyramids of populations A and B twenty years apart. Select the correct interpretation about them [2009]



Interpretations:

- (a) "B" is more recent showing that population is very young.
- (b) "A" is the earlier pyramid and no change has occurred in the growth rate.

- (c) "A" is more recent and shows slight reduction in the growth rate.
- (d) "B" is earlier pyramid and shows stabilised growth rate.
- 26. Cu ions released from copper-releasing Intra Uterine Devices (IUDs) [Pre. 2010]
  - (a) make uterus unsuitable for implantation
  - (b) increase phagocytosis of sperms
  - (c) suppress sperm motility
  - (d) prevent ovulation
- 27. The logistic population growth is expressed by the equation: [Mains 2011]


(a) 
$$dN/dt = rN\left(\frac{N-K}{N}\right)$$

(b) 
$$dt/dN = Nr\left(\frac{K-N}{K}\right)$$

(c) 
$$dN/dt = rN\left(\frac{K-N}{K}\right)$$


- (d) dN/dt = rN
- 28. What type of human population is represented by the following age pyramid?

[Pre. 2011]



- (a) Vanishing population
- (b) Stable population
- (c) Declining population
- (d) Expanding population
- **29.** Which one of the following is the most widely accepted method of contraception in India, as at present? [Pre. 2011]
  - (a) Cervical caps
  - (b) Tubectomy
  - (c) Diaphragms
  - (d) IUDs' (Intra uterine devices)
- 30. Medical Termination of Pregnancy (MTP) is considered safe up to have many weeks of pregnancy? [Pre. 2011]

- (a) Eight weeks
- (b) Twelve weeks
- (c) Eighteen weeks
- (d) Six weeks
- 31. What is the figure given below showing the particular? [Pre. 2012]



- (a) Tubectomy
- (b) Vasectomy
- (c) Ovarin cancer (d) Uterine cancer
- **32.** One of the legal methods of birth control is [2013]
  - (a) abortion by taking an appropriate medi-
  - (b) by abstaining from coitus from day 10 to 17 of the menstrual cycle
  - (c) by having coitus at the time of day break
  - (d) by a premature ejaculation during coitus
- **33.** A biologist studied the population of rats in a barn, He found that the average natality was 250, average mortality 240, immigration 20 and emigration 30. The net increase in population is: [2013]
  - (a) 10
- (b) 15
- (c) 05
- (d) zero
- **34.** Tubectomy is a method of sterilization in which [AIPMT 2014]
  - (a) Small part of the fallopian tube is removed or tied up
  - (b) Ovaries are removed surgically
  - (c) Small part of vas deferens is removed or tied up
  - (d) Uterus is removed surgically
- **35.** Which of the following is a hormone releasing Intra Uterine Device (IUD)?

[AIPMT 2014]

- (a) Multiload 375 (b) LNG-20
- (c) Cervical cap
- (d) Vault

### www.anybook.in

### Trueman's AIPMT Biology Rebooster Specific

- **36.** Assisted reproductive technology, IVF involves transfer of **[AIPMT 2014]** 
  - (a) Ovum into the fallopian tube
  - (b) Zygote into the fallopian tube
  - (c) Zygote into the uterus

182

- (d) Embryo with 16 blastomeres into the fallopian tube
- **37.** A childless couple can be assisted to have a child through a technique called GIFT. The full form of this technique is:

#### [RE-AIPMT 2015]

- (a) Germ cell internal fallopian transfer
- (b) Gamete inseminated fallopian transfer
- (c) Gamete intra fallopian transfer
- (d) Gamete internal fertilization and transfer

(	O A	nswers <u>-</u> 2 -c 12 -c								
	1-d	2 -c	3 -c	4 -d	5 <b>-</b> b	6 -c	7 <b>-</b> d	8 -b	9 <b>-</b> a	10 <b>-</b> d
	11 <b>-</b> d	12 -c	13 -a	14 -a	15 -с	16 -c	17 <b>-</b> a	18 -d	19 <b>-</b> b	20 -a
		22 -a								
	31 -a	32 -a	33 -d	34 -a	35 -b	36 -b	37 -с			

**27** 

### MENDELIAN GENETICS

- 1. Two linked genes a and b show 20% recombination. The individuals of a dihybrid cross between ++ /++ × ab/ab shall show gametes [1989]
  - (a) + +80: ab 20
  - (b) + + 50: ab 50
  - (c) + + 40: ab 40: + a 10: + b: 10
  - (d) + + 30: ab 30: + a 20: + b: 20
- **2.** A normal green male maize is crossed with albino female. The progeny is albino because
  - (a) trait for albinism is dominant [198]
  - (b) the albinos have biochemical to destroy plastids derived from green male
  - (c) plastids are inherited from female parent
  - (d) green plastids of male must have mutated
- 3. Multiple alleles control inheritance of [1991]
  - (a) phenylketonuria
  - (b) colourblindness
  - (c) sickle cell anaemia
  - (d) blood groups
- 4. Blue eye colour is recessive to brown eye colour. A brown eyed man whose mother was blue eyed marries a blue eyed women. The children shall be [1991]
  - (a) both blue eyed and brown eyed 1:1
  - (b) all brown eyed
  - (c) all blue eyed
  - (d) blue eyed and brown eyed 3:1

- 5. A dihybrid condition is
- [1991]

- (a) ttRr
- (b) Ttrr
- (c) ttrr
- (d) Tt Rr
- **6.** Mendel's last law is
- [1991]

- (a) segregation
- (b) dominance
- (c) independent assortment
- (d) polygenic inheritance
- 7. First geneticist/father of genetics was [1991]
  - (a) de Vries
- (b) Mendel
- (c) Darwin
- (d) Morgan
- **8.** The contrasting pairs of factors in Mendelian crosses are called [1991]
  - (a) multiple alleles (b) allelomorphs
  - (c) alloloci
- (d) paramorphs
- **9.** The allele which is unable to express its effect in the presence of another is called **[1991]** 
  - (a) codominant
- (b) supplementary
- (c) complementary(d) recessive
- 10. RR (red) Antirrhinum is crossed with WW (white) one. Offspring RW are pink. This is an example of [1991]
  - (a) dominant-recessive
  - (b) incomplete dominance
  - (c) hybrid
  - (d) supplementary genes

- 11. A gene pair hides the effect of another. The [1992, 95, 99] phenomenon is
  - (a) epistasis
- (b) dominance
- (c) mutation
- (d) None of these
- **12.** An allele is dominant if it is expressed in [1992,2002]
  - (a) both homozygous and heterozygous states
  - (b) second generation
  - (c) heterozygous combination
  - (d) homozygous combination
- **13.** In a cross between AABB × aabb, the ratio of F2 genotypes between AABB, AaBB, Aabb and aabb would be [1992]
  - (a) 9:3:3:1
- (b) 2:1:1:2
- (c) 1:2:2:1
- (d) 7:5:3:1
- 14. Segregation of Mendelian factors (no linkage, no crossing over) occurs during [1992]
  - (a) anaphase-I
- (b) anaphase-II
- (c) diplotene
- (d) metaphase-I
- 15. An organism with two identical alleles is [1992]
  - (a) dominant
- (b) hybrid
- (c) heterozygous (d) homozygous
- **16.** When a certain character is inherited only through female parent, it probably represents
  - (a) multiple plastid inheritance
- [1992]
- (b) cytoplasmic inheritance
- (c) incomplete dominance
- (d) Mendelian nuclear inheritance
- 17. A polygenic inheritance in human beings is
  - (a) skin colour

[1993, 99, 2006, 07]

- (b) phenylketonuria
- (c) colourblindness
- (d) sickle cell anaemia
- 18. Mendel studied interitance of seven pairs of traits in pea which can have 21 possible combinations. If you are told that in one of these combinations, independent assortment is not observed in later studies, your reaction will be [1993]

- (a) independent assortment principle may be wrong
- (b) Mendel might not have studied all the combinations
- (c) it is impossible
- (d) later studies may be wrong
- 19. Two dominant non-allelic genes are 50 map [1993] units apart. The linkage is
  - (a) cis type
- (b) trans type
- (c) complete
- (d) absent/incomplete
- **20.** Which of the following is suitable for experiment on linkage? [1993]
  - (a)  $aaBB \times aaBB$
- (b) AABB × aabb
- (c) AaBb × AaBb
- (d)  $AAbb \times AaBB$
- 21. Haploid plants are preferred over diploids for mutation study because in haploids

- (a) recessive mutation express immediately
- (b) induction of mutations is easier
- (c) culturing is easier
- (d) dominant mutation express immediately
- 22. The process of mating between closely related individuals is [1994]
  - (a) self breeding
- (b) inbreeding
- (c) hybridization (d) heterosis
- 23. A fruit fly exhibiting both male and female traits is

  - (a) heterozygous (b) gynandromorph
  - (c) hemizygous
- (d) gynander
- 24. A woman with albinic father marries an albinic man. The proportion of her progeny [1994]
  - (a) 2 normal: 1 albinic
  - (b) all normal
  - (c) all albinic
- (d) 1 normal: 1 albinic
- 25. A cross between pure tall pea plant with green pods and dwarf pea plant with yellow pods will produce dwarf F2 plants out of 16 [1994]
  - (a) 9
- (b) 3
- (c) 4
- (d) 1

26.	In a dihybrid cross AABB x aabb, F2	prog-
	eny of AABB, AABb, AaBB and AaBb	occurs
	in the ratio of	[1994]

(a) 1:1:1:1

(b) 9:3:3:1

(c) 1:2:2:1

(d) 1:2:2:4

- **27.** When two genetic loci produce identical phenotypes in cis and trans position, they are considered to be [1995]
  - (a) pseudoalleles
  - (b) different genes
  - (c) multiple alleles
  - (d) parts of same gene
- **28**. Alleles that produce independent effects in their heterozygous condition are called

[1996]

- (a) codominant alleles
- (b) epistatic alleles
- (c) complementary alleles
- (d) supplementary alleles
- 29. A fruit fly heterozygous for sex-linked genes, is mated with normal female fruit fly. Male specific chromosome will enter egg cell in the proportion [1997]

(a) 1:1

(b) 2:1

(c) 3:1

(d) 7:1

- **30**. When a single gene influences more than one traits it is called [1998]
  - (a) pleiotropy
  - (b) epistasis
  - (c) pseudodominance
  - (d) None of these
- 31. If Mendel had studied the seven traits using a plant with 12 chromosomes instead of 14, in what way would his interpretation have been different? [1998]
  - (a) He would have mapped the chromosome
  - (b) He would have discovered blending or incomplete dominance
  - (c) He would not have discovered the law of independent assortment
  - (d) He would have discovered sex-linkage

**32.** How many types of genetically different gametes will be produced by a heterozygous plant having genotype AABbCc? [1998]

(a) Two

(b) Four

(c) Six

(d) Nine

- **33**. Crossing over in diploid organism is responsible for [1998]
  - (a) dominance of genes
  - (b) linkage between genes
  - (c) segregation of alleles
  - (d) recombination of linked alleles
- 34. Albinism is known to be due to an autosomal recessive mutation. The first child of a couple with normal skin pigmentation was an albino. What is the probability that their second child will also be an albino? [1998]

(a) 100%

(b) 25%

(c) 50%

(d) 75%

35. Hybridization between  $Tt \times tt$  gives rise to the progeny of ratio [1999]

(a) 1:1

(b) 1:2:1

(c) 1:2

(d) 4:1

- **36.** Which one of the following characters studied by Mendel in garden pea was found to be dominant? [2000]
  - (a) Green seed colour
  - (b) Terminal flower position
  - (c) Green pod colour
  - (d) Wrinkled seed
- 37. In a given plant, red colour (R) of fruit is dominant over white fruit (r); and tallness (T) is dominant over dwarfness (t). If a plant with genotype RRTt is crossed with a plant of genotype rrtt, what will be the percentage of tall plants with red fruits in the next generation? [2000]

(a) 100%

(b) 25%

(c) 50%

(d) 75%

**38**. During organ differentiation in Drosophila, an organ is modified to another organ (such as wings may be replaced by legs) Genes

# www.freejobsportal.in

185

responsible	for	such	metamorp!	hosis	are
called			-	[20	000]

- (a) double dominant genes
- (b) plastid genes
- (c) complementary genes
- (d) homeotic genes
- **39.** Ratio of complementary genes is [2001]
  - (a) 9:3:4
- (b) 12:3:1
- (c) 9:3:3:4
- (d) 9:7
- **40.** A and B genes are linked. What shall be the genotype of progeny in a cross between AB/ab and ab/ab? [2001]
  - (a) AAbb and aabb
  - (b) AaBb and aabb
  - (c) AABB and aabb
  - (d) None of these
- **41.** Two non-allelic genes produce the new phenotype when present together but fail to do so independently, it is called **[2001]** 
  - (a) epistasis
  - (b) polygene
  - (c) non-complementary gene
  - (d) complementary gene
- **42.** Extranuclear inheritance occurs in [2001]
  - (a) Killer Paramecium
  - (b) Killer Amoeba
  - (c) Euglena
  - (d) Hydra
- **43.** Extra nuclear chromosomes occur in [2001]
  - (a) peroxisome, ribosome
  - (b) chloroplast and mitochondria
  - (c) mitochondria and ribosome
  - (d) chloroplast and lysosome
- **44.** A plant of F1-generation has genotype "AABbCC". On selfing of this plant, the phenotypic ratio in F2-generation will be
  - (a) 3:1
- (b) 1:1

[2002]

- (c) 9:3:3:1
- (d) 27:9:9:9:3:3:3:1

- **45.** Which one of the following traits of garden pea studied by Mendel was a recessive feature? [2003]
  - (a) Green pod colour
  - (b) Round seed shape
  - (c) Axial flower position
  - (d) Green seed colour
- **46.** The genes controlling the seven pea characters studied by Mendel are now known to be located on how many different chromosomes? [2003]
  - (a) Five
- (b) Four
- (c) Seven
- (d) Six
- **47.** Genes for cytoplasmic male sterility in plants are generally located in **[2003]** 
  - (a) nuclear genome
  - (b) cytosol
  - (c) chloroplast genome
  - (d) mitochondrial genome
- **48**. Two crosses between the same pair of genotypes or phenotypes in which the sources of the gametes are reversed in one cross, is known as [2003]
  - (a) dihybrid cross
  - (b) reverse cross
  - (c) test cross
  - (d) reciprocal cross
- **49**. One of the parents of a cross has mutation in its mitochondria. In that cross, that parent is taken as a male. During segregation of F2 progenies that mutation is found in **[2004]** 
  - (a) one-third of the progenies
  - (b) none of the progenies
  - (c) all of the progenies
  - (d) fifty per cent of the progenies
- **50.** Extranuclear inheritance is a consequence of presence of genes in **[2004]** 
  - (a) mitochondria and chloroplasts
  - (b) endoplasmic reticulum and mitochondria

- (c) ribosomes and chloroplast
- (d) lysosomes and ribosomes
- 51. A male human is heterozygous for autosomal genes A and B and is also hemizygous for haemophilic gene h. What proportion of his sperms will be abh? [2004]
  - (a) 1/8
- (b) 1/32
- (c) 1/16
- (d) 1/4
- **52.** In a plant, red fruit (R) is dominant over yellow fruit (r) and tallness (T) is dominant over shortness (t). If a plant with RRTt genotype is crossed with a plant that is rrtt, **[2004]** 
  - (a) 25% will be tall with red fruit
  - (b) 50% will be tall with red fruit
  - (c) 75% will be tall with red fruit
  - (d) all of the offspring will tall with red fruit
- 53. In order to find out the different types of gametes produced by a pea plant having the genotype AaBb, it should be crossed to a plant with the genotype [2005]
  - (a) aaBB
- (b) AaBb
- (c) AABB
- (d) aabb
- **54**. Phenotype of an organism is the result of **[2006]** 
  - (a) mutations and linkages
  - (b) cytoplasmic effects and nutrition
  - (c) environmental changes and sexual dimorphism
  - (d) genotype and environmental interactions
- 55. How many different kinds of gametes will be produced by a plant having the genotype AABbCC? [2006]
  - (a) Three
- (b) Four
- (c) Nine
- (d) Two
- 56. Test cross involves
- [2006]
- (a) crossing between two genotypes with recessive trait
- (b) crossing between two F1 hybrids
- (c) crossing the F1 hybrid with a double recessive genotype

- (d) crossing between two genotypes with dominant trait
- 57. In which mode of inheritance do you expect more maternal influence among the off-spring? [2006]
  - (a) Autosomal
  - (b) Cytoplasmic
  - (c) Y-linked
  - (d) X-linked
- 58. In Mendel's experiments with garden pea, round seed shape (RR) was 'dominant over wrinkled seeds (rr), yellow cotyledon (YY) was dominant over green cotyledon (yy). What are the expected phenotypes in the F2 generation of the cross RRYY × rryy? [2006]
  - (a) Only round seeds with green cotyledons
  - (b) Only wrinkled seeds with yellow cotyledons
  - (c) Only wrinkled seeds with green cotyledons
  - (d) Round seeds with yellow cotyledons and wrinkled seeds with yellow cotyledons
- 59. A human male produces sperms with the genotypes AB, Ab, aB and ab pertaining to two diallelic characters in equal proportions. What is the corresponding genotype of this person? [2007]
  - (a) AaBb
- (b) AaBB
- (c) AABb
- (d) AABB
- **60.** The genotype of a plant showing the dominant phenotype can be determined by

[Pre. 2010]

- (a) Test cross
- (b) Dihybrid cross
- (c) Pedigree analysis
- (d) Back cross
- **61.** Select the *correct* statement from the ones given below with respect to dihybrid cross.


[Pre. 2010]

(a) Tightly linked genes on the same chromosome show higher recombinations

- (b) Genes far apart on the same chromosome show very few recombinations
- (c) Genes loosely linked on the same chromosome show similar recombinations as the tightly linked ones
- (d) Tightly linked genes on the same chromosome show very few recombinations.
- **62.** Test cross in plants or in *Drosophila* involves crossing: [Pre. 2011]
  - (a) Between two genotypes with dominant trait
  - (b) Between two genotypes with recessive trait
  - (c) Between two F<sub>1</sub> hybrids
  - (d) The F<sub>1</sub> hybrid with a double recessive genotype
- **63.** In *Antirrhinum* two plants with pink flowers were hybridized. The F<sub>1</sub> plants produced red, pink and white flowers in the proportion of 1 red, 2 pink and 1 white. What could be the genotype of the two plants used for hybridization? Red flower colour is determined by RR, and white by rr genes

[Mains 2010]

- (a) RR
- (b) Rr
- (c) rr
- (d) rrrr
- **64.** A cross in which an organism showing a dominant phenotype in crossed with the recessive parent in order to know its genotype in called [Mains 2010]
  - (a) Back cross
  - (b) Test cross
  - (c) Dihybrid cross
  - (d) Monohybrid cross
- 65. Study the pedigree chart of a certain family given below are select the correct conclusion which can be drawn for the character. [Mains 2010]




- (a) The parents could not have had a normal daughter for this character
- (b) The trait under study could not be colour-blindness
- (c) The male parent is homozygous dominant
- (d) The female parent is heterozygous
- **66.** ABO blood grouping is controlled by gene 1 which has three alleles and show co-dominance. There are six genotypes. How many phenotypes in all are possible?

[Mains 2010]

- (a) Three
- (b) Four
- (c) Five
- (d) Six
- **67.** The fruit fly *Drosophila melanogaster* was found to be very suitable for experimental verification of chromosomal theory of inheritance by Morgan and his colleagues because

[Mains 2010]

- (a) a single mating produces two young flies
- (b) smaller female is easily recognisable from larger male
- (c) it completes life cycle in about two weeks
- (d) it reproduces parthenogenetically.
- **68.** Which one of the following symbols and its representation, used in human pedigree analysis is correct? [Pre. 2010]



- (b)  $\bigcirc$  = unaffected male
- (c) = unaffected female
- (d) = male affected
- **69.** When two unrelated individuals or lines are crossed, the performance of  $F_1$  hybrid is often superior to both its parents. This phenomenon is called **[Pre. 2011]** 
  - (a) Heterosis
  - (b) Transformation
  - (c) Splicing
  - (d) Metamorphosis

- 70. Mutations can be induced with [Pre. 2011]
  - (a) Infra Red radiations
  - (b) IAA
  - (c) Ethylene
  - (d) Gamma radiations
- 71. A person with unknown blood group under ABO system, has suffered much blood loss in an accident and needs immediate blood transfusion. His one friend who has a valid certificate of his own blood type, offers for blood donation without delay. What would have been the type of blood group of the donor friend?

  [Pre. 2011]
  - (a) Type B
  - (b) Type AB
  - (c) Type O
  - (d) Type A
- **72.** A test cross is carried out to **[Mains 2012]** 
  - (a) Predict whether two traits are linked
  - (b) Assess the number of alleles of a gene
  - (c) Determine whether two species or varieties will breed successfully
  - (d) Determine the genotype of a plant at  $F_2$
- **73.** The idea of mutations was brought forth by [Mains 2012]
  - (a) Gregor Mendel, who worked on Pisum sativum
  - (b) Hardy Weinberg, who worked on allele frequencies in a population
  - (c) Charles Darwin, who observed a wide variety of organisms during sea voyage
  - (d) Hugo do Vries, who worked on evening primrose
- **74.** F<sub>2</sub> generation in a Mendelian cross showed that both genotypic and phenotypic ratios are same as 1:2:1. It represents a case of

[Pre. 2012]

- (a) Monohybrid cross with complete dominance
- (b) Monohybrid cross with incomplete dominance

- (c) Co-dominance
- (d) Dihybrid cross
- 75. A certain road accident patient with unknown blood group needs immediate blood transfusion his doctor friend at ones offers his blood what was the blood group of the donor? [Pre. 2012]
  - (a) Blood group O
  - (b) Blood group A
  - (c) Blood group B
  - (d) Blood group AB
- **76.** Which of the following statements is not true of two genes that show 50% recombination frequency? [2013]
  - (a) The genes may be on different chromosomes
  - (b) The genes are tightly linked
  - (c) The genes show independent assortment
  - (d) If the genes are present on the same chromosome, they undergo more than one crossovers in every meiosis
- 77. If two persons with 'AB' blood group marry and have sufficiently large number of children, these children could be classified as 'A' blood group: 'AB' blood group: 'B' blood group in 1:2:1 ratio. Modern technique of protein electrophoresis reveals presence of both 'A' and 'B' type proteins in 'AB' blood group individuals. This is an example of

[2013]

- (a) Codominance
- (b) Incomplete dominance
- (c) Partial dominance
- (d) Complete dominance
- 78. Which mendelian idea is depicted by a cross in which the F1 generation resembles both the parents? [2013]
  - (a) incomplete dominance
  - (b) law of dominance
  - (c) inheritance of one gene
  - (d) co-dominance

- 79. Fruit colour in squash is an example of [AIPMT 2014]
  - (a) Recessive epistasis
  - (b) Dominant epistasis
  - (c) Complementary genes
  - (d) Inhibitory genes
- 80. A man whose father was colour blind marries a woman who had a colour blind mother and normal father. What percentage of male children of this couple will be colour blind?

[AIPMT 2014]

- (a) 25%
- (b) 0%
- (c) 50%
- (d) 75%
- **81.** In a population of 1000 individuals 360 belong to genotype AA, 480 to Aa and the remaining 160 to aa. Based on this data, the frequency of allele A in the population is

[AIPMT 2014]

- (a) 0.4
- (b) 0.5
- (c) 0.6
- (d) 0.7
- 82. A human female with Turner's syndrome [AIPMT 2014]
  - (a) Has 45 chromosomes with XO
  - (b) Has one additional X chromosome
  - (c) Exhibits male characters
  - (d) Is able to produce children with normal husband
- 83. The movement of a gene from one linkage group to another is called: [AIPMT 2015]
  - (a) Duplication
- (b) Translocation
- (c) Crossing over (d) Inversion
- 84. How many pairs of contrasting characters in pea plants were studied by Mendel in his experiments? [AIPMT 2015]
  - (a) Six
- (b) Eight
- (c) Seven
- (d) Five
- 86. Multiple alleles are present: [AIPMT 2015]
  - (a) At different loci on the same chromosome
  - (b) At the same locus of the chromosome
  - (c) On non-sister chromatids
  - (d) On different chromosomes

85. A man with blood group 'A' marries a woman with blood group 'B'. What are all the possible blood groups of their offsprings?

[AIPMT 2015]

- (a) A, B and AB only
- (b) A, B, AB and O
- (c) Oonly
- (d) A and B only
- **87.** Alleles are:

[AIPMT 2015]

- (a) true breeding homozygotes
- (b) different molecular forms of a gene
- (c) heterozygotes
- (d) different phenotype
- 88. An abnormal human baby with 'XXX' sex chromosomes was born due to:

#### [AIPMT 2015]

- (a) formation of abnormal ova in the mother
- (b) fusion of two ova and one sperm
- (c) fusion of two sperms and one ovum
- (d) formation of abnormal sperms in the father
- 89. A colour blind man marries a woman with normal sight who has no history of colourblindness in her family.

What is the probability of their grandson being colourblind? [RE-AIPMT 2015]

- (a) 0.25
- (b) 0.5
- (c) 1
- (d) Nil
- 90. The term "linkage" was coined by:

[RE-AIPMT 2015]

- (a) W.Sutton
- (b) T.H. Morgan
- (c) T.Boveri
- (d) G.Mendel
- **91.** A pleiotropic gene : [RE-AIPMT 2015]
  - (a) controls multiple traits in an individual
  - (b) is expressed only in primitive plants
  - (c) is a gene evolved during Pliocene
  - (d) controls a trait only in combination with another gene

191

- **92.** In his classic experiments on pea plants, Mendel did not use: **[RE-AIPMT 2015]** 
  - (a) Flower position
  - (b) Seed colour
  - (c) Pod length
  - (d) Seed shape
- 93. A gene showing codominance has:

#### [RE-AIPMT 2015]

- (a) both alleles independently expressed in the heterozygote
- (b) one allele dominant on the other
- (c) alleles tightly linked on the same chromosome
- (d) alleles that are recessive to each other
- **94.** Identify the correct order of organisation of genetic material from largest to smallest:

[RE-AIPMT 2015]

- (a) Chromosome, genome, nucleotide, gene
- (b) Chromosome, gene, genome, nucleotide
- (c) Genome, chromosomes, nucleotide, gene
- (d) Genome, chromosome, gene, nucleotide
- **95.** In the following human pedigree, the filled symbols represent the affected individuals. Identify the type of given pedigree.

[RE-AIPMT 2015]

(a) X-linked dominant

Ι

II

 $\mathbf{III}$ 

IV

- (b) Autosomal dominant
- (c) X-linked recessive
- (d) Autosomal recessive

<b>○</b> A	nswers .								
1-c	2 <b>-</b> c	3 <b>-</b> d	4 -a	5 -d	6 -c	7 <b>-</b> b	8 <b>-</b> b	9 <b>-</b> d	10 -b
11 -a	12 <b>-</b> a	13 -с	14 -a	15 -d	16 -b	17 <b>-</b> a	18 -b	19 <b>-</b> d	20 -b
21 -a	22 -b	23 -b	24 -d	25 -с	26 -d	27 -a	28 -a	29 -a	30 -a
31 -с	32 -b	33 -d	34 -b	35 -a	36 -с	37 -с	38 -d	39 <b>-</b> d	40 -b
41 <b>-</b> d	42 -a	43 -b	44 -a	45 -d	46 -b	47 -d	48 -d	49 <b>-</b> b	50 -a
51 -a	52 -b	53 -d	54 -d	55 <b>-</b> d	56 -c	57 <b>-</b> b	58 -d	59 -a	60 -a
61 <b>-</b> d	62 -a	63 -b	64 -b	65 -d	66 -b	67 <b>-</b> c	68 -d	69 <b>-</b> a	70 -d
71 <b>-</b> c	72 -d	73 -d	74 -b	75 -a	76 -b	77 <b>-</b> a	78 -b	79 -b	80 -c
81 <b>-</b> c	82 -a	83 -b	84 -c	85 -b	86 -b	87 -b	88 -a	89 <b>-</b> d	90 -b
91 -a	92 <b>-</b> c	93 -a	94 -d	95 <b>-</b> d					

**28** 

### Molecular Basis of Inheritance

- 1. Diploid chromosome number in humans is
  (a) 46 (b) 44 [1989]
  - (c) 48
- (b) 44 (d) 42
- 2. DNA replication is
- [1989]
- (a) conservative and discontinuous
  - (b) semi-conservative and semi-discontinuous
  - (c) semi-conservative and discontinuous
  - (d) conservative
- Both husband and wife have normal vision though their fathers were colourblind. The probability of their daughter becoming colourblind is [1990]
  - (a) 0%
- (b) 25%
- (c) 50%
- (d) 75%
- **4.** Haemophilia is more common in males because it is a **[1990]** 
  - (a) recessive character carried by Y-chromosome
  - (b) dominant character carried by Y-chromosome
  - (c) dominant trait carried by X-chromosome
  - (d) recessive trait carried by X-chromosome
- **5.** Which one is a hereditary disease? [1990]
  - (a) Cataract
- (b) Leprosy
- (c) Blindness
- (d) Phenylketonuria
- 6. A colourblind girl is rare because she will be born only when [1991]

- (a) her mother and maternal grandfather were colourblind
- (b) her father and maternal grandfather were colourblind
- (c) her mother is colourblind and father has normal vision
- (d) parents have normal vision but grand parents were colourblind
- 7. The process of transfer of genetic information from DNA to RNA/formation of RNA from DNA is [1991]
  - (a) trnsversion
- (b) transcription
- (c) translation
- (d) translocation
- Escherichia coli fully labelled with N15 is allowed to grow in N14 medium. The two strands of DNA molecule of the first generation bacteria have [1992]
  - (a) different density and do not resemble parent DNA
  - (b) different density but resemble parent DNA
  - (c) same density and resemble parent DNA
  - (d) same density but do not resemble parent DNA  $\,$
- 9. Khorana first deciphered the triplet codons of [1992]
  - (a) serine and isoleucine
  - (b) threonine and histidine
  - (c) tyrosine and tryptophan
  - (d) phenylalanine and methionine

- C. C. (1)
- 10. Experimental material in the study of DNA replication has been [1992]
  - (a) Escherichia coli
  - (b) Neurospora crassa
  - (c) Pneumococcus
  - (d) Drosophila melanogaster
- 11. Out of 8 ascospores formed in Neurospora the arrangement is 2a: 4a: 2a showing [1992]
  - (a) no crossing over
  - (b) some meiosis
  - (c) second generation division
  - (d) first generation division
- 12. Down's syndrome is due to

[1992, 2000, 02, 03]

- (a) crossing over
- (b) linkage
- (c) sex-linked inheritance
- (d) non-disjunction of chromosomes
- **13.** A colourblind mother and normal father would have [1992,99,2006]
  - (a) colourblind sons and normal/carrier daughters
  - (b) colourblind sons and daughters
  - (c) all colourblind
  - (d) all normal
- **14.** In human beings 45 chromosomes/single X/XO abnormality causes **[1992]** 
  - (a) Down's syndrome
  - (b) Klinefelter's syndrome
  - (c) Turner's syndrome
  - (d) Edward's syndrome
- **15.** Of a normal couple, half the sons are haemophilic while half the daughters are carriers. The gene is located on [1993]
  - (a) X-chromosome of father
  - (b) Y-chromosome of father
  - (c) one X-chromosome of mother
  - (d) both the X-chromosomes of mother
- **16.** Sex is determined in human beings [1993]
  - (a) by ovum
  - (b) at the time of fertilization

- (c) 40 days after fertilization
- (d) seventh to eight week when genitals differentiate in foetus
- 17. Mr. Kapoor has Bb autosomal gene pair and d allele sex-linked. What shall be proportion of Bd in sperms? [1993]
  - (a) 0
- (b) 1/2
- (c) 1/4
- (d) 1/8
- **18.** Of both normal parents, the chance of a male child becoming colourblind are [1993]
  - (a) no
  - (b) possible only when all the four grand parents had normal vision
  - (c) possible only when father's mother was colourblind
  - (d) possible only when mother's father was colourblind
- **19.** The transforming principle of Pneumococcus as found out by Avery, MacLeod and McCarty was
  - (a) mRNA
- (b) DNA
- [1993]

193

- (c) protein
- (d) polysaccharide
- **20.** Because most of the amino acids are represented by more than one codon, the genetic code is [1993, 2002]
  - (a) overlapping
- (b) Wobbling
- (c) degenerate
- (d) generate
- **21.** Who proved that DNA is basic genetic material? [1993]
  - (a) Griffith
  - (b) Watson
  - (c) Boveri and Sutton
  - (d) Hershey and Chase
- **22.** During DNA replication, the strands separate by [1993]
  - (a) DNA polymerase
  - (b) topoisomerase
  - (c) unwindase/helicase
  - (d) gyrase
- **23.** The process of translation is

[1993]

(a) ribosome synthesis

- (b) protein synthesis
- (c) DNA synthesis
- (d) RNA synthesis
- **24.** A DNA with unequal nitrogen bases would most probably be **[1993]** 
  - (a) single stranded
  - (b) double stranded
  - (c) triple stranded
  - (d) four stranded
- **25.** Nucleosome core is made of [1993]
  - (a) H1, H2A, H2B and H3
  - (b) H1, H2A, H2B, H4
  - (c) H1, H2A, H2B, H3 and H4
  - (d) H2A, H2B, H3 and H4
- **26.** Initiation codon of protein synthesis (in eukaryotes) is [1993, 94, 99, 2000]
  - (a) GUA
- (b) GCA
- (c) CCA
- (d) AUG
- **27.** The number of base substitution possible in amino acid codons is **[1994]** 
  - (a) 261
- (b) 264
- (c) 535
- (d) 549
- **28.** Reverse transcriptase is
- [1994]
- (a) RNA dependent RNA polymerase
- (b) DNA dependent RNA polymerase
- (c) DNA dependent DNA polymerase
- (d) RNA dependent DNA polymerase
- 29. In Escherichia coli lac Operon is induced by
  - (a) lactose

[1994]

- (b) promoter gene
- (c) β-galactosidase
- (d) I-gene
- **30.** DNA template sequence of CTGATAGC is transcribed over mRNA as [1994]
  - (a) GUCTUTCG
- (b) GACUAUCG
- (c) GAUTATUG
- (d) UACTATCU
- **31.** Protein helping in opening of DNA double helix in front of replications fork is **[1994]** 
  - (a) DNAgyrase
- (b) DNA polymerase-I
- (c) DNAligase
- (d) topoisomerase

- **32.** Which is not involved in protein synthesis? [1994]
  - (a) Transcription (b) Initiation
  - (c) Elongation
- (d) Termination
- 33. Genes located on Y-chromosome are [1994]
  - (a) mutant genes (b) sex-linked genes
  - (c) autosomal genes
  - (d) holandric genes
- **34.** A colourblind woman marries a normal visioned male. In the offspring [1994]
  - (a) both son and daughter are colourblind
  - (b) all daughters are colourblind
  - (c) all sons are normal
  - (d) all sons are colourblind
- **35.** Out of A=T, G = C pairing, bases of DNA may exist in alternate valency state owing to arrangement called [1994]
  - (a) analogue substitution
  - (b) tautomerizational mutation
  - (c) frameshift mutation
  - (d) point mutation
- **36.** The wild type E. coli cells are growing in normal medium with glucose. They are transferred to a medium containing only lactose as sugar. Which of the following changes takes place? [1995]
  - (a) The lac operon is repressed
  - (b) All operons are induced
  - (c) The lac operon is induced
  - (d) E. coli cells stop dividing
- **37.** Anticodon is an unpaired triplet of bases in an exposed position of [1995]
  - (a) mRNA
- (b) rRNA
- (c) tRNA
- (d) sRNA
- **38.** If the sequence of bases in DNA is ATTCGATG, then the sequence of bases in its transcript will be [1995]
  - (a) CAUCGAAU
  - (b) UAAGCUAC
  - (c) GUAGCUUA
  - (d) AUUCGAUG

- **39.** In split genes, the coding sequence are called
  - (a) introns
- (b) operons
- (c) exons
- (d) cistrons
- **40.** The change of the light coloured variety of peppered moth (Biston betularia) to its darker variety (Biston carbonarid) is due to [1995]
  - (a) mutation
  - (b) regeneration
  - (c) genetic isolation
  - (d) temporal isolation
- 41. The polytene chromosomes were discovered for the first time in [1995]
  - (a) Drosophila
- (b) Chironomus
- (c) Musca nebulo (d) Musca domestica
- 42. The most striking example of point mutation is found in a disease called
  - (a) thalassemia
  - (b) night blindness
  - (c) Down's syndrome
  - (d) sickle cell anaemia
- **43.** Barr body in mammals represents [1995, 96]
  - (a) all the heterochromatin in female cells
  - (b) Y-chromosomes in somatic cells of male
  - (c) all heterochromatin in male and female cells
  - (d) one of the two X-chromosomes in somatic cells of females
- 44. An individual exhibiting both male and female sexual characteristics in the body is known as [1996]
  - (a) hermaphrodite
  - (b) intersex
  - (c) gynandromorph
  - (d) bisexual
- **45.** A person with 47 chromosomes due to an additional Y-chromosome suffers from a [1996, 97] condition called
  - (a) Down's syndrome
  - (b) Super female
  - (c) Turner's syndrome

- (d) Klinefelter's syndrome
- **46.** The translation termination triplet is [1996]
  - (a) UAU
- (b) UAA
- (c) UAC
- (d) UGC
- **47.** Okazaki fragments are seen during [1996]
  - (a) transcription
- (b) translation
- (c) replication
- (d) transduction
- **48.** An enzyme that joins the ends of two strands of nucleic acid is a [1996, 2002]
  - (a) polymerase
- (b) synthetase
- (c) helicase
- (d) ligase
- 49. H. J. Muller was awarded Nobel Prize for
  - (a) discovery that chemicals can induce gene mutations
  - (b) discovery that ionizing radiations can induce gene mutations
  - (c) work on gene mapping in Drosophila
  - (d) efforts to prevent the use of nuclear weapons
- **50.** After crossing two plants, the progenies are found to be male sterile. This phenomenon is found to be maternally inherited and is due to some genes which are present in

[1997]

195

- (a) nucleus
- (b) chloroplast
- (c) mitochondria (d) cytoplasm
- 51. Different mutations referrable to the same lo-[1997] cus of chromosome give rise to
  - (a) pseudoalleles (b) polygenes
  - (c) oncogenes
- (d) multiple alleles
- **52.** Genetic identity of a human male is deter-[1997] mined by
  - (a) autosome
- (b) nucleolus
- (c) sex chromosome
- (d) cell organelles
- 53. The hereditary material present in the bacterium E. coli is [1997]
  - (a) single stranded RNA
  - (b) double stranded RNA

- (c) single stranded DNA
- (d) double stranded DNA
- **54.** Genes are packaged into a bacterial chromosome by [1997]
  - (a) histones
- (b) basic protein
- (c) acidic protein (d) actin
- **55.** The codons causing chain termination are
  - (a) TAG, TAA, TGA

[1997]

- (b) GAT, AAT, AGT
- (c) AGT, TAG, UGA
- (d) UAA, UAG, UGA
- **56.** The RNA that picks up specific amino acid from amino acid pool in the cytoplasm to ribosome during protein synthesis is called [1997]
  - (a) mRNA
- (b) tRNA
- (c) rRNA
- (d) RNA
- **57.** A mutation at one base of the first codon of a gene produces a non-functional protein. Such a mutation is referred as [1997]
  - (a) frameshift mutation
  - (b) mis-sense mutation
  - (c) nonsense mutation
  - (d) reverse mutation
- **58.** Foetal sex can be determined by examining cells from the amniotic fluid by looking for [1997]
  - (a) Barr bodies
- (b) autosomes
- (c) chiasmata
- (d) kinetochore
- **59.** Protein synthesis in an animal cell takes place [1997]
  - (a) only in the cytoplasm
  - (b) in the nucleolus as well as in the cytoplasm
  - (c) in the cytoplasm as well as in mitochondria
  - (d) only on ribosomes attached to a nucleus
- **60.** The mutations are mainly responsible for **[1997]** 
  - (a) constancy in organisms
  - (b) variation in organisms

- (c) increasing the population rate
- (d) maintaining genetic continuity
- **61.** The formation of multivalents at meiosis in diploid organism is due to [1998]
  - (a) monosomy
- (b) inversion
- (c) deletion
- (d) reciprocal translocation
- **62.** Loss of an X-chromosome in a particular cell, during its development, results into **[1998]** 
  - (a) diploid individual
  - (b) triploid individual
  - (c) gynandromorphs
  - (d) both (a) and (b)
- **63.** Which base is responsible for hot spots for spontaneous point mutations? [1998]
  - (a) Guanine
- (b) Adenine
- (c) 5-bromouracil (d) 5-methylcytosine
- **64.** Mental retardation in man, associated with sex chromosomal abnormality is usually due to [1998]
  - (a) reduction in X-complement
  - (b) increase in X-complement
  - (c) moderate increase in Y-complement
  - (d) large increase in Y-complement
- **65.** Genes that are involved in turning on or off the transcription of a set of structural genes are called [1998]
  - (a) polymorphic genes
  - (b) operator genes
  - (c) reductant genes
- (d) regulatory genes
- **66.** DNA elements, which can switch their position, are called [1998]
  - (a) exons
- (b) introns
- (c) cistrons
- (d) transposons
- **67.** A woman with two genes (one on each 'X'chromosome) for haemophilia and one gene for colourblindness on the 'X' chromosomes marries a normal man. How will the progeny be? [1998]
  - (a) All sons and daughters haemophilic and colourblind

- (b) Haemophilic and colourblind daughters
- (c) 50% haemophilic colourblind sons and 50% haemophilic sons
- (d) 50% haemophilic daughters and 50% colourblind daughters
- **68.** Which of the following is the main category of mutation? [1999]
  - (a) Somatic mutation
  - (b) Genetic mutation
  - (c) Zygotic mutation
  - (d) All of these
- **69.** In DNA when AGCT occurs, their association is as per which of the following pair? [1999]
  - (a) AC-GT
- (b) AG-CT
- (c) AT-GC
- (d) All of these
- **70.** Haemophilic man marries a normal woman. Their offspring will be **[1999]** 
  - (a) all boys haemophilic
  - (b) all normal
  - (c) all girls haemophilic
  - (d) all haemophilic
- 71. The Pneumococcus experiment proves that [1999]
  - (a) DNA is the genetic material
  - (b) RNA sometime controls the production of DNA and proteins
  - (c) bacteria undergo binary fission
  - (d) bacteria do not reproduce sexually
- **72.** Mutation generally produces [2000]
  - (a) recessive genes (b) lethal genes
  - (c) polygenes
- (d) dominant genes
- 73. In an animal cell, protein synthesis takes place [2000]
  - (a) only on the ribosomes present in the cytosol
  - (b) only on the ribosomes attached to nuclear envelope and endoplasmic reticulum
  - (c) on ribosomes present in the nucleolus as well as in cytoplasm
  - (d) on ribosomes present in the cytosol as well as in the mitochondria

- 74. During replication of DNA, its two strands separate. Each of these serves as a template for the formation of new strands. Such type of replication is called [2000]
  - (a) non-conservative
  - (b) semi-conservative
  - (c) flexible
  - (d) conservative
- 75. Drosophila flies with XXY genotype are females, but human beings with such genotype are abnormal males. It shows that

[2000]

- (a) Y-chromosome is essential for sex determination in Drosophila
- (b) Y-chromosome is female determinating in Drosophila
- (c) Y-chromosome is male determining in human beings
- (d) Y-chromosome has no role in sex determination either in Drosophila or in human beings
- **76.** 'Signal hypothesis' for the biosynthesis of secretory type of proteins was proposed by **[2000]** 
  - (a) Camillo Golgi (b) Blobel and Sabatini
  - (c) Baltimore
- (d) Sheeler and Bianchi
- 77. Due to discovery of which of the following in 1980's the evolution was termed as RNA world? [2001]
  - (a) mRNA, tRNA, rRNA synthesize proteins
  - (b) In some viruses, RNA is genetic material
  - (c) Some RNAs have enzymatic property
  - (d) RNA is not found in all cells
- **78.** E. coli about to replicate was placed in a medium containing radioactive thymidine for five minutes. Then it was made to replicate in a normal medium. Which of the following observation shall be correct? [2001]
  - (a) Both the strands of DNA will be radioactive
  - (b) One strand radioactive
  - (c) Each strand half radioactive
  - (d) None is radioactive

- **79.** Male XX and female XY sometime occur due to [2001]
  - (a) deletion
  - (b) transfer of segments in X and Y-chromosomes
  - (c) aneuploidy
  - (d) hormonal imbalance
- **80.** Number of Barr bodies in XXXX female [2001]
  - (a) 1
- (b) 2
- (c) 3
- (d) 4
- **81.** Gene and cistron words are sometimes used synonymously because [2001]
  - (a) one cistron contains many genes
  - (b) one gene contains many cistrons
  - (c) one gene contains one cistron
  - (d) one gene contains no cistron
- **82.** In which direction mRNA is synthesized on DNA template? **[2001]** 
  - (a)  $5' \rightarrow 3'$
- (b)  $3' \rightarrow 5'$
- (c) Both (a) and (b) (d) Any of these
- **83.** Which of these do not follow independent assortment? [2001]
  - (a) Genes on non-homologous chromosomes and absence of linkage
  - (b) Genes on homologous chromosomes
  - (c) Linked genes on same chromosome
  - (d) Unlinked genes on same chromosome
- 84. In his experiment, Mendel obtained wrinkled pea. The wrinkling was due to deposition of sugar instead of starch. This happened due to the enzyme [2001]
  - (a) amylase
  - (b) invertase
  - (c) diastase
  - (d) absence of starch-branching enzyme
- 85. In negative operon

[2001]

- (a) co-repressor binds with repressor
- (b) co-repressor does not bind with repressor
- (c) co-repressor binds with inducer
- (d) cAMP has negative effect on lac operon

**86.** A mutant strain of T4-bacteriophage R-II, fails to lyse the E. coli but when two strains R - IIx and R - IIy are mixed then they lyse the E. coli. What may be the possible reason?

[2002]

- (a) Bacteriophage transforms in wild
- (b) It is not mutated
- (c) Both strains have similar cistrons
- (d) Both strains have different cistrons
- **87.** Change in the sequence of nucleotide in DNA is called as **[2002]** 
  - (a) mutagen
- (b) mutation
- (c) recombination (d) translation
- **88.** Sequence of which of the following is used to know the phylogeny? [2002]
  - (a) mRNA
- (b) rRNA
- (c) tRNA
- (d) DNA
- **89.** Pleiotropic gene is

[2002]

- (a) haemophilia
- (b) thalassemia
- (c) sickle cell anaemia
- (d) colourblindness
- **90.** In E. coli, during lactose metabolism repressor binds to [2002]
  - (a) regulator gene (b) operator gene
  - (c) structural gene (d) promoter gene
- **91.** Jacob and Monod studied lactose metabolism in E. coli and proposed Operon concept. Operon concept applicable for **[2002]** 
  - (a) all prokaryotes
  - (b) all prokaryotes and some eukaryotes
  - (c) all prokaryotes and all eukaryotes
  - (d) all prokaryotes and some protozoans
- **92.** In a DNA percentage of thymine is 20. What is the percentage of guanine? [2002]
  - (a) 20%
- (b) 40%
- (c) 30%
- (d) 60%
- 93. Nucleus of a donor embryonal cell/somatic cell is transferred to an enucleated egg cell. Then after the formation of organism, what shall be true? [2002]

- (a) Organism will have extra-nuclear genes of the donor cell
- (b) Organism will have extra-nuclear genes of recipient cell
- (c) Organism will have extra-nuclear genes of both donor and recipient cell
- (d) Organism will have nuclear genes of recipient cell
- **94.** Which of the following is the example of sexlinked disease?
  - (a) AIDS
- (b) Colourblindness
- (c) Syphilis
- (d) Gonorrhoea
- 95. Which statements is correct for bacterial transduction? [2002]
  - (a) Transfer of some genes from one bacteria to another bacteria through virus
  - (b) Transfer of genes from one bacteria to another bacteria by conjugation
  - (c) Bacteria obtained its DNA directly
  - (d) Bacteria obtained DNA from other external source
- **96.** There are three, genes a, b, c, percentage of crossing over between a and b is 20%, b and c is 28% and a and c is 8%. What is the sequence of genes on chromosome? [2002]
  - (a) b, a, c
- (b) a, b, c
- (c) a, c, b
- (d) None of these
- 97. Which of the following reunites the exon segments after RNA splicing? [2002]
  - (a) RNA polymerase
  - (b) RNAprimase
  - (c) RNAligase
  - (d) RNA protease
- **98.** Exon part of mRNAs have code for [2002]
  - (a) protein
- (b) lipid
- (c) carbohydrate (d) phospholipid
- **99.** Genetic map is one that
- [2003]
- (a) shows the stages during the cell division
- (b) shows the distribution of various species in a region
- (c) establishes sites of the genes on a chromosome

- (d) establishes the various stages in gene evolution
- **100.** Which one of the following triplet codes, is correctly matched with its specificity for an amino acid in protein synthesis or as 'start' or 'stop' codon?
  - (a) UGU—Leucine(b) UAC—Tyrosine
  - (c) UCG—Start
- (d) UUU—Stop
- **101.** During translation initiation in prokaryotes, a GTP molecule is needed in [2003]
  - (a) association of 30S, mRNA with formylmet rRNA
  - (b) association of 50S subunit of ribosome with initiation complex
  - (c) formation of formylmet tRNA
  - (d) binding of 30S subunit of ribosome with mRNA
- 102. In recent years, DNA sequences (nucleotide sequence) of mtDNA and Y-chromosomes were considered for the study of human evolution, because [2003]
  - (a) their structure is known in greater detail
  - (b) they can be studied from the samples of fossil remains
  - (c) they are small and therefore, easy to study
  - (d) they are uniparental in origin and do not take part in recombination
- **103.** In Drosophila, the sex is determined by [2003]
  - (a) the ratio of pairs of X-chromosomes to the pairs of autosomes
  - (b) whether the egg is fertilized or develops parthenogenetically
  - (c) the ratio of number of X-chromosomes to the set of autosomes
  - (d) X and Y-chromosomes
- 104. When a cluster of genes show linkage [2003] behaviour they
  - (a) do not show independent assortment
  - (b) induce cell division
  - (c) do not show a chromosome map
  - (d) show recombination during meiosis

- **105.** Degeneration of a genetic code is attributed to the **[2003]** 
  - (a) entire codon
  - (b) third member of a codon
  - (c) first member of a codon
  - (d) second member of a codon
- 106. Which of the following discoveries resulted in a Nobel Prize? [2003]
  - (a) Recombination of linked genes
  - (b) Genetic engineering
  - (c) X-rays induce sex-linked recessive lethal mutations
  - (d) Cytoplasmic inheritance
- 107. Down's syndrome is caused by an extra copy of chromosome number 21. What percentage of offspring produced by an affected mother and a normal father would be affected by this disorder? [2003]
  - (a) 50%
- (b) 25%
- (c) 100%
- (d) 75%
- 108. What would happen if in a gene encoding a polypeptide of 50 amino acids, 25th codon (UAU) is mutated to UAA? [2003]
  - (a) A polypeptide of 49 amino acids will be formed
  - (b) A polypeptide of 25 amino acids will be formed
  - (c) A polypeptide of 24 amino acids will be formed
  - (d) Two polypeptides of 24 and 25 amino acids will be formed
- **109.** In the genetic code dictionary, how many codons are used to code for all the 20 essential amino acids? [2003]
  - (a) 61
- (b) 60
- (c) 20
- (d) 64
- 110. The linkage map of X-chromosome of fruit fly has 66 units, with yellow body gene (y) at one end and bobbed hair (b) gene at the other end. The recombination frequency between these two genes (y and b) should be [2003]
  - (a) < 50 %
- (b) 100%
- (c) 66%
- (d) >50%

- **111.** Chromosomes in a bacterial cell can be 1-3 in number and [2003]
  - (a) can be either circular or linear, but never both within the same cell
  - (b) can be circular as well as linear within the same cell
  - (c) are always circular
  - (d) are always linear
- **112.** During transcription, the DNA site at which RNA polymerase binds is called **[2003]** 
  - (a) receptor
- (b) enhancer
- (c) promoter
- (d) regulator
- **113.** What does "lac" refer to in what we call the lac operon? [2003]
  - (a) Lac insect
  - (b) The number, 1,00,000
  - (c) Lactose
  - (d) Lactase
- **114.** Pattern baldness, moustaches and beard in human males are examples of **[2003]** 
  - (a) sex differentiating traits
  - (b) sex determining traits
  - (c) sex linked traits
  - (d) sex limited traits
- **115.** In a mutational event, when adenine is replaced by guanine, it is the case of **[2004]** 
  - (a) frameshift mutation
  - (b) transcription
  - (c) transition
  - (d) transversion
- **116.** Lack of independent assortment of two genes A and B in fruit fly Drosophila is due to

[2004]

- (a) repulsion
- (b) recombination
- (c) linkage
- (d) crossing over
- 117. During transcription, the nucleotide sequence of the DNA strand that is being coded is ATACG, then the nucleotide sequence in the mRNA would be [2004]
  - (a) TATGC
- (b) TCTGG
- (c) UAUGC
- (d) UATGG

201

- **118.** The recessive genes located on X-chromosome' in humans are always [2004]
  - (a) lethal
  - (b) sublethal
  - (c) expressed in males
  - (d) expressed in females
- **119.** Crossing over that results in genetic recombination in higher organisms occurs between **[2004]** 
  - (a) sister chromatids of bivalent
  - (b) non-sister chromatids of a bivalent
  - (c) two daughter nuclei
  - (d) two different bivalents
- **120.** Which of the following statements is not true for retroviruses? [2004]
  - (a) DNA is not present at any stage in the life cycle of retroviruses
  - (b) Retroviruses carry gene for RNA dependent DNA polymerase
  - (c) The genetic material in mature retroviruses is RNA
  - (d) Retroviruses are causative agents for certain kinds of cancer in man
- **121.** A nutritionally wild type organism, which does not require any additional growth supplement is known as [2004]
  - (a) phenotype
- (b) holotype
- (c) auxotroph
- (d) prototroph
- **122.** The following ratio is generally constant for a given species [2004]
  - (a) A+G/C+T
- (b) T + C/G + A
- (c) G + C/A + T
- (d) A+C/T+G
- **123.** The telomeres of eukaryotic chromosomes consist of short sequences of **[2004]** 
  - (a) thymine rich repeats
  - (b) cytosine rich repeats
  - (c) adenine rich repeats
  - (d) guanine rich repeats
- **124.** After a mutation at genetic locus the character of an organism changes due to the change in **[2004]**

- (a) protein structure
- (b) DNA replication
- (c) protein synthesis pattern
- (d) RNA transcription pattern
- **125.** During replication of a bacterial chromosome DNA synthesis starts from a replication origin site and [2004]
  - (a) RNA primers are involved
  - (b) is facilitated by telomerase
  - (c) moves in one direction of the site
  - (d) moves in bi-directional way
- **126.** A normal woman whose father was colourblind is married to a normal man. The sons would be [2004]
  - (a) 75% colourblind
  - (b) 50% colourblind
  - (c) all normal
  - (d) all colourblind
- 127. A man and a woman, who do not show any apparent signs of a certain inherited disease, have seven children (2 daughters and 5 sons). Three of the sons suffer from the given disease but none of the daughters are affected. Which of the following mode of inheritance do you suggest for this disease? [2005]
  - (a) Autosomal dominant
  - (b) Sex-linked dominant
  - (c) Sex-limited recessive
  - (d) Sex-linked recessive
- 128. Telomerase is an enzyme which is a [2005]
  - (a) repetitive DNA
- (b) RNA
- (c) simple protein
- (d) ribonucleoprotein
- **129.** Protein synthesis in an animal cell occurs

[2005]

- (a) only on the ribosomes present in cytosol
- (b) on ribosomes present in cytoplasm as well as in mitochondria
- (c) only on ribosomes attached to the nuclear envelope and endoplasmic reticulum
- (d) on ribosomes present in the nucleolus as well as in cytoplasm

- 130. During transcription holoenzyme RNA polymerase binds to a DNA sequence and the DNA assumes a saddle like structure at that point. What is that sequence called ? [2005]
  - (a) CAATbox,
- (b) GGTTbox
- (c) AAATbox
- (d) TATA box
- **131.** A woman with normal vision, but whose father was colourblind, marries a colourblind man. Suppose that the fourth child of this couple was a boy. This boy

[2005]

- (a) must have normal colour vision
- (b) will be partially colourblind since he is heterozygous for the colourblind mutant
- (c) must be colourblind
- (d) may be colourblind or may be of normal
- 132. Which one of the following hydrolyses internal phosphodiester bonds in a polynucleotide chain? [2005]
  - (a) Lipase
- (b) Endonucleare
- (c) Endonuclease (d) Protease
- **133.** Haemophilia is more commonly seen in human males than in human females be-
  - (a) this disease is due to an X-linked dominant mutation
  - (b) a greater proportion of girls die in infancy
  - (c) this disease is due to an X-linked recessive mutation
  - (d) this disease is due to a Y-linked recessive mutation
- **134.** Amino acid sequence, in protein synthesis is decided by the sequence of [2006]
  - (a) tRNA
- (b) mRNA
- (c) cDNA
- (d) rRNA
- 135. One gene-one enzyme hypothesis was postulated by [2006]
  - (a) R. Franklin
- (b) Hershey and Chase
- (c) A Garrod
- (d) Beadle and Tatum

- **136.** Telomere repetitive DNA sequences control the function of eukaryotic chromosomes be-[2007] cause they
  - (a) act as replicons
  - (b) are RNA transcription initiator
  - (c) help chromosome pairing
  - (d) prevent chromosome loss
- 137. One gene-one enzyme relationship was established for the first time in [2007]
  - (a) Neurospora crassa
  - (b) Salmonella typhimurium
  - (c) Escherichia coli
  - (d) Diplococcus pneumoniae
- 138. The Okazaki fragments in DNA chain growth [2007]
  - (a) result in transcription
  - (b) polymerize in the 3' to 5' direction and forms replication fork
  - (c) prove semi-conservative nature of DNA replication
  - (d) polymerize in the 5' to 3' di rection and explain 3' to 5' DNA replication
- **139.** Two genes R and Y are located very close on the chromosomal linkage map of maize plant. When RRYY and rryy genotypes are hybridized, then F2 segregation will show [2007]
  - (a) higher number of the recombinant types
  - (b) segregation in the expected 9:3:3:1 ratio
  - (c) segregation in 3:1 ratio
  - (d) higher number of the parental types
- 140. Molecular basis of organ differentiation depends on the modulation in transcription by [2007]
  - (a) RNA polymerase (b) ribosome
  - (c) transcription factor (d) anticodon
- 141. The length of DNA molecule greatly exceeds the dimensions of the nucleus in eukaryotic cells. How is this DNA accommodated?

[2007]

- (a) Deletion of non-essential genes
- (b) Super-coiling in nudeosomes

- (c) DNAse digestion
- (d) Through elimination of repetitive DNA
- **142.** Differentiation of organs and tissues in a developing organism is associated with

[2007]

- (a) developmental mutations
- (b) differential expression of genes
- (c) lethal mutations
- (d) deletion of genes
- **143.** A sequential expression of a set of human genes occurs when a steroid molecule binds to the [2007]
  - (a) transfer RNA (b) messenger RNA
  - (c) DNA sequence (d) ribosome
- **144.** A common test to find the genotype of a hybrid is by **[2007]** 
  - (a) crossing of one F2 progeny with male parent
  - (b) crossing of one F2 progeny with female parent
  - (c) studying the sexual behaviour of F1 progenies
  - (d) crossing of one  $F_1$  progeny with male parent
- **145.** In pea plants, yellow seeds are dominant to green. If a heterozygous yellow seeded plant is crossed with a green seeded plant, what ratio of yellow and green seeded plants would you expect in  $F_1$  generation ?[2007]
  - (a) 50:50
- (b) 9:1
- (c) 1:3
- (d) 3:1
- **146.** What is true about the isolated small tribal populations? [2008]
  - (a) There is a decline in population as boys marry girls only from their own tribe
  - (b) Hereditary diseases like colour blindness do not spread in the isolated population
  - (c) Wrestlers who develop strong body muscles in their life time pass this character on to their progeny
  - (d) There is no change in population size as they have a large gene pool

- **147.** Which one of the following condition in humans is correctly matched with its chromosomal abnormality/linkage? [2008]
  - (a) Klinefelter's syndrome 44 autosomes + XXY
  - (b) Colourblindness Y linked
  - (c) Erythroblastosis foetalis X linked
  - (d) Down syndrome 44 autosomes + XO
- **148.** Haploids are more suitable for mutation studies than the diploids. This is because **[2008]** 
  - (a) haploids are reproductively more stable than diploids
  - (b) mutagens penetrate in haploids more effectively than is diploids
  - (c) haploids are more abundant in nature than diploids
  - (d) all mutations, whether dominant or recessive are expressed in haploids
- **149.** Which one of the following pairs of codons is correctly matched with their function or the signal for the particular amino acid?

[2008]


- (a) GUU, GCU Alanine
- (b) UAG, UGA—Stop
- (c) AUG, ACG—Start/methionine
- (d) UUA, UCA—Leucine
- **150.** What is anti sense technology? [2008]
  - (a) A cell displaying a foreign antigen used for synthesis of antigens
  - (b) Production of somaclonal variants in tissue cultures
  - (c) When a piece of RNA that is complementary in sequence is used to stop expression of a specific gene
  - (d) RNA polymerase producing DNA
- **151.** What is *not* true for genetic code? **[2009]** 
  - (a) It is degenerate
  - (b) It is unambiguous
  - (c) A codon in mRNA is read in a noncontiguous fashion
  - (d) It is nearly universal

[2009]

204

- 152. Point mutation involves:
  - (a) Duplication
  - (b) Deletion
  - (c) Insertion
  - (d) Change in single base pair
- **153.** Semiconservative replication of DNA was first demonstrated in [2009]
  - (a) Streptococcus pneumoniae
  - (b) Salmonella typhimurium
  - (c) Drosophila melanogaster
  - (d) Escherichia coli
- **154.** Removal of introns and joining the exons in a defined order in a transcription unit is called [2009]
  - (a) Transformation
- (b) Capping
- (c) Splicing
- (d) Tailing
- **155.** Study the pedigree chart given below

[2009]



What does it show?

- (a) The pedigree chart is wrong as this is not possible
- (b) Inheritance of a recessive sex-linked disease like haemophilia
- (c) Inheritance of a sex-linked inborn error of metabolism like phenylketonuria
- (d) Inheritance of a condition like phenylketonuria as an autosomal recessive trait
- **156.** Whose experiments cracked the DNA and discovered unequivocally that a genetic code is a "triplet"? [2009]
  - (a) Morgan and Sturtevant
  - (b) Beadle and Tatum
  - (c) Nirenberg and Mathaei
  - (d) Hershey and Chase

- **157.** *In vitro* fertilization is a technique that involves transfer of which one of the following into the fallopian tube? [Pre. 2010]
  - (a) Embryo only, upto 8 cell stage.
  - (b) Either zygote or early embryo upto 8 cell stage
  - (c) Embryo of 32 cell stage
  - (d) Zygote only
- **158.** Select the two correct statements out of the four (1-4) given below about lac operon.

[Pre. 2010]

- 1. Glucose or galactose may bind with the repressor and inactivate it
- 2. In the absence of lactose the repressor binds with the operator region
- 3. The z-gene codes for permease
- 4. This was elucidated by Francois Jacob and Jacque Monod
- (a) 2 and 4
- (b) 1 and 4
- (c) 2 and 3
- (d) 3 and 4
- **159.** The one aspect which is not a salient feature of genetic code, is its being **[Pre. 2010]** 
  - (a) Degenerate
  - (b) Ambiguous
  - (c) Universal
  - (d) Specific
- **160.** Which one of the following palindromic base sequences in DNA can be easily cut at about the middle by some particular restriction enzyme? [Pre. 2010]
  - (a) 5' CGTTCG 3', 3' ATGGTA 5'.
  - (b) 5' GATATG 3', 3' CTACTA 5'.
  - (c) 5' GAATTC 3', 3' CTTAAG 5'.
  - (d) 5' CACGTA 3', 3' CTCAGT 5'.
- **161.** Which one of the following conditions of the zygotic cell would lead to the birth of a normal human female child? [Mains 2011]
  - (a) One X and one Y-chromosome
  - (b) Two X chromosome

### www.anybook.in

#### Trueman's AIPMT Biology Rebooster Specific

205

- (c) Only one Y chromosome
- (d) Only one X chromosome
- **162.** Given below is a sample of a portion of DNA strand giving the base sequence on the opposite strands. What is so special shown in it? [2011]


5'	GAATTC	3
3'	CTTAAG	5

- (a) Replication completed
- (b) Deletion mutation
- (c) Start codon at the 5' end
- (d) Palindromic sequence of base pairs
- **163.** Which one of the following conditions correctly describes the manner of determining the sex in the given example? **[Pre. 2011]** 
  - (a) Homozygous sex chromosomes (ZZ) determine female sex in Birds.
  - (b) XO type of sex chromosomes determine male sex in grasshopper
  - (c) XO condition in humans as found in Turner Syndrome, determines female sex.
  - (d) Homozygous sex chromosomes (XX) produce male in *Drosophila*
- **164.** Read the following four statements (A-D) [Mains 2012]
  - (a) In transcription, adenosine pairs with
  - (b) Regulation of lac operon by repressor is referred to as positive regulation
  - (c) The human genome has approximately 50,000 genes
  - (d) Haemophilia is a sex-linked recessive

How many of the above statements are right?

- (a) Three
- (b) Four
- (c) One
- (d) Two
- 165. Tobacco plants resistant to a nematode have been developed by the introduction of DNA that produced (in the host cells) [2012]
  - (a) A particular hormone
  - (b) An antifeedant

- (c) A toxic protein
- (d) Both sense and anti-sense RNA
- 166. Represented below is the inheritance pattern of the certain type of traits in humans. Which one of the following conditions could be an example of this pattern? [Mains 2012]



- (a) Sickle cell anaemia
- (b) Haemophilia
- (c) Thalassemia
- (d) Phenylketonuria
- **167.** Which one of the following is a wrong statement regarding mutations? [Mains 2012]
  - (a) Cancer cells commonly show chromosomal aberrations
  - (b) UV and Gamma rays are mutagens
  - (c) Change in a single base pair of DNA does not cause mutation
  - (d) Deletion and insertion of base pairs cause frame-shift mutations
- 168. Removal of RNA polymerase III from nucleoplasm will affect the synthesis of [Pre. 2012]
  - (a) m-RNA
- (b) r-RNA
- (c) t-RNA
- (d) hn-RNA
- **169.** Removal of introns and joining of exons in a defined order during transcription is called
  - (a) Slicing

[Pre. 2012]

- (b) Splicing
- (c) Looping
- (d) Inducing
- **170.** Which one of the following is not a. part of a transcription unit in DNA? [**Pre. 2012**]
  - (a) A promoter

- (b) The structural gene
- (c) The inducer
- (d) A terminator
- **171.** If one strand of DNA has the nitrogenous base sequence as ATCTG, what would be the complementary RNA strand sequence?
  - (a) AACTG
- (b) ATCGU [Pre. 2012]
- (c) TTAGU
- (d) UAGAC
- 172. A normal visioned man whose father was colour-blind marries a woman whose father was also colour blind. They have their first child as a daughter. What are the chances that this child would be colour-blind

[Pre. 2012]

- (a) 25%
- (b) 50%
- (c) 100%
- (d) 0%
- **173.** The diagram shows an important concept in the genetic implication of DNA. Fill in the blanks A to C. [2013]
- $DNA \xrightarrow{A} mRNA \xrightarrow{A} protein \xrightarrow{Proposed by} C$ 
  - (a) A-transcription B-replication C-James Watson
  - (b) A-translation B-transcription C-Erevin Chargaff
  - (c) A-transcription B-translation C-Francis Crick
  - (d) A-translation B-extension C-Rosalind Franklin
- 174. Which enzyme/s will be produced in a cell in which there is a non-sense mutation in the *lac* Y gene? [2013]
  - (a) β-galactosidase
  - (b) Lactose permease
  - (c) Transacetylase
  - (d) Lactose permease and transacetylase
- 175. Which one of the following is wrongly matched? [AIPMT 2014]
  - (a) Transcription-Writing information from DNA to t-RNA
  - (b) Translation-Using information in m-RNA to make protein

- (c) Repressor protein-Binds to operator to stop enzyme synthesis
- (d) Operon-Structural genes, operator and promoter
- 176. Transformation was discovered by

[AIPMT 2014]

- (a) Meselson and Stahl
- (b) Hershey and Chase
- (c) Griffith

(d) 3' - 5'

- (d) Watson and Crick
- 177. Select the correct option [AIPMT 2014]

### Direction of Direction of reading of RNA synthesis the template DNA strand

- (a) 5' 3'3' 5'(b) 3' 5'5' 3'(c) 5' 3'5' 3'
- 178. In sea urchin DNA, which is double stranded, 17% of the bases were shown to be cytosine. The percentages of the other three bases expected to be present in this DNA are:

  [AIPMT 2015]
  - (a) G 17%, A 16.5%, T 32.5%
  - (b) G 17%, A 33%, T 33%
  - (c) G 8.5%, A 50%, T 24.5%
  - (d) G 34%, A 24.5%, T 24.5%
- 179. Gene regulation governing lactose operon of E.coli that involves the lac I gene product is:

#### [AIPMT 2015]

3' - 5'

- (a) Negative and inducible because repressor protein prevents transcription
- (b) Negative and repressible because repressor protein prevents transcription
- (c) Feedback inhibition because excess of bgalactosidase can switch off transcription
- (d) Positive and inducible because it can be induced by lactose
- **180.** The chromosomes in which centromere is situated close to one end are: [AIPMT 2015]
  - (a) Acrocentric
  - (b) Telocentric

- (c) Sub-metacentric
- (d) Metacentric
- **181.** Which one of the following is not applicable to RNA? **[RE-AIPMT 2015]** 
  - (a) Chargaff's rule
  - (b) Complementary base pairing
  - (c) 5' phosphoryl and 3' hydroxyl ends
  - (d) Heterocyclic nitrogenous bases
- 182. Balbiani rings are sites of: [RE-AIPMT 2015]
  - (a) RNA and protein synthesis
  - (b) Lipid synthesis

- (c) Nucleotide synthesis
- (d) Polysaccharide synthesis
- **183.** Satellite DNA is important because it : [RE-AIPMT 2015]
  - (a) Codes for enzymes needed for DNA replication
  - (b) Codes for proteins needed in cell cycle
  - (c) Shows high degree of polymorphism in population and also the same degree of polymorphism in an individual, which is heritable from parents to children
  - (d) Does not code for proteins and is same in all members of the population

$\bigcirc$ A	Answers								
1 -a	2 -b	3 -a	4 -d	5 -d	6 -b	7 <b>-</b> b	8 -b	9 <b>-</b> b	10 -a
11 -c	12 <b>-</b> d	13 -a	14 -с	15 -c	16 <b>-</b> b	17 -c	18 <b>-</b> d	19 <b>-</b> b	20 -с
21-d	22 -c	23 -b	24 -a	25 -d	26 -d	27 -d	28 -d	29 -a	30 -b
31-a	32 -a	33 -d	34 -d	35 -b	36 -с	37 -c	38 -b	39 -с	40 -a
41-b	42 -d	43 -d	44 -с	45 -d	46 -b	47 -с	48 -d	49 -b	50 -b
51 -d	52 <b>-</b> c	53 -d	54 -b	55 -d	56 -b	57 -b	58 -a	59 -с	60 <b>-</b> b
61 -d	62 <b>-</b> c	63 <b>-</b> d	64 -b	65 <b>-</b> d	66 <b>-</b> d	67 <b>-</b> c	68 -b	69 <b>-</b> c	70 <b>-</b> b
71 -a	72 -a	73 <b>-</b> d	74 -b	75 -c	76 -b	77 <b>-</b> c	78 -b	79 <b>-</b> c	80 -c
81 -c	82 -a	83 -c	84 -d	85 -a	86 -d	87 -b	88 -b	89 -с	90 <b>-</b> b
91 <b>-</b> a	92 -c	93 -b	94 -b	95 -a	96 -a	97 -с	98 <b>-</b> a	99 -с	100 -b
101 -a	102-d	103 -с	104 -a	105 -b	106 -с	107 -a	108 -с	109 -a	110 -a
111 -с	112 -с	113 -с	114 -d	115 -с	116 -с	117 -с	118 -с	119 -b	120 -a
121 -d	122 -c	123 -d	124 -a	125 -d	126 -b	127 -d	128 -d	129 -b	130 -d
131 -d	132 -с	133 -с	134 -b	135 -d	136 -d	137 -a	138 -b	139 -d	140 -с
141 <b>-</b> b	142-b	143 -с	144 -d	145 -a	146 -a	147 -a	148 -d	149 -b	150 -с
151 -c	152 -d	153 -d	154 -с	155 -d	156 -с	157 -a	158 -a	159 -b	160 -с
161 -b	162 -d	163 -b	164 -d	165 -d	166 -b	167 -с	168 -с	169 -b	170 -c
171 -d	172 -d	173 -с	174 -a	175 -d	176 -с	177 -a	178 -b	179 -a	180 -a
181 -a	182 -a	183 -с							

# www.freejobsportal.in

207



# EVOLUTION : ORIGIN AND EVOLUTION OF LIFE

- **1.** "Continuity of germplasm" theory was given by [1989]
  - (a) deVries
- (b) Weismann
- (c) Darwin
- (d) Lamarck
- **2.** Evolution is

[1989]

- (a) progressive development of a race
- (b) history and development of race alongwith ariations
- (c) history of race
- (d) development of race
- **3.** Theory of inheritance of acquired characters was given by [1989]
  - (a) Wallace
- (b) Lamarck
- (c) Darwin
- (d) deVries
- **4.** 'Origin of species' was written by [1989]
  - (a) Oparin
- (b) Weismann
- (c) Lamarck
- (d) Darwin
- **5.** Parallelism is

[1990]

- (a) adaptive divergence
- (b) adaptive divergence of widely separated species
- (c) adaptive convergence of widely different species
- (d) adaptive convergence of closely related groups
- **6.** Which was absent in the atmosphere at the time of origin of life? [1991]

- (a) NH<sub>3</sub>
- (b) H<sub>2</sub>
- (c)  $O_2$
- (d) CH<sub>4</sub>
- 7. The first organisms were
- [1992]
- (a) chemoautotrophs
- (b) chemoheterotrophs
- (c) autotrophs
- (d) eukaryotes
- 8. Weismann cut off tails of mice generation after generation but tails neither disappeared nor shortened showing that [1993]
  - (a) Darwin was correct
  - (b) tail is an essential organ
  - (c) mutation theory is wrong
  - (d) Lamarckism was wrong in inheritance of acquired characters
- 9. Genetic drift is change of

[1993]

- (a) gene frequency in same generation
- (b) appearance of recessive genes
- (c) gene frequency from one generation to next
- (d) None of the above
- 10. Theory of natural selection dwells on [1993]
  - (a) role of environment in evolution
  - (b) natural selection acting on favourable variations
  - (c) changes in gene complex resulting in heritable variations
  - (d) None of the above

209

11. Which one does not favour Lamarckian concept of inheritance of acquired characters?

[1994]

- (a) Lack of pigment in cave dwellers
- (b) Absence of limbs in snakes
- (c) Presence of webbed toes in aquatic birds
- (d) Melanization of peppered moth in industrial areas
- 12. Frequency of a character increases when it [1994]
  - (a) recessive
- (b) dominant
- (c) inheritable
- (d) adaptable
- 13. Which one is irrelevant to evolution of man? [1994, 96]
  - (a) Perfection of hand for tool making
  - (b) Change of diet from hard nuts/roots to soft food
  - (c) Increased ability to communicate or develop community behaviour
  - (d) Loss of tail
- 14. Extremities, tail and ear are relatively shorter in animals living in cooler regions as compared to those inhabiting warmer zones. This [1996]
  - (a) Bergman's rule (b) Jordan's rule
  - (c) Gloger's rule (d) Allen's rule
- 15. Identify the correct sequence in which the following substances have appeared during the course of evolution of life on earth [1996]
  - (a) glucose, amino acids, nucleic acids, proteins
  - (b) ammonia, amino adds, proteins, nucleic acids
  - (c) water, amino acids, nucleic acids, en-
  - (d) amino acids, ammonia, phosphates, nucleic acids
- 16. In general, in the developmental history of a mammalian heart, it is observed that it passes through a two-chambered fish-like heart, three-chambered frog-like heart and finally to four-chambered stage. To which

hypothesis can this above cited statement be approximated? [1998]

- (a) Hardy-Weinberg law
- (b) Lamarck's principle
- (c) Biogenetic law
- (d) Mendelian principles
- [1998] 17. Genetic drift operates only in
  - (a) smaller populations
  - (b) larger populations
  - (c) Mendelian populations
  - (d) island populations
- 18. Darwin's theory of pangenesis shows similarity with theory of inheritance of acquired characters then what will be correct according to it? [2001]
  - (a) Useful organs become strong and developed while useless organs become extinct. These organs help in struggle for survival
  - (b) Size of organs increase with ageing
  - (c) Development of organs is due to will
  - (d) There should become physical basis of inheritance
- 19. Similarities in organisms with different genotype indicates [2001]
  - (a) micro-evolution
  - (b) macro-evolution
  - (c) convergent evolution
  - (d) divergent evolution
- 20. In which condition the gene ratio remains constant for any species? [2002]
  - (a) Sexual selection
  - (b) Random mating
  - (c) Mutation
  - (d) Gene flow
- 21. Sequence of which of the following is used to know the phylogeny? [2002]
  - (a) mRNA
- (b) rRNA
- (c) tRNA
- (d) DNA

- 22. Genetic drift operates in
- [2002]
- (a) small isolated population
- (b) large isolated population
- (c) fast reproductive population
- (d) slow reproductive population
- 23. In a random mating population in equilibrium, which of the following brings about a change in gene frequency in a non-directional manner? [2003]
  - (a) Migration
- (b) Mutation
- (c) Random drift
  - (d) Selection
- 24. Darwin in his 'Natural Selection Theory' did not believe in any role of which one of the following in organic evolution? [2003]
  - (a) Discontinuous variations
  - (b) Parasites and predators as natural enemies
  - (c) Survival of the fittest
  - (d) Struggle for existence
- **25.** Random genetic drift in a population probably results from [2003]
  - (a) large population size
  - (b) highly genetically variable individuals
  - (c) interbreeding within this population
  - (d) constant low mutation rate
- 26. Industrial melanism is an example of [2003]
  - (a) defensive adaptation of skin against ultraviolet radiations
  - (b) drug resistance
  - (c) darkening of skin due to smoke from industries
  - (d) protective resemblance with the surroundings
- **27.** Which one of the following sequences was proposed by Darwin and Wallace for organic evolution? [2003]
  - (a) Variations, natural selection, overproduction, constancy of population size
  - (b) Overproduction, variations, constancy of population size, natural selection
  - (c) Variations, constancy of population size, overproduction, natural selection

- (d) Overproduction, constancy of population size, variations, natural selection
- **28.** Which one of the following experiments suggests that simplest living organisms could not have originated spontaneously from non-living matter? [2005]
  - (a) Larvae could appear in decaying organic matter
  - (b) Microbes did not appear in stored meat
  - (c) Microbes appeared from unsterilized organic matter
  - (d) Meat was not spoiled, when heated and kept sealed in a vessel
- 29. Using imprints from a plate with complete medium and carrying bacterial colonies, you can select streptomycin resistant mutants and prove that such mutations do not originate as adaptation. These imprints need to be used [2005]
  - (a) on plates with and without streptomycin
  - (b) on plates with minimal medium
  - (c) only on plates with streptomycin
  - (d) only on plates without streptomycin
- **30.** Which one of the following phenomena supports Darwin's concept of natural selection in organic evolution? [2005]
  - (a) Development of transgenic animals
  - (b) Production of 'Dolly', the sheep by cloning
  - (c) Prevalence of pesticide resistant insects
  - (d) Development of organs from 'stem cells' for organ transplantation
- **31.** de Vries gave his mutation theory on organic evolution while working on **[2005]** 
  - (a) Pisum sativum
  - (b) Drosophila melanogaster
  - (c) Oenothera lamarckiana
  - (d) Althea rosea
- **32.** Which one of the following amino acid was not found to be synthesized in Miller's experiment? [2006]
  - (a) Aspartic acid (b) Glutamic acid
  - (c) Alanine
- (d) Glycine

- **33.** Industrial melanism as observed in peppered moth proves that [2007]
  - (a) the true black melanic forms arise by a recurring random mutation
  - (b) the melanic form of the moth has no selective advantage over lighter form in industrial area
  - (c) the lighter form moth has no selective advantage either in polluted industrial area or non-polluted area
  - (d) melanism is a pollution generated feature
- **34.** When two species of different geneology come to resemble each other as a result of adaptation, the phenomenon is termed
  - (a) divergent evolution

[2007]

- (b) micro-evolution
- (c) co-evolution
- (d) convergent evolution
- **35.** The concept of chemical evolution is based on **[2007]** 
  - (a) crystalization of chemicals
  - (b) interaction of water, air and clay under intense heat
  - (c) effect of solar radiation on chemicals
  - (d) possible origin of life by combination of chemicals under suitable environmental conditions
- **36.** Select the correct statement from the following [2007]
  - (a) Darwinian variations are small and directionless
  - (b) fitness is the end result of the ability to adapt and gets selected by nature
  - (c) all mammals except whales and camels have seven cervical vertebrae
  - (d) mutations are random and directional
- **37.** Adaptive radiation refers to [2007]
  - (a) adaptations due to geographical isolation
  - (b) evolution of different species from a common ancestor

- (c) migration of members of a species to different geographical areas
- (d) power of adaptation in an individual to a variety of environments
- **38.** Which one of the following is incorrect about the characteristics of protobionts (coacervates and microspheres) as envisaged in the abiogenic origin of life? [2008]
  - (a) They were able to reproduce.
  - (b) They could separate combinations of molecules from the surroundings.
  - (c) They were partially isolated from the surroundings.
  - (d) They could maintain an internal environment.
- **39.** In the case of peppered moth (*Biston betularia*) the black-coloured form became dominant over the light-coloured form in England during industrial revolution. This is an example of [2009]
  - (a) protective mimicry
  - (b) inheritance of darker colour character acquired due to the darker environment
  - (c) natural selection whereby the darker forms were selected
  - (d) appearance of the darker coloured individuals due to very poor sunlight
- **40.** Darwin's finches are a good example of **[Pre. 2010]** 
  - (a) Industrial melanism
  - (b) Connecting link
  - (c) Adaptive radiation
  - (d) Convergent evolution
- **41.** Evolution of different species in a given area starting from a point and spreading to other geographical areas is known as [**Pre. 2012**]
  - (a) Migration
- (b) Divergent evolution
- (c) Adaptive radiation
- (d) Natural selection
- **42.** Variation in gene frequencies within populations can occur by chance rather than by natural selection. This is referred to as

[2013]

### www.anybook.in

### Trueman's AIPMT Biology Rebooster Specific

(a) Genetic flow

212

- (b) Genetic drift
- (c) Random mating
- (d) Genetic load
- **43.** The process by which organisms with different evolutionary history evolve similar phenotypic adaptations in response to a common environmental challenge is called
  - (a) Natural selection

[2013]

- (b) Convergent evolution
- (c) Non-random evolution
- (d) Adaptive radiation
- **44.** The tendency of population to remain in genetic equilibrium may be disturbed by
  - (a) random mating

[2013]

- (b) lack of migration
- (c) lack of mutations
- (d) lack of random mating

- **45.** According to Darwin, the organic evolution is due to **[2013]** 
  - (a) Intraspecific competition
  - (b) Interspecific competition
  - (c) Competition within closely related species
  - (d) Reduced feeding efficiency in one species due to the presence of interfering species.
- **46.** A population will not exist in Hardy-Weinberg equilibrium if: [AIPMT 2015]
  - (a) There are no mutations
  - (b) There is no migration
  - (c) The population is large
  - (d) Individuals mate selectively.

Q A	nswers .				6 -c 16 -c					-
1 <i>-</i> b	2 -b	3 -b	4 -d	5 -d	6 -c	7 <b>-</b> b	8 -d	9 <b>-</b> a	10 -b	
11 <b>-</b> d	12 -d	13 <b>-</b> d	14 -d	15 -b	16 -с	17 <b>-</b> a	18 -d	19 -с	20 -b	
					26 -d					
31 -с	32 -b	33 -a	34 -d	35 -d	36 -b	37 -b	38 -d	39-с	40-с	
41 -с	42 -b	43 -b	44 -d	45 -b	46 -d					

# **29B**

### **EVOLUTION: EVIDENCES OF EVOLUTION**

- **1.** Basic principles of embryonic development were pronounced by **[1990]** 
  - (a) von Baer
- (b) Weismann
- (c) Haeckel
- (d) Morgan
- 2. Correct order is

[1991]

- (a) Palaeozoic → Archaeozoic → Coenozoic
- (b) Archaeozoic → Palaeozoic → Proterozoic
- (c) Palaeozoic → Mesozoic → Coenozoic
- (d) Mesozoic → Archaeozoic → Proterozoic
- 3. Evolutionary convergence is development of [1993, 96]
  - (a) common set of characters in group of different ancestry
  - (b) dissimilar characters in closely related groups
  - (c) common set of characters in closely related groups
  - (d) random mating
- 4. Homologous organs are

[1994]

- (a) wings of insects and bat
- (b) gills of fish and lungs of rabbit
- (c) pectoral fins of fish and fore limbs of horse
- (d) wings of grasshopper and crow
- **5.** The earliest fossil form in the phylogeny of horse is **[1994]** 
  - (a) Merychippus (b) Mesohippus
  - (c) Eohippus
- (d) Equus

- **6.** Two geographical regions separated by high mountains are [1994]
  - (a) Oriental and Australian
  - (b) Palaearctic and Oriental
  - (c) Nearctic and Palaearctic
  - (d) Neotropical and Ethiopian
- 7. 'Golden age of dinosaurs'/Age of reptiles was [1994]
  - (a) Mesozoic
- (b) Coenozoicc
- (c) Palaeozoic
- (d) Psychozoic
- **8.** The presence of gill slits, in the embryos of all vertebrates, supports the theory of [1995]
  - (a) biogenesis
- (b) recapitulation
- (c) metamorphosis (d) organic evolution
- 9. One of the following is a link between plants and animals [1995]
  - (a) Euglena
- (b) Bacteria
- (c) Paramecium
- (d) Trichonympha
- **10.** The homologous organs are those that show similarity in [1995]
  - (a) size
- (b) origin
- (c) function
- (d) appearance
- **11.** Which one of the following sets includes only the vestigial structures in man? [1996]
  - (a) Body hair, olecranon process, coccyx, patella
  - (b) Wisdom teeth, mammary glands, coccyx, patella

- (c) Coccyx, nictitating membrane, vermiform appendix, ear muscles
- (d) Coccyx, body hair, ear ossicles, vermiform appendix
- **12.** Which one of the following pair has homologous organs? [1999]
  - (a) Pectoral fins of a fish and forelimbs of a horse
  - (b) Wings of a bat and wings of cockroach
  - (c) Air sac of fish and lungs of frog
  - (d) Wings of a bird and wings of a butterfly
- **13.** Darwin's finches provide an excellent evidence in favour of evolution. This evidence comes from the field of [2000]
  - (a) Biogeography (b) Anatomy
  - (c) Embryology
- (d) Palaeontology
- 14. Which is not a vestigial part in humans?
  - (a) Segmental muscles of abdomen [2000]
  - (b) Fingernails
  - (c) Third molar
- (d) Coccyx
- **15.** Occurrence of endemic species in South-America and Australia is due to **[2001]** 
  - (a) these species have been extinct from other regions
  - (b) continental separation
  - (c) there is no terrestrial route to these places
  - (d) retrogressive evolution
- **16.** Half-life period of C<sup>14</sup> is about [2001]
  - (a) 500 yr
- (b) 5730 yr
- (c) 50 yr
- (d)  $5 \times 104 \text{ yr}$
- 17. According to fossils discovered up to present time origin and evolution of man was started from [2002]
  - (a) France
- (b) Java
- (c) Africa
- (d) China
- **18.** Which of the following is homologous organ? [2002]
  - (a) Wings of birds and locust
  - (b) Wings of birds (sparrow) and pectoral fins of fish
  - (c) Wings of bat and butterfly
  - (d) Legs of frog and cockroach

- 19. In which era reptiles were dominant? [2002]
  - (a) Coenozoic era (b) Mesozoic era
  - (c) Palaeozoic era (d) Archaeozoic era
- 20. Convergent evolution is illustrated by
  - (a) dogfish and whale

[2003]

- (b) rat and dog
- (c) bacterium and protozoan
- (d) starfish and cuttle fish
- 21. In recent years, DNA sequences (nucleotide sequence) of mtDNA and Y-chromosomes were considered for the study of human evolution, because [2003]
  - (a) they can be studied from the samples of fossil remains
  - (b) they are small and, therefore, easy to study
  - (c) they are uniparental in origin and do not take part in recombination
  - (d) their structure is known in greater detail
- **22.** Which one of the following describes correctly the homologous structures? **[2003]** 
  - (a) Organs appearing only in embryonic stage and disappearing later in the adult
  - (b) Organs with anatomical similarities, but performing different functions
  - (c) Organs with anatomical dissimilarities, but performing same functions
  - (d) Organs that have no function now, but had an important function in ancestors
- 23. What kind of evidence suggested that man is more closely related with chimpanzee than with other hominoid apes? [2004]
  - (a) Evidence from DNA from sex chromosomes only
  - (b) Comparison of chromosomes morphology only
  - (c) Evidence from fossil remains and the fossil mitochondrial DNA alone
  - (d) Evidence from DNA extracted from sex chromosomes, autosomes and mitochondria
- **24.** Age of fossils in the past was generally determined by radio-carbon method and other method involving radioactive elements

found in the rocks . More precise methods, which were used recently and led to the revision of the evolutionary periods for different groups of organisms, include [2004]

- (a) study of carbohydrates/proteins in fossils
- (b) study of the condition of fossilization
- (c) Electron Spin Resonance (ESR) and fossil DNA
- (d) study of carbohydrates/proteins in rocks
- **25.** Presence of gills in the tadpole of frog indicates diat [2004]
  - (a) fishes were amphibious in the past
  - (b) fishes evolved from frog-like ancestors
  - (c) frogs will have gills in future
  - (d) frogs evolved from gilled ancestors
- **26.** Which of the following is the relatively most accurate method for dating of fossils?
  - (a) Radio-carbon method [2005]
  - (b) Potassium-argon method
  - (c) Electron-spin resonance method
  - (d) Uranium-lead method
- **27.** An important evidence in favour of organic evolution is the occurrence of [2006]
  - (a) analogous and vestigial organs
  - (b) homologous organs only
  - (c) homologous and analogous organs
  - (d) homologous and vestigial organs
- **28.** Evolutionary history of an organism is known as [2006]
  - (a) Ancestry
- (b) Palaeontology
- (c) Ontogeny
- (d) Phylogeny
- **29.** One of the important consequences of geographical isolation is [2007]
  - (a) no change in the isolated fauna
  - (b) preventing speciation
  - (c) speciation through reproductive isolation
  - (d) random creation of new species
- **30.** Which one of the following statements is correct? [2007]
  - (a) Stem cells are specialized cells

- (b) There is no evidence of the existence of gills during embryogenesis of mammals
- (c) All plant and animal cells are totipotent
- (d) Ontogeny repeats phylogeny
- **31.** The finches of Galapagos islands provide an evidence in favour of [2007]
  - (a) special creation
  - (b) evolution due to mutation
  - (c) retrogressive evolution
  - (d) biogeographical evolution
- **32.** Darwin's finches are an excellent example of **[2008]** 
  - (a) adaptive radiation
  - (b) seasonal migration
  - (c) brood parasitism (d) connecting links
- **33.** Thorn of Bougainvillea and tendril of Cucurbita are examples of **[2008]** 
  - (a) analogous organs
  - (b) homologous organs
  - (c) vestigial organs
  - (d) retrogressive evolution
- **34.** Select the incorrect statement from the following: [2009]
  - (a) Small population size results in random genetic drift in a population
  - (b) Baldness is a sex-limited trait
  - (c) Linkage is an exception to the principle of independent assortment in heredity
  - (d) Galactosemia is an inborn error of metabolism
- **35.** Given below are four statements (A-D) each with one or two blanks. Select the option which correctly fills up the blanks in two statements [Mains 2010]

#### Statements:

- (A) Wings of butterfly and birds look alike and are the results of \_\_\_(i)\_ evolution
- (B) Miller showed that CH<sub>4</sub>, H<sub>2</sub>, NH<sub>3</sub> and (i), when exposed to electric discharge in flask resulted in formation of (ii)
- (C) Vermiform appendix is a\_(i)\_\_organ and an\_\_(ii)\_\_evidence of evolution.

(D) According to Darwin evolution took place due to \_(i)\_ and \_(ii)\_ of the fittest.

#### Options:

- (a) (A) (i) convergent
  - (B) (i) oxygen, (ii) nucleosides
- (b) (B) (i) water vapour, (ii) amino acids,
  - (C) (i) rudimentary (ii) anatomical
- (c) (C) (i) vestigial, (ii) anatomical,
  - (D) (i) mutations, (ii) multiplication
- (d) (D) (i) small variations, (ii) survival,
  - (A) (i) convergent
- **36.** Which one of the following options gives one correct example each of convergent evolution and divergent evolution? [Pre. 2012]

#### Convergent evolution Divergent evolution (a) Bones of forelimbs of Wings of butterfly and birds vertebrates Thorns of Bougain-Eyes of Octopus and villia and tendrils Mammals of Cucurbita (c) Eyes of octopus and Bones of forelimbs of mammals Vertebrates (d) Thorns of Bougain-Wings of butterflies villia and tendrils and birds of Cucurbita

- **37.** The eye of octopus and eye of cat show different patterns of structure, yet they perform similar function. This is an example of **[2013]** 
  - (a) Homologous organs that have evolved due to convergent evolution
  - (b) Homologous organs that have evolved due to divergent evolution
  - (c) Analogous organs that have evolved due to convergent evolution

- (d) Analogous organs that have evolved due to divergent evolution
- **38.** Forelimbs of cat, lizard used in walking; forelimbs of whale used in swimming and forelimbs of bats used in flying are an example of:

  [AIPMT 2014]
  - (a) Analogous organs
  - (b) Adaptive radiation
  - (c) Homologous organs
  - (d) Convergent evolution
- **39.** Which one of the following are analogous structures? [AIPMT 2014]
  - (a) Wings of bat and wings of pigeon
  - (b) Gills of prawn and lungs of man
  - (c) Thorns of Bougainvillea and tendrils of Cucurbita
  - (d) Flippers of dolphin and legs of horse
- **40.** The wings of a bird and the wings of an insect are: [**RE-AIPMT 2015**]
  - (a) homologous structures and represent convergent evolution
  - (b) homologous structures and represent divergent evolution
  - (c) analogous structures and represent convergent evolution
  - (d) phylogenetic structures and represent divergent evolution
- **41.** Industrial melanism is an example of :

#### [RE-AIPMT 2015]

- (a) Neo Lamarckism (b) Neo Darwinism
- (c) Natural selection (d) Mutation

$\bigcirc$ A									
1 -a 11 -c	2 -c	3 -a	4 -c	5 -c	6 -b	7 -a	8 -b	9 -a	10 <b>-</b> b
11 -c	12 <b>-</b> a	13 -a	14 -b	15 -b	16 <b>-</b> b	17 <b>-</b> c	18 -b	19 <b>-</b> b	20 -a
21 -c	22 -b	23 -d	24 -с	25 -d	26 -с	27 <b>-</b> d	28 -d	29 -с	30 -d
31 <b>-</b> d	32 -a	33 -b	34-a	35 <b>-</b> d	36 -с	37 <b>-</b> c	38 -c	39 <b>-</b> b	40 -с
41 -с									

# **29C**

### **EVOLUTION: HUMAN EVOLUTION**

- **1.** Which one of the following is regarded as the direct ancestor of modern man? [1996]
  - (a) Homo erectus (b) Ramapithecus
  - (c) Homo habilis (d) Cro-magnon man
- 2. Which one of the following statements about fossil human species is correct? [1997]
  - (a) Fossils of Homo neanderthalensis have been found recently in South America
  - (b) Neanderthal man and Cro-magnon man did exist for sometime together
  - (c) Australopithecus fossils have been found in Australia
  - (d) Homo erectus was preceded by Homo habilis
- 3. Common origin of man and chimpanzee is best shown by [1997]
  - (a) banding pattern in chromosomes number 3 and 6
  - (b) cranial capacity
  - (c) binocular vision (d) dental formula
- 4. Which one of the following statements is correct? [1998]
  - (a) Cro-magnon man's fossil has been found in Ethiopia
  - (b) Homo erectus is the ancestor of man
  - (c) Neanderthal man is the direct ancestor of Homo sapiens
  - (d) Australopithecus is the real ancestor of modern man

- **5.** The age of the fossil of Dryopithecus on the geological time scale is [1998]
  - (a)  $5 \times 10^6$  yr back (b)  $25 \times 10^6$  yr back
  - (c)  $50 \times 10^6$  yr back (d)  $75 \times 10^6$  yr back
- **6.** Which of the following primate is the closest relative of humans? [2000]
  - (a) Rhesus monkey
- (b) Orangutan
- (c) Gorilla
- (d) Gibbon
- 7. Homo sapiens evolved during

[2000]

- (a) Pleistocene
- (b) Oligocene
- (c) Pliocene (d)
  - (d) Miocene
- **8.** Which one of the following features is closely related with the evolution of humans? [2000]
  - (a) Loss of tail
- (b) Shortening of jaws
- (c) Binocular vision (d) Flat nails
- 9. Which of the following is closest relative of man? [2001]
  - (a) Chimpanzee
- (b) Gorilla
- (c) Orangutan
- (d) Gibbon
- 10. Which of the following is correct order of evolutionary history of man? [2001]
  - (a) Peking man, Homo sapiens, Neanderthal, Cro-magnon
  - (b) Peking man, Neanderthal, Homo sapiens, Cro-magnon
  - (c) Peking man, Heidelberg man, Neanderthal, Cro-magnon
  - (d) Peking man, Neanderthal, Homo sapiens, Heidelberg man

### www.freejobsportal.in

### Trueman's AIPMT Biology Rebooster Specific

11. There are two opposing views about origin of modern man. According to one view Homo erectus in Asia were the ancestors of modern man. A study of variation of DNA however, suggested African origin of modern man. What kind of observation on DNA variation could suggest this? [2005]

218

- (a) Greater variation in Asia than in Africa
- (b) Greater variation in Africa than in Asia
- (c) Similar variation in Africa and Asia
- (d) Variation only in Asia and no variation in Africa
- **12.** Jurassic period of the Mesozoic era is characterized by **[2006]** 
  - (a) radiation of reptiles and origin of mammal-like reptiles
  - (b) dinosaurs become extinct and angiosperms appear
  - (c) flowering plants and first dinosaurs appear
  - (d) gymnosperms are dominant plants and first birds appear
- **13.** Among the human ancestors the brain size was more than 1000 cc in **[2007]** 
  - (a) Homo neanderthalensis
  - (b) Homo erectus
  - (c) Ramapithecus
  - (d) Homo habilis
- **14.** The most apparent change during the evolutionary history of *Homo sapiens* is traced in
  - (a) Walking upright

[Mains 2010]

(b) Shortening of jaws

- (c) Remarkable increase in the brain size
- (d) Loss of body hair
- **15.** What was the most significant trend in the evolution of modern man (Homo sapiens) from his ancestors? [Pre. 2011]
  - (a) Upright posture
  - (b) Shortening of jaws
  - (c) Binocular vision
  - (d) Increasing brain capacity
- 16. The extinct human who lived 1,00,000 to 40,000 years ago, in Europe, Asia and parts of Africa, with short stature, heavy eye brows, retreating for heads, large jaws with heavy teeth, stocky bodies a lumbering gait and stooped posture was [Pre. 2012]
  - (a) Cro-magnon humans
  - (b) Rampithecus
  - (c) Homo habilis
  - (d) Neanderthal human
- 17. What was the most significant trend in the evolution of modern man (Homo sapiens) from his ancestors? [Pre. 2012]
  - (a) Increasing cranial capacity
  - (b) Upright posture
  - (c) Shortening of jaws
  - (d) Binocular vision
- **18.** Which of the following had the smallest brain capacity? **[AIPMT 2015]** 
  - (a) Homo sapiens
  - (b) Homo neanderthalensis
  - (c) Homo habilis
  - (d) Homo erectus

(	Q AI	nswers _						8 -b 18 -c		
	1-d	2 -d	3 -a	4 -b	5 <b>-</b> b	6 -c	7 <b>-</b> a	8 -b	9 -a	10 -c
	11 <b>-</b> a	12 -d	13 -a	14 -с	15 -d	16 -d	17 <b>-</b> a	18 -c		

mechanism

(d) food habits

(c) age of the individual

(b) increase in ambient temperature

**6.** The long-term prospects for a truly human

civilization depend in a large measure on

### HUMAN HEALTH AND DISEASES

(c) poisons released by virus into the host

(d) excessive immune response by the host's

(b) Morphine

[1997]

**10**. Which of the following is an opiate narcotic?

body

(a) Barbiturates

(c) Amphetamines (d) LSD

1. Cells involved in immune mechanism are (a) the ability of humanity to moderate its [1993] fecundity (b) lymphocytes (b) increasing the food production (a) erythrocytes (c) colonization of underpopulated areas (c) eosinophils (d) thrombocytes (d) control of human diseases [1993] 2. Opiate narcotic is 7. Passive immunity was discovered by [1996] (a) bhang (b) charas (a) Edward Jenner (b) Emil von Behring (c) heroin (d) nicotine (c) Robert Koch (d) Louis Pasteur **3.** Which of the following pair is not correctly 8. Retroviruses are implicated as a cause for [1995] matched? [1996] cancer in humans because they (a) Dengue fever — Arbovirus (a) carry gene for reverse transcriptase (b) Plague Yersinia pestis (b) may carry cellular protooncogenes in (c) Syphilis — Trichuris trichiura their genome (d) Malaria Plasmodium vivax (c) may carry v-oncogenes in their genome 4. Which of the following diseases is due to an (d) carry single stranded RNA as their [1995] allergic reaction? genetic material (a) Goitre (b) Skin cancer **9.** Diphtheria is caused by [1997] (c) Hay fever (d) Enteric fever (a) poisons released by living bacterial cells 5. Hypersensitivity to an allergen is associated into the host tissue [1996] (b) poisons released from dead bacterial cells into the host tissue (a) aberrant functioning of the immune

### www.freejobsportal.in

[1996]

11.	Which of the following w next two decades?	vill be achieved in [1997]	19.	Which one of the matches a Sexual	lly Transmitted I	Disease
	(a) Control of cancer			(STD) with its path	-	[2000]
	(b) Correction of genetic	basis of diabetes		` '	<ul> <li>Bacillus anthra</li> </ul>	
	mellitus				<ul> <li>Treponema pa</li> </ul>	
	(c) A complete understand interactions			<ul><li>(c) Urethritis</li><li>(d) Gonorrhoea</li></ul>	<ul><li>Entamoeba gir</li><li>Leishmania do</li></ul>	_
	(d) Production of biodegr	adable plastic	20.	Small proteins pro	duced by vertebra	ate cells
12.	If a person shows product in his body, the chances a an infection of			naturally in responsible which inhibit muticalled	nse to viral infection	ons and
	(a) typhoid (b) me	easles		(a) immunoglobu	lins (b) interfero	ns
	(c) tetanus (d) ma			(c) antitoxins	(d) lipoprote	eins
13.	Which of the following sy radiation sickness?  (a) Red and ulcerated skir	[1997]	21.	Bovine spongiforn vine disease. To w man diseases it is	hich of the follow	
	(b) Nausea and anaemia			(a) Kala-azar		[2000]
	(c) Nausea and loss of ha	nir		(b) Encephalitis		
	(d) Ulcerated skin, nause	a and loss of hair		(c) Cerebral spond		
14	Botulism caused by Closti	ridium botulinum		(d) Creutzfeldt Jac	ob disease	
	affects the	[1998]	22.	Which one of the fo	ollowing is correct	match?
	(a) spleen				Ü	[2001]
	(b) intestine			(a) Reserpine -	<ul><li>Tranquiliser</li></ul>	
	(c) lymph glands			(b) Cocaine -	<ul> <li>Opiatic narcoti</li> </ul>	ic
	(d) neuromuscular junction	on		• •	<ul> <li>Hallucinogenie</li> </ul>	С
<b>15</b> .	Typhoid fever is caused b	y [1998]		(d) Bhang -	<ul><li>Analgesic</li></ul>	
	• •	lmonella	23.	Which of these is a	most infectious dis	sease?
	. ,	cherichia				[2001]
16.	Koch's postulates are not a	pplicable to [1999]		(a) Hepatitis-B	(b) AIDS	
	(a) cholera (b) leg			(c) Cough and col	d (d) Malaria	
	· / 1	phtheria	<b>24</b> .	Reason of lung car	ncer is	[2001]
17	The term 'humulin' is use	_		(a) coal mining		
17.	(a) human insulin (b) po			(c) cement factory	(d) bauxite mini	ng
	-	drolytic enzyme	25.	LSD is		[2001]
10				(a) hallucinogenio	(b) sedative	
18.	Hybridoma cells are	[1999]		(c) stimulant	(d) tranquiliser	
	(a) product of spore form		26.	Salmonella is relat	ted with	[2001]
	(b) hybrid cells resulting fr	rom myeioma cells		(a) typhoid	(b) polio	
	<ul><li>(c) nervous cells of frog</li><li>(d) only cells having onco</li></ul>	ogonos		(c) TB	(d) tetanus	
	(a) only cens having office	genes			•	

- 27. Monoclonal antibodies [2001]
  - (a) are obtained from a cell and act on one antigen
  - (b) are obtained from a group of cells and act on more than one antigens
  - (c) are obtained from a group of same type of cells and act on single antigen
  - (d) are obtained from a group of same type of cells and act on more than one antigens
- 28. Cancerous cells can easily be destroyed by radiation due to [2002]
  - (a) rapid cell division (b) lack of nutrition
  - (c) fast mutation (d) lack of oxygen
- 29. The term "antibiotic" was coined by [2003]
  - (a) Selman Waksman (b) Alexander Fleming
  - (c) Edward Jenner (d) Louis Pasteur
- [2003] **30**. Carcinoma refers to
  - (a) malignant tumours of the colon
  - (b) benign tumours of the connective tissue
  - (c) malignant tumours of the connective
  - (d) malignant tumours of the skin or mucous membrane
- 31. Maximum application of animal cell culture technology today is in the production of [2003]
  - (a) vaccines
- (b) edible proteins
- (c) insulin
- (d) interferons
- 32. Christmas disease is another name for [2003]
  - (a) Down's syndrome
  - (b) sleeping sickness
  - (c) haemophilia-B
  - (d) hepatitis-B
- 33. Which one of the following conditions though harmful in itself, is also a potential saviour from a mosquito borne infectious disease? [2003]
  - (a) Pernicious anaemia
  - (b) Leukemia

- (c) Thalassaemia
- (d) Sickle cell anaemia
- 34. ELISA is used to detect viruses where the [2003] key reagent is
  - (a) DNA probe
  - (b) RNAase
  - (c) alkaline phosphatase
  - (d) catalase
- 35. Which one of the following pairs is not cor-[2004] rectly matched?
  - (a) Streptomyces — Antibiotic
  - Drug addiction (b) Serratia
  - Single cell protein (c) Spirulina
  - (d) Rhizobium Biofertilizer
- **36**. Which one of the following is not correctly matched? [2004]
  - (a) Glossina palpalis—Sleeping sickness
  - (b) Culex pipiens Filariasis
  - (c) Aedes aegypti Yellow fever
  - (d) Anopheles culicifacies Leishmaniasis
- 37. Which one of the following depresses brain activity and produces feelings of calmness, relaxation and drowsiness? [2005]
  - (a) Valium
- (b) Morphine
- (c) Hashish
- (d) Amphetamines
- 38. Which of the following is not a hereditary disease?
  - (a) Cretinism
- (b) Cystic fibrosis
- (c) Thalassaemia (d) Haemophilia
- 39. A person showing unpredictable moods, outbursts of emotion, quarrelsome behaviour and conflicts with others is suffering from
  - (a) schizophrenia
  - (b) Borderline Personality Disorder (BPD)
  - (c) mood disorders
  - (d) addictive disorders
- 40. The "blue baby syndrome" results from
  - (a) excess of chloride

[2006]

(b) methaemoglobin

### www.freejobsportal.in

221

- (c) excess of dissolved oxygen
- (d) excess of TDS (Total Dissolved Solids)
- 41. Sickle cell anaemia has not been eliminated from the African population because
  - (a) it is controlled by recessive genes [2006]
  - (b) it is not a fatal disease
  - (c) it provides immunity against malaria
  - (d) it is controlled by dominant genes
- 42. Both sickle cell anaemia and Huntington's chorea are [2006]
  - (a) bacteria-related diseases
  - (b) congenital disorders
  - (c) pollutant-induced disorders
  - (d) virus-related diseases
- 43. Which one of the following is a viral disease of poultry? [2007]
  - (a) Salmonellosis
  - (b) Coryza
  - (c) New castle disease
  - (d) Pasteurellosis
- **44**. Probiotics are [2007]
  - (a) safe antibiotics
  - (b) cancer inducing microbes
  - (c) new kind of food allergens
  - (d) live microbial food supplement
- **45**. If you suspect major deficiency of antibodies in a person, to which of the following would you look for confirmatory evidence? [2007]
  - (a) Serum albumins
  - (b) Serum globulins
  - (c) Fibrinogen in the plasma
  - (d) Haemocytes
- 46. Increased asthmatic attacks in certain seasons are related to [2007]
  - (a) hot and humid environment
  - (b) eating fruits preserved in tin containers
  - (c) inhalation of seasonal pollen
  - (d) low temperature
- 47. Match the disease in Column-I with the appropriate items (pathogen/prevention/ treatment) in Column-II [2008]

- Column-II Column-I
- (A) Amoebiasis i. Teporema pallidum
- ii. Use only sterilized (B) Diphtheria food and water
- (C) Cholera
  - iii. DPT vaccine
- (D) syphilis
- vi. Use oval rehydration therapy
- (a) A-(i), B-(ii), C-(iii), D-(iv)
- (b) A-(ii), B-(iv), C-(i), D-(iii)
- (c) A-(ii), B-(i), C-(iii), D-(iv)
- (d) A-(ii), B-(iii), C-(iv), D-(i)
- 48. To which type of barriers under innate immunity, do the saliva in the mouth and the tears from the eyes, belong? [2008]
  - (a) cytokine barriers
  - (b) cellular barriers
  - (c) physiological barriers
  - (d) physical barriers
- **49.** The letter T in T-lymphocyte refers to [2009]
  - (a) Tonsil
- (b) Thymus
- (c) Thyroid
- (d) Thalamus
- 50. A person likely to develop tetanus is immunised by administering [2009]
  - (a) Wide spectrum antibiotics
  - (b) Weakened germs
  - (c) Dead germs
  - (d) Preformed antibodies
- 51. Which one of the following statements is correct? [2009]
  - (a) Heroin accelerates body functions.
  - (b) Malignant tumours may exhibit metasta-
  - (c) Patients who have undergone surgery are given cannabinoids to relieve pain.
  - (d) Benign tumours show the property of metastasis.
- **52.** Sickle cell anemia is
- (a) caused by a change in a single base pair of DNA
- (b) characterized by elongated sickle like RBCs with a nucleus

- (c) an autosomal linked dominant trait
- (d) caused by substitution of valine by glutamic acid in the beta globin chain of haemoglobin
- 53. A health disorder that results from the deficiency of thyroxine in adults and characterised by (i) a low metabolic rate, (ii) increase in body weight and (iii) tendency to retain water in tissues is [2009]
  - (a) myxoedema
- (b) cretinism
- (c) hypothyroidism
- (d) simple goiter
- 54. When breast feeding is replaced by less nutritive food low in proteins and calories; the infants below the age of one year are likely to suffer from: [2009]
  - (a) Kwashiorkor
- (b) Pellagra
- (c) Marasmus
- (d) Rickets
- **55.** Use of anti-histamines and steroids give a quick relief from: [2009]
  - (a) Cough
- (b) Headache
- (c) Allergy
- (d) Nausea
- **56.** Alzhimer disease in humans is associated with the deficiency of : [2009]
  - (a) acetylcholine
  - (b) gamma aminobutyric acid (GABA)
  - (c) dopamine
- (d) glutamic acid
- **57.** Select the correct statement from the ones given below **[Pre. 2010]** 
  - (a) Barbiturates when given to criminals make them tell the truth
  - (b) Morphine is often given to persons who have undergone surgery as a pain killer
  - (c) Chewing tobacco lowers blood pressure and heart rate
  - (d) Cocaine is given to patients after surgery as it stimulates recovery
- **58.** Ringworm in human is caused by

[Pre. 2010]

- (a) Bacteria
- (b) Fungi
- (c) Nematodes
- (d) Viruses
- **59.** Widal test is used for the diagnosis of

[Pre. 2010]

- (a) Malaria
- (b) Pneumonia
- (c) Tuberculosis
- (d) Typhoid
- **60.** Which one of the following statements is correct with respect to AIDS? **[Pre. 2010]** 
  - (a) The HIV can be transmitted through eating food together with an infected person
  - (b) Drug addicts are least susceptible to HIV infection
  - (c) AIDS patients are being fully cured cent percent with proper care and nutrition
  - (d) The causative HIV retrovirus enters helper T-lymphocytes thus reducing their numbers
- **61.** The permissible use of the technique amniocentesis is for: **[Pre. 2010]** 
  - (a) detecting sex of the unborn foetus
  - (b) artificial insemination
  - (c) transfer of embryo into the uterus of a surrogate mother
  - (d) detecting any genetic abnormality
- **62.** Consider the following four statements (a-d) regarding kidney transplant and select the two correct ones out of these. **[Pre. 2010]** 
  - Even if a kidney transplant is proper the recipient may need to take immunosuppressants for a long time
  - (ii) The cell-mediated immune response is responsible for the graft rejection
  - (iii) The B-lymphocytes are responsible for rejection of the graft
  - (iv) The acceptance or rejection of a kidney transplant depends on specific interferons
    - (a) (ii) and (iii)
- (b) (iii) and (iv)
- (c) (i) and (iii)
- (d) (i) and (ii)
- **63.** Which one of the following techniques is safest for the detection of cancers?

[Mains 2010]

- (a) Radiography (X-ray)
- (b) Computed tomography (CT)
- (c) Histopathological studies
- (d) Magnetic resonance imaging (MRI)

### www.freejobsportal.in

223

- **64.** A person suffering from a disease caused by *Plasmodium*, experiences recurring chill and fever at the time when? [Mains 2010]
  - (a) The trophozoites reach maximum growth and give out certain toxins.
  - (b) The parasite after its rapid multiplication inside RBCs ruptures them, releasing the stage to enter fresh RBCs.
  - (c) The microgametocytes and megagametocytes are being destroyed by the WBCs.
  - (d) The sporozoites released from RBCs are being rapidly killed and broken down inside spleen.
- **65.** Where will you look for the sporozoites of the malarial parasite? **[Pre. 2011]** 
  - (a) Saliva of infected female *Anopheles* mosquito
  - (b) Red blood corpuscles of humans suffering from malaria
  - (c) Spleen of infected humans
  - (d) Salivary glands of freshly moulted female Anopheles mosquito
- **66.** At which stage of HIV infection does one usually show symptoms of AIDS?

[Pre. 2011]

- (a) When the infecting retrovirus enters host
- (b) When viral DNA is produced by reverse transcriptase
- (c) When HIV replicates rapidly in helper T-lymphocytes and damages large number of these
- (d) Within 15 days of sexual contact with an infected person.
- 67. Which one of the following acts as a physiological barrier to the entry of microorganisms in human body? [Pre. 2011]
  - (a) Epithelium of Urogenital tract
  - (b) Tears
  - (c) Monocytes (d) Skin
- 68. A certain patient is suspected to be suffering from Acquired Immuno Deficiency Syndrome. Which diagnostic technique will you recommend for its detection? [2011]

- (a) ELISA (b) MRI (c) Ultra sound (d) WIDAL
- **69.** Read the following statement having two blanks (A and B) [Mains 2011]

"A drug used for\_\_\_\_(A)\_\_\_patients is obtained from a species of the organism \_\_\_\_(B)\_\_\_\_."

The one correct option for the two blanks is

Blank – A	Blank – B
(a) AIDS	Pseudomonas
(b) Heart	Penicillium
(c) Organ-transplant	Trichoderma
(d) Swine flu	Monascus

**70.** Which one of the following options gives the correct matching of a disease with its causative organism and mode of infection.

			[Mains 2011]
	Disease	Causative	Mode of
		Organisms	Infection
(1)	Malaria	Plasmodium	Bite of male
		vivax	Anopheles
			Mosquito
(2)	Typhoid	Salmonella	With inspired
		typhi	air
(3)	Pneumonia	Streptococcus	Droplet
		pneumoniae	infection
(4)	Elephan-	Wuchereria	With infected
	tiasis	bancrofti	water and
		•	food

**71.** The pathogen *Microsporum* responsible for ringworm disease in humans belongs to the same Kingdom of organisms as that of

[Mains 2011]

- (a) Ascaris, a round worm
- (b) *Taenia*, a tapeworm
- (c) Wuchereria, a filarial wprm
- (d) Rhizopus, a mould
- **72.** Select the correct statement with respect to disease and immunisation [Mains 2011]
  - (a) Injection of snake antivenom against snake bite is an example of active immunisation.
  - (b) If due to some reason B-and T-lymphocytes ane damaged, the body will not produce antibodies against a pathogen.

- (c) Injection of dead/inactivated pathogens causes passive immunity
- (d) Certain protozoans have been used to mass produce hepatitis B vaccine
- 73. Identify the molecules (a) and (b) shown below and select the right option giving their source and use [Mains 2012]

	Molecule	Source	Use
(a)	(B) Heroin	Cannabis sativa	Depressant and slows
			down body
			functions
(b)	(B) Cannab-	Atropa	Produces
	ionoid	belladonna	halluci-
			nations
(c)	(A) Morphine	Papaver	Sedative and
	_	somniferum	pain killer
(d)	(A) Cocaine	Erythroxylum	Asselerates the
		coca	transport of
			dopamine

74. Which one of the following organisms is scientifically correctly named, correctly printed according to the International Rules of Nomenclature and correctly described?

#### [Mains 2012]

- (a) Plasmodium falciparum a protozoan pathogen causing the most serious type of malaria
- (b) Felis tigris The Indian tiger, well protected in Gir forests.
- (c) E.coli Full name Entamoeba coli, a commonly occurring bacterium in human intestine
- (d) Musca domestica The common house lizards, a reptile

**75.** Which one of the following statements is correct with respect to immunity?

#### [Mains 2012]

- (a) The antibodies against small pox pathogen are produced by T-lymphocytes
- (b) Antibodies are protein molecules each of which has four light chains
- (c) Rejection of a kidney graft is the function of B-lymphocytes
- (d) Preformed antibodies need to be injected to treat the bite by a viper snake
- **76.** The first clinical gene therapy was given for treating [Mains 2012]
  - (a) Chicken pox
  - (b) Rheumatoid arthritis
  - (c) Adenosine deaminase deficiency
  - (d) Diabetes mellitus
- 77. A patient brought to a hospital with myocardial infarction is normally immediately given [Pre. 2012]
  - (a) Cyclosporin-A (b) Statins
  - (c) Penicillin (
- (d) Streptokinase
- 78. Select the correct statement regarding the specific disorder of muscular or skeletal system [Pre. 2012]
  - (a) Myasthenia gravis auto immune disorder which inhibits sliding of myosin filaments
  - (b) Gout inflammation of joint due to extra disposition of calcium
  - (c) Muscular dystrophy –age related shortening of muscles
  - (d) Osteoporosis -decrease in bone mass and higher chances of fractures with advancing age
- **79.** Common cold differs from pneumonia in that **[Pre. 2012]** 
  - (a) Pneumonia is caused by a virus while the common cold is caused by the bacterium Haemophilus influenze
  - (b) Pneumonia pathogen infect alveoli whereas the common cold affects nose and respiratory passage but not the lungs

- (c) Pneumonia is a communicable disease whereas the common cold is nutritional deficiency disease.
- (d) Pneumonia can be prevented by a live attenuated bacterial vaccine whereas the common cold has no affective vaccine.
- **80.** Widal Test carried out to test [Pre. 2012]
  - (a) HIV/AIDS
- (b) Typhoid fever
- (c) Malaria
- (d) Diabetes mellitus
- **81.** Cirrhosis of liver is caused by the chronic intake of [Pre. 2012]
  - (a) Tobacco (Chewing)
- (b) Cocaine
- (c) Opium
- (d) Alcohol
- **82.** Which one of the following in not a property of cancerous cells whereas the remaining three are [Pre. 2012]
  - (a) They divide in an uncontrolled manner
  - (b) They show contact inhibition
  - (c) They compete with normal cells for vital nutrients
  - (d) They do not remain confined in the area of formation
- 83. Motile zygote of *Plasmodium* occurs in

[Pre. 2012]

- (a) Human RBCs
- (b) Human liver
- (c) Gut of female Anopheles
- (d) Salivary glands of Anopheles
- **84.** In which one of the following options the two examples are correctly matched with their particular type of immunity?

[Pre. 2012]

# Examples Type of immunity (a) Saliva in mouth and Tears in eyes

- (b) Mucus coating of Physiological epithelium lining barriers the urinogenital tract and the HCl in stomach
- (c) Polymorphonuclear Cellular barriers leukocytes and monocytes

- (4) Anti-tetanus Active and anti-snake immunity bite injections
- **85.** People who have migrated from the planes to as area adjoining Rohtang pass about six months back [Pre. 2012]
  - (a) suffer from altitude sickness with symptoms like nausea, fatigue, etc.
  - (b) have the usual RBC count but their haemoglobin has very high binding affinity to O<sub>2</sub>
  - (c) have more RBCs and their haemoglobin has lower binding affinity to O<sub>2</sub>
  - (d) are not physically fit to play games like footba

[2013]

- **86.** Which of the following cannot be detected in a developing foetus by amniocentesis?
  - (a) Klinefelter syndrome
  - (b) Sex of the foetus
  - (c) Down syndrome
  - (d) Jaundice
- **87.** The incorrect statement with regard to Haemophilia is **[2013]** 
  - (a) It is a sex-linked disease
  - (b) It is a recessive disease
  - (c) It is a dominant disease
  - (d) A single protein involved in the clotting of blood is affected
- **88.** If both parents are carriers for thalessemia, which is an autosomal recessive disorder, what are the chances of pregnancy resulting in an affected child? [2013]
  - (a) no chance
- (b) 50%
- (c) 25%
- (d) 100%
- **89.** The cell-mediated immunity inside the human body is carried out by **[2013]** 
  - (a) T-lymphocytes(b) B-lymphocytes
  - (c) Thrombocytes (d) Erythrocytes
- **90.** Which is the particular type of drug that is obtained from the plant whose one flowering branch is shown below ?[AIPMT 2014]

### www.freejobsportal.in



- (a) Hallucinogen (b) Depressant
- (c) Stimulant
- (d) Pain-killer
- **91.** At which stage of HIV infection does one usually show symptoms of AIDS?

#### [AIPMT 2014]

- (a) Within 15 days of sexual contact with an infected person
- (b) When the infected retro virus enters host cells
- (c) When HIV damages large number of helper T-lymphocytes
- (d) When the viral DNA is produced by reverse transcriptase
- **92.** Which of the following is not a sexually transmitted disease? [AIPMT 2015]
  - (a) Acquired Immuno Deficiency Syndrome (AIDS)
  - (b) Trichomoniasis
  - (c) Encephalitis
  - (d) Syphilis
- **93.** Which of the following does not favour the formation of large quantities of dilute urine? [AIPMT 2015]
  - (a) Caffeine
- (b) Renin
- (c) Atrial-natriuretic factor
- (d) Alcohol
- **64.** HIV that causes AIDS, first starts destroying [AIPMT 2015]
  - (a) Leucocytes
  - (b) Helper T- Lymphocytes
  - (c) Thrombocytes
  - (d) B-Lymphocytes
- **95.** The active from of Entamoeba histolytica feeds upon: [AIPMT 2015]
  - (a) mucosa and submucosa of colon only

- (b) food in intestine
- (c) blood only
- (d) erythrocytes; mucosa and submucosa of colon
- **96.** Which of the following viruses is not transferred through semen of an infected male? **[AIPMT 2015]** 
  - (a) Human immunodeficiency virus
  - (b) Chikungunya virus
  - (c) Ebola virus
  - (d) Hepatitis B virus
- **97.** Match each disease with its correct type of vaccine : [AIPMT 2015]
  - (a) Tuberculosis
- (i) Harmless virus
- (b) Whooping cough (ii) Inactivated toxin
- (c) Diphtheria
- (iii) Killed bacteria
- (d) Polio
- (iv) Harmless bacteria
- (a) (a)  $\rightarrow$  (iii), (b)  $\rightarrow$  (ii), (c)  $\rightarrow$  (iv), (d)  $\rightarrow$  (i)
- (b) (a)  $\rightarrow$  (iv), (b)  $\rightarrow$  (iii), (c)  $\rightarrow$  (ii), (d)  $\rightarrow$  (i)
- (c)  $(a) \rightarrow (i), (b) \rightarrow (ii), (c) \rightarrow (iv), (d) \rightarrow (iii)$
- (d) (a)  $\rightarrow$  (ii), (b)  $\rightarrow$  (i), (c)  $\rightarrow$  (iii), (d)  $\rightarrow$  (iv)
- **98.** Grafted kidney may be rejected in a patient due to **[RE-AIPMT 2015]** 
  - (a) Innate immune response
  - (b) Humoral immune response
  - (c) Cell-mediated immune response
  - (d) Passive immune response
- **99.** If you suspect major deficiency of antibodies in a person, to which of the following would you look for confirmatory evidence?

#### [RE-AIPMT 2015]

- (a) Serum globulins
- (b) Fibrinogin in plasma
- (c) Serum albumins
- (d) Haemocytes
- **100.** Which of the following immunoglobulins does constitute the largest percentage in human milk? **[RE-AIPMT 2015]** 
  - (a) IgG
- (b) IgD
- (c) IgM
- (d) IgA

### Trueman's AIPMT Biology Rebooster Specific

<b>○</b> A	nswers .								
1-b	2 -c	3 -c	4 -c	5 -a	6 -d	7 -b	8 -b	9 -a	10 <b>-</b> b
11 -b	12 -b	13 -d	14 -d	15 -b	16 -b	17 <b>-</b> a	18 -b	19 <b>-</b> b	20 -b
21 -d	22 -a	23 -a	24 -c	25 -a	26 -a	27 <b>-</b> c	28 -a	29 -a	30 <b>-</b> d
31 -a	32 -c	33 -d	34 -c	35 -b	36 -d	37 <b>-</b> a	38 <b>-</b> a	39 -a	40 -b
41 -c	42 -b	43 -с	44 -d	45 -b	46 -c	47 -d	48 -c	49 -b	50 -d
51 -b	52 <b>-</b> a	53 -a	54 -c	55 -c	56 -a	57 -b	58 -b	59 <b>-</b> d	60 <b>-</b> b
61 <b>-</b> d	62 -d	63 <b>-</b> d	64 -a	65 -a	66 -c	67 -b	68 <b>-</b> a	69 <b>-</b> c	70 -c
71 <b>-</b> d	72 -b	73 <b>-</b> c	74 -a	75 -d	76 -c	77 -d	78 -d	79 <b>-</b> b	80 -b
81 <b>-</b> d	82 -b	83 -c	84 -c	85 -c	86 <b>-</b> d	87 <b>-</b> c	88 <b>-</b> c	89 <b>-</b> a	90 -a
91 <b>-</b> c	92 -c	93 <b>-</b> b	94 -b	95 <b>-</b> d	96 <b>-</b> b	97 -b	98 -c	99 -a	100 -d

# www.freejobsportal.in

228

**31** 

# Strategies for Enhancement in Food Production

1. In crop improvement programme, haploids (b) cuticle of the adult are important because they [1989] (c) salivary gland of the larva (a) require one half of nutrients (d) salivary gland of the adult (b) are helpful in study of meiosis 7. The alkaloid aimalicine is obtained from (c) grow better under adverse conditions [1995] (d) form perfect homozygous (a) Atropa (b) Papaver 2. Triticale has been evolved by intergeneric (c) Curcuma (d) Sarpgandha hybridization between [1989] 8. The earliest animal to have been domesti-(a) wheat and rye cated by man was most likely the [1996] (b) wheat and rice (a) horse (b) cow (c) rice and maize (c) dog (d) pig (d) wheat and Aegilops 9. Pebrine is a disease of [1997] [1993] 3. Pulses are obtained from (a) honey bee (b) fish (a) Fabaceae (c) silk worm (d) lac insect (b) Asteraceae **10.** Honey is [1997] (c) Poaceae (a) acidic (b) neutral (d) Solanaceae (c) alkaline [1994] **4.** Most of our crop plants are (d) basic after some days (a) autopolyploid in origin 11. High milk yielding varieties of cows are ob-(b) allopolyploid in origin tained by [1997](c) mixed genotypic in origin (a) super ovulation (d) heterozygous in origin (b) artificial insemination 5. Haploid plant cultures are got from [1994] (c) use of surrogate mother (a) leaves (b) root tip (d) All of the above (d) buds (c) pollen grain 12. Of the world's top five crops (in terms of an-6. The silk worm silk is the product of [1995] [1997] nual production) (a) cuticle of the larva

### www.freejobsportal.in

- (a) three belong to Poaceae (Gramineae), one to Leguminosae, one to Solanaceae
- (b) four belong to Poaceae, one to Leguminosae
- (c) four belong to Poaceae, one to Solanaceae
- (d) all five belong to Poaceae
- **13.** Which plant will loss its economic value, if its fruits are produced by induced parthenocarpy? [1997]
  - (a) Grape
- (b) Pomegranate
- (c) Orange
- (d) Banana
- 14. The reason why vegetatively reproducing crop plants are best suited for maintaining hybrid vigour is that [1998]
  - (a) they can be easily propagated
  - (b) they have a longer life span
  - (c) they are more resistant to disease
  - (d) once a desired hybrid is produced, there are no chances of losing it
- 15. The term aquaculture means

[1999]

- (a) aspergillosis
- (b) inland fisheries
- (c) marine fisheries
- (d) Both (b) and (c)
- **16.** The new varieties of plants are produced by [1999]
  - (a) selection and hybridization
  - (b) selection and introduction
  - (c) mutation and selection
  - (d) introduction and mutation
- 17. One of the most important reason why wild plants should thrive is that these are good sources of [2000]
  - (a) unsaturated edible oils
  - (b) highly nutritive animals feed
  - (c) genes for resistance to diseases and pests
  - (d) rare and highly sought after fruits of medical importance
- **18.** Before the European invaders which vegetable was/were absent in India? **[2001]** 
  - (a) Potato and tomato

- (b) Simla mirch and brinjal
- (c) Maize and chichinda
- (d) Bitter gourd
- **19.** Which statement is correct about centre of origin of plants? **[2001]** 
  - (a) More diversity in varieties
  - (b) Frequency of dominant gene is more
  - (c) Climatic conditions more favourable
  - (d) None of the above
- **20.** Which of the following crops have been brought to India from New world? [2002]
  - (a) Cashewnut, potato, rubber
  - (b) Mango, tea
  - (c) Tea, rubber, mango
  - (d) Coffee
- **21.** India's wheat yield revolution in the 1960s was possible primarily due to **[2004]** 
  - (a) hybrid seeds
  - (b) increased chlorophyll content
  - (c) mutations resulting in plant height reduction
  - (d) quantitative trait mutations
- **22.** The name of Norman Borlaug is associated with [2005]
  - (a) Green revolution
  - (b) Yellow revolution
  - (c) White revolution
  - (d) Blue revolution
- **23.** The world's highly prized wool yielding 'Pashmina' breed is [2005]
  - (a) sheep
  - (b) goat
  - (c) goat-sheep cross
  - (d) Kashmiri sheep-Afghan sheep cross
- **24.** Which of the following is generally used for induced mutagenesis in crop plants ? [2005]
  - (a) Alpha particles
  - (b) X-rays
  - (c) UVrays (260 nm)
  - (d) Gamma rays (from cobalt 60)

- **25.** Why is vivipary an undesirable character for annual crop plants? [2005]
  - (a) It reduces the vigour of plant
  - (b) The seeds cannot be stored under normal conditions for the next season
  - (c) The seeds exhibit long dormancy
  - (d) It adversely affects the fertility of the plant
- **26.** Three crops that contribute maximum to global food grain production are **[2005]** 
  - (a) wheat, rice and maize
  - (b) wheat, maize and sorghum
  - (c) rice, maize and sorghum
  - (d) wheat, rice and barley
- 27. Crop plants grown in monoculture are [2006]
  - (a) low in yield
  - (b) free from intraspecific competition
  - (c) characterized by poor root system
  - (d) highly prone to pests
- **28.** Triticale, the first man-made cereal crop, has been obtained by crossing wheat with [2006]
  - (a) rye
  - (b) pearl millet
  - (c) sugarcane
  - (d) barley
- **29.** Parthenocarpic tomato fruits can be produced by **[2006]** 
  - (a) removing androecium of flowers before pollen grains are released
  - (b) treating the plants with low concentrations of gibberellic acid and auxins
  - (c) raising the plants from vernalized seeds
  - (d) treating the plants with phenyl mercuric acetate
- **30.** Which one of the following pair is mismatched? [2007]
  - (a) Pila globosa Pearl
  - (b) Apis indica Honey
  - (c) Kenia lacca Lac
  - (d) Bombyx mori Silk
- **31.** Which one of the following pair of organisms are exotic species introduced in India? [2007]

- (a) Ficus religiosa, Lantana camara
- (b) Lantana camara, Water hyacinth
- (c) Water hyacinth, Prosopis cinereria
- (d) Nile perch, Ficus religiosa
- **32.** Which one of the following pairs is wrongly matched? [2009]
  - (a) Fruit juice pectinase
  - (b) Textile amylase
  - (c) Detergents lipase
  - (d) Alcohol nitrogenase
- **33.** Somaclones are obtained by [2009]
  - (a) Irradiation
  - (b) Genetic engineering
  - (c) Tissue culture
  - (d) Plant breeding
- 34. Polyethylene glycol method is used for [2009]
  - (a) Seedless fruit production
  - (b) Energy production from sewage
  - (c) Gene transfer without a vector
  - (d) Biodiesel production
- **35.** Which of the following plant species you would select for the production of bioethanol? [2009]
  - (a) Pongamia
  - (b) Jatropha
  - (c) Brassica
  - (d) Zea mays
- **36.** Which one of the following has maximum genetic diversity in India? [2009]
  - (a) Wheat
- (b) Tea
- (c) Teak
- (d) Mango
- **37.** Breeding of crops with high levels of minerals vitamins and proteins is called [Pre. 2010]
  - (a) Somatic hybridization
  - (b) Biofortification
  - (c) Biomagnification
  - (d) Micropropagation
- **38.** 'Jaya' and 'Ratna' developed for green revolution in India are the varieties of [**Pre. 2011**]
  - (a) Maize
- (b) Rice
- (c) Wheat
- (d) Bajra

### Trueman's AIPMT Biology Rebooster Specific

**39.** The most common substrate used in distilleries for the production of ethanol is

[Pre 2011]

(a) Corn meal

232

- (b) Soya meal
- (c) Ground gram
- (d) Molasses
- **40.** 'Himgiri' developed by hybridisation and selection for disease resistance against rust pathogens is a variety of **[Pre. 2011]** 
  - (a) Chilli
- (b) Maize
- (c) Sugarcane
- (d) Wheat
- **41.** Which one of the following shows maximum genetic diversity in India? [Pre. 2011]
  - (a) Groundnut
- (b) Rice
- (c) Maize
- (d) Mango
- 42. Green revolution in India occurred during
  - (a) 1970's
- (b) 1980's [Pre. 2012]
- (c) 1950's
- (d) 1960's
- 43. To obtain virus-free healthy plants from a diseased one by tissue culture technique, which part/parts of the diseased plant will be taken? [AIPMT 2014]
  - (a) Apical meristem only
  - (b) Palisade parenchyma
  - (c) Both apical and axillary meristems
  - (d) Epidermis only

- **44.** Which of the following enhances or induces fusion of protoplasts? [AIPMT 2015]
  - (a) Polyethylene glycol and sodium nitrate
  - (b) IAA and kinetin
  - (c) IAA and gibberellins
  - (d) Sodium chloride and potassium chloride
- 45. A technique of micropropagation is:-

#### [AIPMT 2015]

- (a) Somatic embryogenesis
- (b) Protoplast fusion
- (c) Embryo rescue
- (d) Somatic hybridization
- **46.** A protoplast is a cell : **[RE-AIPMT 2015]** 
  - (a) without cell wall
  - (b) without plasma membrane
  - (c) without nucleus
  - (d) undergoing division
- **47.** Outbreeding is an important strategy of animal husbandry because it:

#### [RE-AIPMT 2015]

- (a) exposes harmful recessive genes that are eliminated by selection
- (b) helps in accumulation of superior genes.
- (c) is useful in producing purelines of animals.
- (d) is useful in overcoming inbreeding depression

#### Answers 1-d 2 -a 3 -a 4 -a 5 -c 6 -c 7 -d 8 -c 9 -c 10 -a 11 **-**d 12 -c 13 -b 14 -d 15 -d 16 -a 17 -c 18 -a 19 -a 20 -a 21 -c 23 -b 24 -d 25 -b 27 -d 29 -b 30 -a 22 -a 26 -a 28 -a 31 -c 32 -d 33 -c 34 -c 35 -b 36 -a 37 -b 38 -b 39 -d 40 -d 41-b 42 -d 43 -c 44 -a 45 -a 46 -a 47 -d

**32** 

### MICROBES IN HUMAN WELFARE

1.	Yeast (Saccharomyces cerevisiae) is used in the industrial production of [1998]	<ul><li>(c) Methane, hydrogen sulphide and O<sub>2</sub></li><li>(d) Hydrogen sulphide and CO<sub>2</sub></li></ul>
	(a) butanal (b) citric acid	6. The guts of cow and buffalo possess:
	(c) tetracyclin (d) ethanol	[AIPMT 2015]
2.	Recently Govt. of India has allowed mixing of alcohol in petrol. What is the amount of alcohol permitted for mixing in petrol?	<ul><li>(a) Chlorella spp</li><li>(b) Methanogens</li><li>(c) Cyanobacteria</li></ul>
	(a) 2.5% (b) 10-15% [2004]	(d) Fucus spp.
3.	(c) 10% (d) 5% Which one of the following pair is wrongly	7. Match the following list of microbes and their importance: [RE-AIPMT 2015]
	matched? [2007] (a) Methanogens — Gobar gas (b) Yeast — Ethanol	(a) Saccharomyces (i) Production of cerevisiae immunosuppressive agents
	<ul><li>(c) Streptomycetes — Antibiotic</li><li>(d) Coliforms — Vinegar</li></ul>	(b) Monascus (ii) Ripening of Swiss purpureus cheese
4.	Which one of the following is not used in organic farming? [Pre. 2010]  (a) Glomus (b) Earthworm	(c) Trichoderma (iii) Commercial polysporum production of ethanol
	(c) Oscillatoria (d) Snail	(d) Propionibacte- (iv) Production of rium sharmanii blood cholesterol
5.	What gases are produced in anaerobic sludge digesters? [AIPMT 2014]	lowering agents (a) (a) $\rightarrow$ (iii), (b) $\rightarrow$ (i), (c) $\rightarrow$ (iv), (d) $\rightarrow$ (ii)
	(a) Methane and CO <sub>2</sub> only	(b) (a) $\rightarrow$ (iii), (b) $\rightarrow$ (iv), (c) $\rightarrow$ (i), (d) $\rightarrow$ (ii)
	(b) Methane, hydrogen sulphide and CO <sub>2</sub>	(c) (a) $\rightarrow$ (iv), (b) $\rightarrow$ (iii) (c) $\rightarrow$ (ii), (d) $\rightarrow$ (i)
		(d) (a) $\rightarrow$ (iv), (b) $\rightarrow$ (ii), (c) $\rightarrow$ (i), (d) $\rightarrow$ (iii)
(	Answers	
ĭ		( )
7	1-d 2-d 3-d 4-d 5-b	6-b 7-b

33

### **BIOTECHNOLOGY: PRINCIPLES AND PROCESSES**

- 1. The restriction enzymes are used in genetic engineering, because [1995, 98, 2001, 02, 06]
  - (a) they can degrade harmful proteins
  - (b) they can join different DNA fragments
  - (c) they can cut DNA at specific base sequence
  - (d) they are nucleases that cut DNA at variable sites
- **2.** The basis for DNA fingerprinting is [1996]
  - (a) occurrence of Restriction Fragment Length Polymorphism (RFLP)
  - (b) phenotypic differences between individuals
  - (c) availability of cloned DNA
  - (d) knowledge of human karyotype
- Introduction of one or more genes into an organism which normally does not possess them or their deletion by using artificial means (not by breeding) comes under [1996]
  - (a) Molecular Biology
  - (b) Cytogenetics
  - (c) Genetic hybridization
  - (d) Genetic Engineering
- **4.** Recombinant DNA is obtained by cleaving the pro-DNA by [1998]
  - (a) primase
  - (b) exonucleases
  - (c) ligase
  - (d) restriction endonuclease

- **5.** Genetic engineering is possible, because **[1998]** 
  - (a) the phenomenon of transduction in bacteria is well understood
  - (b) we can see DNA by electron microscope
  - (c) we can cut DNA at specific sites by endonucleases like DNAse-I
  - (d) restriction endonucleases purified from bacteria can be used in vitro
- **6.** The process of replication in plasmid DNA, other than initiation, is controlled by [1999]
  - (a) mitochondrial gene
  - (b) bacterial gene
  - (c) plasmid gene (d) None of the above
- 7. Which of the following is related to genetic engineering? [1999]
  - (a) Mutation
- (b) Plasmid
- (c) Plastid
- (d) Heterosis
- 8. Plasmids are suitable vectors for gene cloning because [2000]
  - (a) these are small circular DNA molecules which can integrate with host chromosomal DNA
  - (b) these are small circular DNA molecules with their own replication origin site
  - (c) these can shuttle between prokaryotic and eukaryotic cells
  - (d) these often carry antibiotic resistance genes

### www.freejobsportal.in

- 9. Maximum number of bases in plasmids discovered so far is [2001]
  - (a) 50 kilo base
- (b) 500 kilo base
- (c) 5000 kilo base (d) 5 kilo base
- **10.** Plasmid is [2001]
  - (a) fragment of DNA which acts as vector
  - (b) a fragment which joins two genes
  - (c) mRNA which acts as carrier(d) autotrophic fragment
- 11. In bacteria, plasmid is

[2002]

- (a) extrachromosomal material
- (b) main DNA
- (c) non-functional DNA
- (d) repetetive gene
- **12.** DNA finger-printing refers to

[2004]

- (a) molecular analysis or profiles of DNA samples
- (b) analysis of DNA samples using imprinting device
- (c) techniques used for molecular analysis of different specimens of DNA
- (d) techniques used for identification of finger prints of individuals
- **13.** Restriction endonudeases

[2004

- (a) are present in mammalian cells for degradation of DNA when the cell dies
- (b) are used in genetic engineering for ligating two DNA molecules
- (c) are used for in vitro DNA synthesis
- (d) are synthesized by bacteria as part of their defence mechanism
- **14.** Which one of the following is commonly used in transfer of foreign DNA into crop plants? [2009]
  - (a) Agrobacterium tumefaciens
  - (b) Penicillium expansum
  - (c) Trichoderma harzianum
  - (d) Meloidogyne incognita
- **15.** Which one of the following is used as vector for cloning genes into higher organisms?
  - (a) Baculovirus

[Pre. 2010]

- (b) Salmonella typhimurium
- (c) Rhizopus nigricans
- (d) Retrovirus
- **16.** DNA or RNA segment tagged with a radioactive molecule is called: [Pre. 2010]
  - (a) Vector
- (b) Probe
- (c) Clone
- (d) Plasmid
- **17.** Restriction endonucleases are enzymes which **[Pre. 2010]** 
  - (a) make cuts at specific positions within the DNA molecule
  - (b) recognize a specific nucleotide sequence for binding of DNA ligase
  - (c) restrict the action of the enzyme DNA polymerase
  - (d) remove nucleotides from the ends of the DNA molecule
- **18.** Satellite DNA is useful tool in [Pre. 2010]
  - (a) Organ transplantation
  - (b) Sex determination
  - (c) Forensic science
  - (d) Genetic engineering
- **19.** Silencing of mRNA has been used in producing transgenic plants resistant to

[Mains 2011]

- (a) Bacterial blights
- (b) Bollworms
- (c) Nematodes
- (d) White rusts
- **20.** Which one of the following techniques made it possible to genetically engineer living organisms [Mains 2011]
  - (a) Hybridization
  - (b) Recombinant DNA techniques
  - (c) X-ray diffraction
  - (d) Heavier isotope labelling
- **21.** There is a restriction endonuclease called EcoRI. What does "co" part in it stand for?

[Pre. 2011]

- (a) Colon
- (b) Coelom
- (c) Coenzyme
- (d) Coli


235

- 22. In genetic engineering, the antibiotics are used [Mains 2012]
  - (a) To select healthy vectors
  - (b) As sequences from where replication starts
  - (c) To keep the cultures free of infection
  - (d) As selectable markers
- 23. Which one of the following represents a palindromic sequence in DNA? [Mains 2012]
  - (a) 5'-CCAATG-3' 3'-GAATCC-5'
  - (b) 5'-CATTAG-3'
  - 3'-GATAAC-5' (c) 5'-GATACC-3' 3'-CCTAAG-5'
  - (d) 5'-GAATTC-3' 3'-CTTAAG-5'
- **24.** What is it that forms the basis of DNA Fingerprinting? [Mains 2012]
  - (a) The relative difference in the DNA occurrence in blood, skin and saliva
  - (b) The relative amount of DNA in the ridges and grooves of the fingerprints
  - (c) Satellite DNA occurring as highly repeated short DNA segments
  - (d) The relative proportions of purines and pyrimidines in DNA
- 25. Biolistics (gene-gun) is suitable for

#### [Mains 2012]

- (a) Transformation of plant cells
- (b) Constructing recombinant DNA by joining with vectors
- (c) DNA finger printing
- (d) Disarming pathogen vectors
- **26.** PCR and Restriction Fragment Length Polymorphism are the methods for **[Pre. 2012]** 
  - (a) DNA sequencing
  - (b) Genetic fingerprinting
  - (c) Study of enzymes
  - (d) Genetic transformation
- **27.** A single strand of nucleic acid tagged with a radioactive molecule is called **[Pre. 2012]**

- (a) Plasmid
- (b) Probe
- (c) Vector
- (d) Selectable marker
- **28.** For transformation, micro-particles coated with DNA to be bombarded with gene gun are made up of [Pre. 2012]
  - (a) Silicon or Platinum
  - (b) Gold or Tungsten
  - (c) Silver or platinum
  - (d) Platinum or zinc
- 29. The figure below is the diagrammatic representation of the E.coli vector pBR 322. Which one of the given options correctly identifies its certain component's)? [Pre. 2012]



- (a) Hind III. EcoBI-selecteble markers
- (b) amp<sup>R</sup> tet<sup>R</sup>-antibiotic resistance genes
- (c) ori-original restriction enzyme
- (d) rop-reduced osmotic pressure
- **30.** Which one of the following is a case of wrong matching? **[Pre. 2012]** 
  - (a) Micropropagation In vitro production of plants in large numbers
  - (b) Callus Unorganised mass of cells produced in tissue culture
  - (c) Somatic hybridization Fusion of two diverse cells
  - (d) Vector DNA Carries specific genes, Site for t-RNA synthesis
- **31.** DNA fragments generated by the restriction endonucleases in a chemical reaction can be separated by [2013]
  - (a) Centrifugation
  - (b) Polymerase chain reaction

237

- (c) Electrophoresis
- (d) Restriction mapping
- 32. The colonies of recombinat bacteria appear white in contrast to blue colonies of non-recombinant bacteria because of
  - (a) Non-recombinant bacteria containing beta-galactosidase
  - (b) Insertional inactivation of alpha galactosidase in non-recombinant bacteria
  - (c) Insertional inactivation of alpha galactosidase in recombinant bacteria
  - (d) Inactivation of glycosidase enzyme in recombinant bacteria
- 33. An analysis of chromosomal DNA using the southern hybridisation technique does not [AIPMT 2014]
  - (a) Electrophoresis
- (b) Blotting
- (c) Autoradiography (d) PCR
- 34. In vitro clonal propagation in plants is char-[AIPMT 2014] acterized by
  - (a) PCR and RAPD
  - (b) Northern blotting
  - (c) Electrophoresis and HPLC
  - (d) Microscopy
- 35. Which vector can clone only a small fragment of DNA? [AIPMT 2014]
  - (a) Bacterial artificial chromosome
  - (b) Yeast artificial chromosome
  - (c) Plasmid
  - (d) Cosmid

- **36.** Commonly used vectors for human genome sequencing are -[AIPMT 2014]
  - (a) T-DNA
  - (b) BAC and YAC
  - (c) Expression Vectors
  - (d) T/A cloning Vectors
- 37. The DNA molecules to which the gene of interest is integrated for cloning is called:

[RE-AIPMT 2015]

- (a) Carrier
- (b) Transformer
- (c) Vector
- (d) Template
- **38.** The cutting of DNA at specific locations became possible with the discovery of :

#### [RE-AIPMT 2015]

- (a) Ligases
- (b) Restriction enzymes
- (c) Probes
- (d) Selectable markers
- 39. The introduction of t-DNA into plants in-[RE-AIPMT 2015]
  - (a) Allowing the plant roots to stand in
  - (b) Infection of the plant by Agrobacterium tumefaciens
  - (c) Altering the pH of the soil, then heat shocking the plants
  - (d) Exposing the plants to cold for a brief period

#### Answers 7 -b 9-b 3 -d 4 -d 5 -d 6-b 8 -b 10 -a 2 -a 11 -a 12 -a 13 -d 14 -a 15 -d 16 -b 17 -a 18 -d 19 -c 20 -b 27 -b 28 -b 29 -b 21 -d 22 -d 23 -d 24 -c 25 -a 26 -b 30 -d 31 -c 32 -a 33 -d 35 -c 36 -b 37 -c 38 -b 39 -b 34 -a

**34** 

### BIOTECHNOLOGY AND ITS APPLICATIONS

- 1. The transgenic animals are those which have [1995]
  - (a) foreign DNA in some of its cells
  - (b) foreign DNA in all its cells
  - (c) foreign RNA in all its cells
  - (d) DNA and RNA both in the cells
- 2. Genetically engineered bacteria have been successfully used in the commercial production of [1996]
  - (a) human insulin (b) testosterone
  - (c) thyroxine
- (d) melatonin
- **3.** The first successfully cloned mammals (animal) that gained worldwide publicity was **[2000]** 
  - (a) Molly (a sheep)
- (b) Polly (a sheep)
- (c) Chance (a bull)
- (d) Dolly (a sheep)
- **4.** Producing a giant mouse in the laboratory was possible through [2000]
  - (a) gene mutation
  - (b) gene manipulation
  - (c) gene synthesis
  - (d) gene duplication
- **5.** Production of a human protein in bacteria by genetic engineering is possible because [2005]
  - (a) bacterial cell can carry out the RNA splicing reactions

- (b) the human chromosome can replicate in bacterial cell
- (c) the mechanism of gene regulation is identical in humans and bacteria
- (d) the genetic code is universal
- **6.** Golden rice is a transgenic crop of the future with the following improved trait [2005, 06]
  - (a) high lysine (essential amino acid) content
  - (b) insect resistance
  - (c) high protein content
  - (d) high vitamin-A content
- 7. Cry-I endotoxins obtained from Bacillus thuringiensis are effective against [2008]
  - (a) mosquitoes
- (b) flies
- (c) nematodes
- (d) bollworms
- **8.** The bacterium Bacillus thuringiensis is widely used in contemporary biology as

[2009]

- (a) Agent for production of dairy products
- (b) Source of industrial enzyme
- (c) Indicator of water pollution
- (d) Insecticide
- 9. Transgenic plants are the ones [2009]
  - (a) produced after protoplast fusion in artificial medium.
  - (b) grown in artificial medium after hybridization in the field.

### www.freejobsportal.in

- (c) produced by a somatic embryo in artificial medium.
- (d) generated by introducing foreign DNA in to a cell and regenerating a plant from that cell.
- **10.** The genetic defect adenosine deaminase (ADA) deficiency may be cured permanently by [2009]
  - (a) introducing bone marrow cells producing ADA into cells at early embryonic stages.
  - (b) enzyme replacement therapy.
  - (c) periodic infusion of genetically engineered lymphocytes having functional ADA cDNA.
  - (d) administering adenosine deaminase activators.
- **11.** What is true about Bt toxin? [2009]
  - (a) The activated toxin enters the ovaries of the pest to sterilise it and thus prevent its multiplication.
  - (b) The concerned Bacillus has antitoxins.
  - (c) The inactive protoxin gets converted into active form in the insect gut.
  - (d) Bt protein exists as active toxin in the Bacillus.
- **12.** The genetically-modified (GM) brinjal in India has been developed for **[Pre. 2010]** 
  - (a) Insect-resistance
  - (b) Enhancing self life
  - (c) Enhancing mineral content
  - (d) Drought-resistance
- **13.** Genetic engineering has been successfully used for producing [Pre. 2010]
  - (a) transgenic mice for testing safety of polio vaccine before use in humans
  - (b) transgenic models for studying new treatments for certain cardiac diseases
  - (c) transgenic Cow-Rosie which produces high fat milk for making ghee
  - (d) animals like bulls for farm work as they have super power

- **14.** Some of the characteristics of Bt cotton are **[Pre. 2010]** 
  - (a) Long fibre and resistance to aphids
  - (b) Medium yield, long fibre and resistance to beetle pests
  - (c) high yield and production of toxic protein crystals which kill dipteran pests
  - (d) High yield and resistance to bollworms
- **15.** An improved variety of transgenic basmati rice **[Pre. 2010]** 
  - (a) does not require chemical fertilizers and growth hormones
  - (b) gives high yield and is rich in vitamin A
  - (c) is completely resistant to all insect pests and diseases of paddy
  - (d) gives high yield but has no characteristic aroma
- **16.** Read the following four statements (A-D) about certain mistakes in two of them.

#### [Mains 2011]

- (A) The first transgenic buffalo, Rosie produced milk which was human alpha-lactalbumin enriched.
- (B) Restriction enzymes are used in isolation of DNA from other macro molecules.
- (C) Downstream processing is one of the steps of R-DNA technology.
- (D) Disarmed pathogen vectors are also used in transfer of R-DNA into the host.


Which are the two statements having mistakes?

- (a) Statements (A) and (B)
- (b) Statements (B) and (C)
- (c) Statements (C) and (D)
- (d) Statements (A) and (C)
- **17.** Maximum number of existing transgenic animals is of **[Pre. 2011]** 
  - (a) Fish
- (b) Mice
- (c) Cow
- (d) Pig
- **18.** The process of RNA interference has been used in the development of plants resistant to [Pre. 2011]

#### 240

- (a) Nematodes
- (b) Fungi
- (c) Viruses
- (d) Insects
- **19.** The figure below shows three steps (A,B,C) of Polymerase Chain Reaction (PCR). Select the option giving correct identification together with what is represents?

[Mains 2012]



#### **Options:**

- (a) A-Denaturation at a temperature of about  $50^{\circ}$ C
- (b) C-Extension in the presence of heat stable DNA polymerase
- (c) A-Annealing with two sets of primers
- (d) B-Denaturation at a temperature of about 98°C separating the two DNA strands
- **20.** Which one is a true statement regarding DNA polymerase used in PCR? [Pre. 2012]
  - (a) It is isolated from a virus
  - (b) It remains active at high temperature
  - (c) It is used to ligate introduced DNA in recipient cells
  - (d) It serves as a selectable marker
- **21.** Consumption of which one of the following foods can prevent the kind of blindness associated with vitamin 'A' deficiency?

- (a) Golden rice
- (b) Bt-Brinjal
- (c) Flaver Savr tomato
- (d) Canolla
- **22.** The first human hormone produced by recombinant DNA technology is -

#### [AIPMT 2014]

- (a) Insulin
- (b) Estrogen
- (c) Thyroxine
- (d) Progesterone
- 23. The crops engineered for glyphosate are resistant/ tolerant to:- [AIPMT 2015]
  - (a) Bacteria
- (b) Insects
- (c) Herbicides
- (d) Fungi
- **24.** In Bt cotton, the Bt toxin present in plant tissue as pro-toxin is converted into active toxin due to: [AIPMT 2015]
  - (a) Acidic pH of the insect gut
  - (b) Action of gut micro-organisms
  - (c) Presence of conversion factors in insect gut
  - (d) Alkaline pH of the insect gut
- **25.** Which body of the Government of India regulates GM research and safety of introducing GM organisms for public services?

#### [AIPMT 2015]

- (a) Indian Council of Agricultural Research
- (b) Genetic Engineering Approval Committee
- (c) Research Committee on Genetic Manipulation
- (d) Bio-safety committee
- **26.** Golden rice is a genetically modified crop plant where the incorporated gene is meant for biosynthesis of : [RE-AIPMT 2015]
  - (a) Vitamin A
- (b) Vitamin B
- (c) Vitamin C
- (d) Omega 3

(	( )AI	2 -a 12 -a		[Pr	e. 2012]					
	1-b	2 -a	3 -d	4 -b	5 -d	6 -d	7 -b	8 -d	9 -d	10 -c
	11 -c	12 -a	13 -b	14 -d	15 -c	16 <b>-</b> a	17 <b>-</b> b	18 <b>-</b> a	19 <b>-</b> b	20 -b
	21 -a	22 -a	23 -с	24 -d	25 -b	26 -a				

natural controls

medicines

(d) biotic materials used in homeopathic

5. A fertile agricultural soil appears dark

coloured at the surface as compared to soil

### **ORGANISMS AND POPULATIONS**

latitude to low latitude

latitude to low latitude

latitude to high latitude

(b) low altitude to high altitude and high

(c) low altitude to high altitude and low

Soil water available to roots is (a) surface water	[1991]		one metre down. T soil is	he reason for co	olour of top [1992]
(b) hygroscopic water			(a) more moisture		
(c) gravitational water					
(d) capillary water				Ü	nesium
Deep black soil is productive due	to high		(d) recent formation	on	
proportion of	[1991]	6.	Soil particles deter	rmine its	[1992]
(a) sand and zinc			(a) texture	(b) field capa	city
(b) gravel and calcium			(c) water holding	capacity (d)	soil flora
		7.	River water depos	sits	[1992]
(d) silt and earthworm			(a) loamy soil	(b) alluvial so	oil
Velamen is found in	[1991]		(c) laterite soil	(d) sandy soi	l
(a) roots of screwpine		8.	Soil best suited for	r plant growth i	is <b>[1993</b> ]
	hids				
` '			(c) sandy	(d) gravel	
(d) aerial roots of orchids		9.	Animals that can t	olerate a narro	w range of
Homeostasis is	[1991]		salinity are		[1994]
	change		(a) stenohaline	(b) euryhalin	e
_			(c) anadromous	(d) catadrome	ous
change		10.	.*	ncreases as one	proceeds [1994]
	em and		-	to low altitude	
	(a) surface water (b) hygroscopic water (c) gravitational water (d) capillary water  Deep black soil is productive due proportion of (a) sand and zinc (b) gravel and calcium (c) clay and humus (d) silt and earthworm  Velamen is found in (a) roots of screwpine (b) aerial and terrestrial roots of orci (c) leaves of Ficus elastica (d) aerial roots of orchids  Homeostasis is (a) tendency of biological system to with change in environment (b) tendency of biological systems to change	(a) surface water (b) hygroscopic water (c) gravitational water (d) capillary water  Deep black soil is productive due to high proportion of [1991] (a) sand and zinc (b) gravel and calcium (c) clay and humus (d) silt and earthworm  Velamen is found in [1991] (a) roots of screwpine (b) aerial and terrestrial roots of orchids (c) leaves of Ficus elastica (d) aerial roots of orchids  Homeostasis is [1991] (a) tendency of biological system to change with change in environment (b) tendency of biological systems to resist change (c) disturbance of self regulatory system and	(a) surface water (b) hygroscopic water (c) gravitational water (d) capillary water  Deep black soil is productive due to high proportion of [1991] (a) sand and zinc (b) gravel and calcium (c) clay and humus (d) silt and earthworm  Velamen is found in [1991] (a) roots of screwpine (b) aerial and terrestrial roots of orchids (c) leaves of Ficus elastica (d) aerial roots of orchids  Homeostasis is [1991] (a) tendency of biological system to change with change in environment (b) tendency of biological systems to resist change (c) disturbance of self regulatory system and	(a) surface water (b) hygroscopic water (c) gravitational water (d) capillary water (d) capillary water (e) proportion of (f) proportion of (g) gravel and calcium (g) clay and humus (g) silt and earthworm (g) areial and terrestrial roots of orchids (g) leaves of Ficus elastica (g) aerial roots of orchids (g) leaves of Ficus elastica (g) aerial roots of orchids (g) leaves of Ficus elastica (g) tendency of biological system to change with change in environment (g) tendency of self regulatory system and (g) high elititude (g) more moisture (b) rich in organic (c) rich in iron, ca (d) recent formatio (e) water holding (f) water holding (g) laterite soil (g) laterite soil (g) sandy (g) Animals that can to salinity are (g) stenohaline (g) anadromous (h) biological systems to resist change (g) high elititudes	(a) surface water (b) hygroscopic water (c) gravitational water (d) capillary water  Deep black soil is productive due to high proportion of [1991] (a) sand and zinc (b) gravel and calcium (c) clay and humus (d) silt and earthworm  Velamen is found in [1991] (a) roots of screwpine (b) aerial and terrestrial roots of orchids (c) leaves of Ficus elastica (d) aerial roots of orchids Homeostasis is [1991] (a) tendency of biological system to change with change in environment (b) tendency of biological systems to resist change (c) disturbance of self regulatory system and

### www.freejobsportal.in

- (d) high altitude to low altitude and low latitude to high latitude
- **11.** Bulk CO<sub>2</sub> fixation occurs in

[1994]

- (a) crop plants
- (b) oceans
- (c) tropical rain forests
- (d) Temperate forests
- 12. Xeric environment is characterized by [1994]
  - (a) precipitation
  - (b) low atmospheric humidity
  - (c) extremes of temperature
  - (d) high rate of vapourization
- 13. Sunken stomata is the characteristic feature [1995]
  - (a) hydrophyte
- (b) mesophyte
- (c) xerophyte
- (d) halophyte
- **14.** Which of the following does not have stomata? [1995]
  - (a) Hydrophytes
  - (b) Mesophytes
  - (c) Xerophytes
  - (d) Submerged hydrophytes
- **15.** Which of the following pair is correctly [1995] matched?
  - (a) Uricotelism—aquatic habitat
  - (b) Parasitism intra-specific relationship
  - (c) Excessive perspiration xeric adaptation
  - (d) Stream lined body aquatic adaptation
- **16.** Desert plants are generally

[1995]


- (a) viviparous
- (b) succulent
- (c) herbaceous
- (d) heterophyllus
- 17. In desert grasslands, which type of animals are relatively more abundant? [1998]
  - (a) Diurnal
- (b) Arboreal
- (c) Aquatic
- (d) Fossorial
- **18.** The response of different organisms to the environmental rhythms of light and dark-[1998] ness is called
  - (a) phototaxis
- (b) phototropism
- (c) vernalization (d) photoperiodism

- 19. Temperature changes in the environment affect most of the animals which are [1999]
  - (a) homeothermic (b) aquatic
  - (c) poikilothermic (d) desert living
- 20. Special kinds of roots called pneumatophores are characteristics of the plants grow-[2000] ing in
  - (a) sandy soils
- (b) saline soils
- (c) marshy places and salt lakes
- (d) dryland regions
- **21.** What is the best pH of the soil for cultivation of plants? [2001]
  - (a) 3.4-5.4
- (b) 6.5-7.5
- (c) 4.5-8.5
- (d) 5.5-6.5
- 22. There is no life on moon due to absence of
  - (a)  $O_2$
- (b) water
- [2002]

- (c) light
- (d) temperature
- 23. Diffuse porous woods are characteristic of plants growing in [2003]
  - (a) temperate climate (b) tropics
  - (c) alpine region
  - (d) cold winter regions
- 24. In which one of the following pair is the specific characteristic of soil not correctly matched? [2004]
  - (a) Laterite Contains aluminium compound
  - (b) Terra rossa Most suitable for roses
  - (c) Chernozems Richest soil in the world
  - (d) Black soil Rich in calcium carbonate
- 25. Plants adapted to low light intensity have [2004]
  - (a) larger photosynthetic unit size than the sun plants
  - (b) higher rate of CO<sub>2</sub> fixation than the sun plants
  - (c) more extended root system
  - (d) leaves modified to spines
- **26.** In which one of the following habitats does the diurnal temperature of soil surface vary most? [2004]

243

- (a) Shrubland
- (b) Forest
- (c) Desert
- (d) Grassland
- 27. More than 70% of world's fresh water is contained in [2005]
  - (a) Antarctica
  - (b) glaciers and mountains
  - (c) greenland
- (d) polar ice
- 28. At which latitude, heat gain through insalation approximately equals heat loss through terrestrial radiation? [2005]
  - (a) 66° North and South
  - (b)  $22\frac{1}{2}$ ° North and South
  - (c) 40° North and South
  - (d)  $42\frac{1}{2}$ ° North and South
- 29. Annual migration does not occur in the case [2006]
  - (a) Salmon
- (b) Siberian crane
- (c) salamander
- (d) Arctic tern
- **30.** The slow rate of decomposition of fallen logs in nature is due to their [2008]
  - (a) low moisture content
  - (b) poor nitrogen content
  - (c) anaerobic environment around them
  - (d) low cellulose content
- **31.** The figure given below is a diagrammatic representation of response of organisms to abiotic factors. What do a, b and c represent respectively? [Pre. 2010]



conformer

regulator

- regulator
- regulator conformer
- partial regulator

- partial regulator conformer regulator
- (d) regulator conformer partial regulator
- **32.** Eutrophication is often seen in [Pre. 2011]
  - (a) Deserts
- (b) Fresh water lakes
- (c) Ocean
- (d) Mountains
- 33. Large Woody Vines are more commonly found in [Pre. 2011]
  - (a) Temperate forests (b) Mangroves
  - (c) Tropical rainforests (d) Alpine forests
- 34. Consider the following four conditions (1 - 4) and select the correct pair of them as adaptation to environment in desert lizards. The conditions [Pre. 2011]
  - (1) Burrowing in soil to escape high temperature
  - (2) Losing heat rapidly from the body during high temperature
  - (3) Bask in sun when temperature is low
  - (4) Insulating body due to thick fatty dermis.

### **Options:**

- (a) (3), (4)
- (b) (1),(3)
- (c) (2),(4)
- (d) (1),(2)
- 35. Which one of the following processes during decomposition is correctly described?

- (a) Fragmentation Carried out by organisms such as earthworm
- (b) Humification Leads to the accumulation of a dark coloured substance humus which undergoes microbial action at a very fast rate
- (c) Catabolism Last step in the decomposition under fully anaerobic condition
- (d) Leaching Water soluble inorganic nutrients rise to the top layers of soil
- 36. An association of individuals of different species living in the same habitat and having functional interactions is:

#### [RE-AIPMT 2015]

- (a) Population
- (b) Ecological niche
- (c) Biotic community (d) Ecosystem

Trueman	'S	<b>AIPMT</b>	<b>Biology</b>	Rebooster	Specific
---------	----	--------------	----------------	-----------	----------

Q A	nswers .			8 -b 18 -d					
1 <i>-</i> d	2 -c	3 -d	4 -b	5 <b>-</b> b	6 -a	7 <b>-</b> b	8 -b	9 <b>-</b> a	10 -a
11 <b>-</b> b	12 -b	13 -с	14 -d	15 -d	16 <b>-</b> b	17 <b>-</b> d	18 <b>-</b> d	19 -с	20 -c
							28 -c		
 31 -d	32 -b	33 -c	34 -b	35 -a	36 -с				

# www.freejobsportal.in

244

### **ECOSYSTEMS**

- 1. A mutually beneficial association necessary 6. The sum total of the population of the same for survival of both partners are [1991,93] kind of organisms constitute [1993] (a) mutualism/symbiosis (a) colony (b) genus (b) commensalism (c) community (d) species (c) amensalism 7. Pyramid of number deals with number of (d) Both (a) and (b) [1993] 2. The relation between algae and fungi in a (a) species in an area lichen is [1989] (b) individuals in a community (c) individuals in a trophic level (a) symbiosis (b) parasitism
- 3. Pyramid of numbers in a grassland/true eco-[1990,91] system is

(c) commensalism (d) protocooperation

- (a) always inverted
- (b) always upright
- (c) Both (a) and (b)
- (d) spindle-shaped
- 4. Pick up the correct food chain [1991] (a) Grass  $\rightarrow$  Chaemeleon  $\rightarrow$  Insect  $\rightarrow$  Bird
  - (b) Grass  $\rightarrow$  Fox  $\rightarrow$  Rabbit  $\rightarrow$  Bird
  - (c) Phytoplankton  $\rightarrow$  Zooplankton  $\rightarrow$  Fish
  - (d) Fallen leaves → Bacteria → Insect larvae
- 5. Food chain in which micro-organisms breakdown the food formed by primary produc-[1991] ers are
  - (a) parasitic food chain
  - (b) detritus food chain
  - (c) consumer food chain
  - (d) predator food chain

- (d) sub-species in a community
- 8. Study of inter-relationships between living organisms and their environment is [1993]
  - (a) Ecology
- (b) Ecosystem
- (c) Phytogeography
- (d) Ethology
- 9. Pyramid of number in a pond ecosystem is [1993]
  - (a) irregular
- (b) inverted
- (c) upright
- (d) spindle-shaped
- 10. In grass-deer-tiger food chain, grass biomass is one tonne. The tiger biomass shall be [1994]
  - (a) 100 kg
- (b) 10 kg
- (c) 200 kg
- (d) 1 kg
- 11. In a biotic community, the most important factor for survival of an animal is [1994]
  - (a) day length
- (b) soil moisture
- (c) green food
- (d) predators

### Trueman's AIPMT Biology Rebooster Specific

246		Truem	lan's AIPMT Biology Rebooster Specific
12.	The pyramid which stable ecosystem is (a) biomass (c) energy	ch cannot be inverted in a s that of [1994]  (b) number  (d) All of these	<ul><li>(a) Oxygen and nitrogen</li><li>(b) Phosphorus and sulphur</li><li>(c) Phosphorus and nitrogen</li><li>(d) Phosphorus and carbon dioxide</li></ul>
13.	In a food chain, the of  (a) producers (b) decomposers (c) secondary conditions (d) primary consumptions (d)		<ul> <li>21. If we completely remove the decomposers, from an ecosystem, its functioning will be adversely affected, because [1995]</li> <li>(a) energy flow will be blocked</li> <li>(b) herbivores will not receive solar energy</li> <li>(c) mineral movement will be blocked</li> <li>(d) rate of decomposition will be very high</li> </ul>
	(a) zooplankton (c) benthos	rtant trophic level in a lake [1994] (b) phytoplankton (d) neuston	<ul><li>(d) rate of decomposition will be very high</li><li>22. The transfer of energy from one trophic level to another is governed by the 2nd law of thermodynamics. The average efficiency of energy transfer from herbivores to carnivores</li></ul>
15.	Which of the follow system? (a) Forest (c) Mountain	ving is the most stable eco- [1995]  (b) Desert  (d) Ocean	is [1996,99] (a) 5% (b) 10% (c) 25% (d) 50%
16.	opment of commu (a) fleshly cleared (b) forest clearing		<ul> <li>23. The nature of climax community ultimately depends on [1996]</li> <li>(a) climate</li> <li>(b) bed rock</li> <li>(c) soil organisms</li> <li>(d) pool of available nutrients</li> </ul>
	•	d habitat with no record of ion	24. In a food chain, the largest population is that of [1996]
17.	Mycorrhiza is a sy tween roots of hig (a) virus (c) bacteria	ymbiotic relationship beher plants and [1995] (b) fungi (d) blue-green algae	<ul><li>(a) decomposers</li><li>(b) producers</li><li>(c) primary consumers</li><li>(d) tertiary consumers</li></ul>
	Which of the follonitrogen?  (a) Albugo (c) Saprolegnia	wing can fix atmospheric [1995]  (b) Cystopus (d) Anabaena hity, the primary consum-	<ul> <li>25. Niche of a species in an ecosystem refers to its [1996]</li> <li>(a) function at its place of occurrence</li> <li>(b) place of its occurrence</li> <li>(c) competitive ability</li> <li>(d) centre of origin</li> </ul>
20.	ers are (a) carnivores (c) detritivores Which of the follo	(b) omnivores (d) herbivores owing pair is a sedimen-	<ul><li>26. Which of the following ecosystem has the highest gross primary productivity? [1997]</li><li>(a) Grasslands (b) Coral reefs</li><li>(c) Mangroves</li></ul>

## www.freejobsportal.in

(d) Equatorial rain forest

tary type of biogeochemical cycle? [1995]

- 34. Which part of the world has high density of
- (a) Deciduous forests (a) are present in maximum number
- (b) are most frequent
- (c) attain a large biomass
- (d) contribute to ecosystem properties

27. Keystone species in an ecosystem are those

- 28. Which of the following is free-living aerobic non-photosynthetic nitrogen-fixing bacte-[1997] rium?
  - (a) Rhizobium
- (b) Azotobacter
- (c) Nostoc

which

- (d) Azospirillum
- 29. An orchid resembling the female of an insect so as to be able to get pollinated is due to phenomenon of [1998]
  - (a) mimicry
  - (b) pseudocopulation
  - (c) pseudopollination
  - (d) pseudoparthenocarpy
- **30**. Species restricted to a given area are called [1998]
  - (a) sibling
- (b) endemic
- (c) sympatric
- (d) allopatric
- 31. Plants such as Prosopis, Acacia and Capparis represent examples of tropical

[1998]

- (a) grasslands
- (b) thorn forests
- (c) deciduous forests
- (d) evergreen forests
- **32**. the rate at which light energy is converted into chemical energy of organic molecules is the ecosystem's [1998]
  - (a) net primary productivity
  - (b) gross secondary productivity
  - (c) net secondary productivity
  - (d) gross primary productivity
- 33. In a terrestrial ecosystem such as forest, maximum energy is in which trophic level?[1998]
  - (a)  $T_1$
- (b) T<sub>2</sub>
- (c)  $T_3$
- (d)  $T_{4}$

- organisms?

  - (b) Grasslands
  - (c) Savannas
  - (d) Tropical rain forests
- 35. The maximum biomagnification would be in which of the following in case of aquatic [1999] ecosystem?
  - (a) Fishes
- (b) Phytoplanktons
- (c) Birds
- (d) Zooplanktons
- 36. The greatest biomass of autotrophs in the world's oceans is that of
  - (a) benthic brown algae, coastal red algae and daphnids
  - (b) benthic diatoms and marine viruses
  - (c) sea grasses and slime molds
  - (d) free-floating micro-algae, cyanobacteria and nanoplankton
- 37. Which type of association is found in between entomophilous flower and pollinating agent?
  - (a) Mutualism
- (b) Commensalism
- (c) Cooperation
- (d) Co-evolution
- 38. Two different species cannot live for long duration in the same niche or habitat. This law is [2002]
  - (a) Allen's law
  - (b) Mendel's law
  - (c) Gause's competitive exclusion principal
  - (d) Weismann's theory

[2002] **39**. Cause of mimicry is

- (a) attack (offence)
- (b) protection (defence)
- (c) Both (a) and (b)
- (d) isolation
- 40. Choose the correct match Bladderwort, sundew, venus fly trap [2002]
  - (a) Nepenthes, Dionea, Drosera
  - (b) Nepenthes, Utricularia, Vanda

### www.freejobsportal.in

247

- (c) Utricularia, Drosera, Dionea
- (d) Dionea, Trapa, Vanda
- **41**. Bamboo plant is growing in a far forest then what will be the trophic level of it? **[2002]** 
  - (a) First trophic level (T<sub>1</sub>)
  - (b) Second trophic level (T<sub>2</sub>)
  - (c) Third trophic level (T<sub>3</sub>)
  - (d) Fourth trophic level (T<sub>4</sub>)
- **42**. What is true for individuals of same species? [2002]
  - (a) Live in same niche
  - (b) Live in same habitat
  - (c) Interbreeding
  - (d) Live in different habitats
- **43**. In which condition, the gene ratio remains constant for any species? [2002]
  - (a) Sexual selection
  - (b) Random mating
  - (c) Mutation
  - (d) Gene flow
- **44**. Which of the following is a correct pair? **[2002]**

L4

- (a) Cuscuta Parasite
- (b) Dischidia Insectivorous
- (c) Opuntia Predator
- (d) Capsella —Hydrophyte
- **45**. Two different species cannot live for long duration in the same niche or habitat. This law is [2002]
  - (a) Allen's law
- (b) Gause's hypothesis
- (c) Dollo'srule
- (d) Weismann's theory
- **46**. Which of the following is most important for speciation? [2002]
  - (a) Seasonal isolation
  - (b) Reproductive isolation
  - (c) Behavioural isolation
  - (d) Tropical Isolation
- **47**. Reason of fast speciation in present day crop plants is **[2002]** 
  - (a) mutation
- (b) isolation
- (c) polyploidy
- (d) sexual reproduction

48. Mycorrhiza is an example of

[2003

- (a) endoparasitism
- (b) decomposers
- (c) symbiotic relationship
- (d) ectoparasitism
- **49**. Escherichia coli is used as an indicator organism to determine pollution of water with **[2003]** 
  - (a) industrial effluents
  - (b) pollen of aquatic plants
  - (c) heavy metals
  - (d) faecal matter
- 50. Species are considered as

[2003]

- (a) artificial concept of human mind which cannot be defined in absolute terms
- (b) real units of classification devised by taxonomists
- (c) real basic units of classification
- (d) the lowest units of classification
- **51**. What is a keystone species?

[2004]

- (a) A species which makes up only a small proportion of the total biomass of a community, yet has a huge impact on the community's organization and survival
- (b) A common species that has plenty of biomass, yet has a fairly low impact on the community's organization
- (c) A rare species that has minimal impact on the biomass and on other species in the community
- (d) A dominant species that constitutes a large proportion of the biomass and which affects many other species
- 52. Which of the following is expected to have the highest value (gm/m²/yr) in a grassland ecosystem? [2004]
  - (a) Secondary Production (SP)
  - (b) Tertiary Production (TP)
  - (c) Gross Production (GP)
  - (d) Net Production (NP)
- 53. An ecosystem which can be easily damaged but can recover after some time if damaging effect stops, will be having [2004]

249

- (a) low stability and high resilience
- (b) high stability and low resilience
- (c) low stability and low resilience
- (d) high stability and high resilience
- **54**. Lichens are well known combination of an alga and a fungus where fungus has **[2004]** 
  - (a) a saprophytic relationship with the alga
  - (b) an epiphytic relationship with the alga
  - (c) a parasitic relationship with the alga
  - (d) a symbiotic relationship with the alga
- 55. There exists a close association between the alga and the fungus within a lichen. The fungus
  [2005]
  - (a) provides protection, anchorage and absorption for the alga
  - (b) provides food for the alga
  - (c) fixes the atmospheric nitrogen for the alga
  - (d) release oxygen for the alga
- **56**. Animals have the innate ability to escape from predation. Examples for the same are given below. Select the incorrect example

[2005]

- (a) enlargement of body size by swallowing air in puffer fish
- (b) melanism in moths
- (c) poison fangs in snakes
- (d) colour change in Chamaeleon
- 57. Which one of the following pairs is mismatched? [2005]
  - (a) Savanna Acacia trees
  - (b) Prairie Epiphytes
  - (c) Tundra—Permafrost
  - (d) Coniferous forest Evergreen trees
- 58. Praying mantis is a good example of [2006]
  - (a) warning colouration
  - (b) social insects
  - (c) camouflage
  - (d) Mullerian mimicry
- **59.** Which of the following is not true for a species? **[2005]**

- (a) Members of a species can interbreed
- (b) Variations occur among members of a species
- (c) Each species is reproductively isolated from every other species
- (d) Gene flow does not occur between the populations of a species
- **60**. Which one of the following is not used for construction of ecological pyramids?[2006]
  - (a) Dry weight
  - (b) Number of individuals
  - (c) Rate of energy flow
  - (d) Fresh weight
- 61. Niche overlap indicates

[2006]

- (a) active cooperation between two species
  - (b) two different parasites on the same host
  - (c) sharing of one or more resources between the two species
  - (d) mutualism between two species
- **62.** Which of the following ecosystem types has the highest annual net primary productivity? [2007]
  - (a) Tropical rain forest
  - (b) Tropical deciduous forest
  - (c) Temperate evergreen forest
  - (d) Temperate deciduous forest
- **63.** A high density of elephant population in an area can result in [2007]
  - (a) mutualism
  - (b) intraspecific competition
  - (c) interspecific competition
  - (d) predation on one another
- **64.** The table below gives the populations (in thousands) of ten species (A-J) in four areas (a-d) consisting of the number of habitats given within brackets against each. Study the table and answer the question which follows

Which area out of a to d shows maximum species diversity? [2008]

Area and	Species, and their populations (in thousands) in the areas									
Number of habitats	A		A 40 M	A	FW CO	F	事 と 英 三	н	I	J
a (11)	2.3	1.2	0.52	6.0	_	3.1	1.1	9.0	-	10.3
b(11)	10.2	123	0.62	_	1.5	3.0	100	8.2	1.1	11.2
c (13)	11.3	0.9	0.48	2.4	1.4	4.2	0.8	8.4	2.2	4.1
d (12)	3.2	10.2	11.1	4.8	0.4	3.3	0.8	7.3	11.3	2.1
(a)	b				(b)	c				
(c)	d				(d)	a				

- **65.** Consider the following statements concerning food chains [2008]
  - (A) removal of 80% tigers from an area resulted in greatly increased growth of vegetation
  - (B) removal of most of the carnivores resulted in an increased population of deers
  - (C) the length of food chains is generally limited to 3-4 trophic levels due to energy loss
  - (D) the length of food chains may vary from 2 to 8 trophic levels

Which two of the above statements are correct?

- (a) B and C
- (b) C and D
- (c) A and D
- (d) A and B
- **66.** About 70% of total global carbon is found in **[2008]** 
  - (a) grasslands
- (b) agroecosystems
- (c) oceans
- (d) forests
- **67.** Quercus species are the dominant component in **[2008]** 
  - (a) temperate deciduous forests
  - (b) alpine forests
  - (c) scrub forests
  - (d) tropical rain forests
- **68.** Which one of the following types of organisms occupy more than one trophic level in a pond ecosystem? [2009]
  - (a) Zooplankton (b) Frog
  - (c) Phytoplankton (d) Fish
- **69.** The correct sequence of plants in a hydrosere is: **[2009]**


- (a) Pistia → Volvox→ Scirpus → Hydrilla → Oak → Lantana
- (b) Oak  $\rightarrow$  Lantana  $\rightarrow$  Volvox  $\rightarrow$  Hydrilla  $\rightarrow$  Pistia  $\rightarrow$  Scirpus
- (c) Oak → Lantana → Scirpus → Pistia → Hydrilla → Volvox
- (d) Volvox → Hydrilla → Pistia → Scirpus → Lantana → Oak
- **70.** The biomass available for consumption by the herbivores and the decomposers is called:

[Pre. 2010]

- (a) Net primary productivity
- (b) Secondary productivity
- (c) Standing crop
- (d) Gross primary productivity
- **71.** Which one of the following is one of the characteristics of a biological community?

[Pre. 2010]

- (a) Stratification
- (b) Natality
- (c) Mortality
- (d) Sex-ratio
- **72.** Which of the following representations shows the pyramid of numbers in a forest ecosystem:- [Mains 2010]



- **73.** Which one of the following is most appropriately defined? [Mains 2010]
  - (a) Amensalism is a relationship in which one species is benefited where as the other is unaffected.
  - (b) *Predator* is an organism that catches and kills other organism for food.
  - (c) *Parasite* is an organism which always lives inside the body of other organism and may kill it.
  - (d) Host is an organism which provides food to another organism.

- 74. Mass of living matter at a trophic level in an area at any time is called [Pre. 2011]
  - (a) Standing crop (b) Detritus
  - (c) Humus
- (d) Standing state
- **75.** Which one of the following statements is correct for secondary succession?

[Pre. 2011]

- (a) It begins on a bare rock
- (b) It occurs on a deforested site
- (c) It follows primary succession
- (d) It is similar to primary succession except than it has a relatively fast pace.
- **76.** Which one of the following is categorised as a *parasite* in true sense? **[Pre. 2011]** 
  - (a) The female *Anopheles* bites and sucks blood from humans.
  - (b) Human foetus developing inside the uterus draws nourishment from the mother.
  - (c) Head louse living on the human scalp as well as laying eggs on human hair.
  - (d) The cuckoo (koel) lays its eggs in crow's nest.
- 77. Both, hydrarch and xerarch successions lead to [Mains 2011]
  - (a) Excessive wet conditions
  - (b) Medium water conditions
  - (c) Xeric conditions
  - (d) Highly dry conditions
- **78.** Which one of the following animals may occupy more than one trophic levels in the same ecosystem at the same time?

[Mains 2011]

- (a) Frog
- (b) Sparrow
- (c) Lion
- (d) Goat
- **79.** The breakdown of detritus into smaller particles by earthworm is a process called:

[Mains 2011]


- (a) Catabolism
- (b) Humification
- (c) Fragmentation (d) Mineralisation
- **80.** Consider the following statements (A)-(D) each with one or two blanks. [Mains 2011]
  - (A) Bears go into .....(1).... during winter to .....(2)..... cold weather

- (B) A conical age pyramid with a broad base represents ....(3)..... human population.
- (C) A wasp pollinating a fig flower is an example of......(4).....
- (D) An are a with high levels of species richness is known as.....(5)......

Which one of the following options, gives the correct fill ups for the respective blank numbers from (1) to (5) in the statements?

- (a) (1) hibernation, (2) escape; (3) expanding, (5) hot spot,
- (b) (3) stable (4) commensalism, (5) marsh
- (c) (1) aestivation, (2) escape, (3) stable, (4) mutualism
- (d) (3) expanding, (4) commensalism, (5) biodiversity park
- **81.** Which one of the following statements for pyramid of energy is incorrect, whereas the remaining three are correct? **[2011]** 
  - (a) Its base is broad
  - (b) It shows energy content of different trophic level organisms
  - (c) It is inverted in shape
  - (d) It is upright in shape
- **82.** The rate of formation of new organic matter by rabbit in a grassland, is called: **[2012]** 
  - (a) Secondary productivity
  - (b) Net primary productivity
  - (c) Gross primary productivity
  - (d) Net productivity
- **83.** Identify the likely organism (A), (B), (C) and (D) in food web shown below:

[Mains 2012]



## Trueman's AIPMT Biology Rebooster Specific


- (A) (C)(B) (D) (a) Dog Squirrel Bat Deer Tortoise Crow (b) Rat Dog (c) Squirrel Cat Rat Pigeon (d) Deer Rabbit Frog Rat
- **84.** The second stage of hydrosere is occupied by plants like **[Mains 2012]** 
  - (a) Typha
  - (b) Salix

252

- (c) Vallisneria
- (d) Azolla
- **85.** Which one of the following is not a functional part of an ecosystem [Pre. 2012]
  - (a) Productivity
  - (b) Stratification
  - (c) Energy flow
  - (d) Decomposition
- **86.** The upright pyramid of number is absent in **[Pre. 2012]** 
  - (a) Lake
  - (b) Grassland
  - (c) Pond
  - (d) Forest
- **87.** Which one of the following is not a gaseous biogeochemical cycle in ecosystem?

[Pre. 2012]

- (a) Nitrogen cycle
- (b) Carbon cycle
- (c) Sulphur cycle
- (d) Phosphorus cycle
- **88.** Which one of the following microbes forms symbiotic association with plants and helps them in their nutrition? [Pre. 2012]
  - (a) Glomus
- (b) Trichoderma
- (c) Azotobacter
- (d) Aspergillus
- **89.** Given below is an imaginary pyramid of numbers what could be one of the possibilities about certain organisms at some of the different levels [Pre. 2012]



- (a) Level one PP is "pipal trees" and the level SC is "sheep"
- (b) Level PC "rats" and level SC is "cats"
- (c) Level PC is "insects" and level SC is "small insectivorous birds"
- (d) Level PP is "phytoplanktons" in sea and "whale" on top level TC
- **90.** Idetify the possible link "A" in the following food chain: **[Pre. 2012]**

 $Plant \rightarrow Insect \rightarrow Frog \rightarrow "A" \rightarrow Eagle$ 

- (a) Cobra
- (b) Parrot
- (c) Rabbit
- (d) Wolf
- 91. Natural reservoir of phosphorus is: [2013]
  - (a) Sea water
  - (b) Animal bones
  - (c) Rock
  - (d) Fossils
- **92.** Secondary productivity is rate of formation of new organic matter by : [2013]
  - (a) Producer
  - (b) Parasite
  - (c) Consumer
  - (d) Decomposer
- **93.** A sedentary sea anemone gets attached to the shell lining of hermit crab. The association is: [2013]
  - (a) Ectoparasitism
  - (b) Symbiosis
  - (c) Commensalism
  - (d) Amensalism
- **94.** Match the following and select the correct option: [AIPMT 2014]
  - (a) Earthworm
- (i) Pioneer species
- (b) Succession
- (ii) Detritivore
- (c) Ecosystem service (iii) Natality
- (d) Population growth (iv) Pollination
- $(a) (a) \rightarrow (i); (b) \rightarrow (ii); (c) \rightarrow (iii); (d) \rightarrow (iv)$
- (b) (a)  $\rightarrow$  (iv); (b)  $\rightarrow$  (i); (c)  $\rightarrow$  (iii); (d)  $\rightarrow$  (ii)
- (c)  $(a) \rightarrow (iii)$ ;  $(b) \rightarrow (ii)$ ;  $(c) \rightarrow (iv)$ ;  $(d) \rightarrow (i)$
- (d)  $(a) \rightarrow (ii)$ ;  $(b) \rightarrow (i)$ ;  $(c) \rightarrow (iv)$ ;  $(d) \rightarrow (iii)$


253

**95.** Given below is a simplified model of phosphorus cycling in a terrestrial ecosystem with four blanks (A-D).

Identify the blanks.

[AIPMT 2014]

D



A B C

- (a) Rock Detritus Litter fall Producers minerals
- (b) Litter fall Producers Rock minerals Detritus
  (c) Detritus Rock Producers Litter fall
- minerals

  (d) Producers Litter fall Rock minerals Detritus
- **96.** If 20 J of energy is trapped at producer level, then how much energy will be available to peacock as food in the following chain?

 $Plant \rightarrow Mice \rightarrow Snake \rightarrow Peacock$ 

### [AIPMT 2014]

- (a) 0.02 J
- (b) 0.002 J
- (c) 0.2 J
- (d) 0.0002 J
- 97. Most animals are tree dwellers in a -


#### [AIPMT 2015]

- (a) Thorn woodland
- (b) Temperate deciduous forest
- (c) Tropical rain forest
- (d) Coniferous forest
- **98.** Vertical distribution of different species occupying different levels in a biotic community is known as: [AIPMT 2015]
  - (a) Stratification
  - (b) Zonation
  - (c) Pyramid
  - (d) Divergence
- **99.** The mass of living material at a trophic level at a particular time is called :[AIPMT 2015]
  - (a) Standing state
  - (b) Net primary productivity

- (c) Standing crop
- (d) Gross primary productivity
- 100. In an ecosystem the rate of production of organic matter during photosynthesis is termed as: [AIPMT 2015]
  - (a) Gross primary productivity
  - (b) Secondary productivity
  - (c) Net productivity
  - (d) Net primary productivity
- **101.** Secondary Succession takes place on/in:

### [AIPMT 2015]

- (a) Degraded forest
- (b) Newly created pond
- (c) Newly cooled lava
- (d) Bare rock
- **102.** The following graph depicts changes in two populations (A and B) of herbivores in a grassy field. A possible reason for these changes is that **[AIPMT 2015]**



- (a) Population B competed more successfully for food than population A
- (b) Population A produced more offspring than population B
- (c) Population A consumed the members of population B
- (d) Both plant populations in this habitat decreased
- **103.** In which of the following interactions both partners are adversely affected?

#### [RE-AIPMT 2015]

- (a) Mutualism
- (b) Competition
- (c) Predation
- (d) Parasitism
- **104.** Most animals that live in deep oceanic waters are : **[RE-AIPMT 2015]** 
  - (a) Detritivores

(b) Primary consumers

254

- (c) Secondary consumers
- (d) Tertiary consumers
- **105.** In which of the following both pairs have correct combination: **[RE-AIPMT 2015]** 
  - (a) Gaseous nutrient cycle Sulphur and Phosphorus, Sedimentary nutrient cycle Carbon and Nitrogen.
  - (b) Gaseous nutrient cycle Carbon and Nitrogen, Sedimentary nutrient cycle -Sulphur and Phosphorus.
  - (c) Gaseous nutrient cycle Carbon and Sulphur, Sedimentary nutrient cycle Nitrogen and Phosphorus.

- (d) Gaseous nutrient cycle Nitrogen and Sulphur, Sedimentary nutrient cycle Carbon and Phosphorus.
- **106.** During ecological succession :

#### [RE-AIPMT 2015]

- (a) the changes lead to a community that is in near equilibrium with the environment and is called pioneer community
- (b) the gradual and predictable change in species composition occurs in a given area
- (c) the establishment of a new biotic community is very fast in its primary phase
- (d) the number and types of animals remain constant

#### Answers 2 -a 3 -b 4 -c 5 -b 6 -d 7 -c 8 -a 9 -c 10-b 1 -a 18 -d 11 -c 12 -c 13 -a 14 -a 15 -d 16 -d 17 -b 19 -d 20 -b 27 -d 21 -c 22 -b 23 -a 24 -b 25 -a 26 -b 28 -b 29 -a 30 -b 37 -a 31 -b 32 -d 33 -a 34 -d 35 -a 36 -d 38 -c 39 -c 40 -c 41 -a 42 -c 43 -b 44 -a 45-b 46 -b 47 -c 48 -c 49 -d 50 -c 52 -c 53 -a 55 -a 57 -b 58 -c 59 -d 60 -d 56 -c 61 -c 62 -a 63 -b 64 -c 65 -a 66 -c 67 -a 68 -d 69 -d 70 -c 71 -a 72 -b 73 -b 74 -a 75 -b 76 -c 77 -b 78 -b 79 -c 80 -a 81 -c 82 -a 83 -d 84 -c 85-b 87 -d 88 -a 89 -c 90 -a 86 -d 91 -c 92 -c 93 -b 94 -d 95 -c 96 -a 97 -c 99 -c 100 -a 98 -a 101-a 102 -a 103 -b 104 -a 105 -b 106 -b

### **BIODIVERSITY AND CONSERVATION**

<ol> <li>Soil conservation is</li> <li>(a) conversion of sterile soil into ferti</li> </ol>	[1989] ile one	<ul><li>(c) hold water</li><li>(d) support life</li></ul>	
<ul><li>(b) aeration of soil</li><li>(c) erosion of soil</li><li>(d) protection against loss</li></ul>		7. Minerals and metals are [199 (a) biodegradable resources (b) renewable	)2]
(a) soil erosion (b) land slides	[1990]	(c) non-renewable (d) Both (b) and (c)	
<ul> <li>(c) soil fertility (d) rainfall</li> <li>3. Geothermal energy is [19]</li> <li>(a) non-renewable non-conventional source</li> <li>(b) non-renewable conventional energy is [19]</li> </ul>	<b>91, 92]</b> energy	8. Water is a resource [199 (a) non-degradable, non-maintainable (b) degradable, maintainable (c) renewable (d) non-renewable	2]
source (c) renewable non-conventional e source (d) renewable conventional energy se	energy	<ul><li>9. Soil fertility is reduced by (a) crop rotation</li><li>(b) nitrogen-fixing bacteria</li></ul>	2]
<ul><li>4. Renewable source of energy is</li><li>(a) biomass (b) coal</li><li>(c) petroleum (d) kerosene</li></ul>	[1991] 1	<ul><li>(c) decaying organic matter</li><li>(d) intensive agriculture</li><li>10. American water plant that has become troublesome water weed in India is [199]</li></ul>	
<ul><li>5. Petroleum is a</li><li>(a) synthetic product</li><li>(b) renewable resource</li><li>(c) non-renewable resource</li><li>(d) inconvenient resource</li></ul>	[1992]	<ul><li>(a) Cyperus rotundus</li><li>(b) Eichhornia crassipes</li><li>(c) Trapa latifolia</li><li>(d) Trapa bispinosa</li></ul>	
6. Fertility of soil is measured by its abi		<ol> <li>National Park associated with rhinoceros</li> <li>[1994, 200]</li> </ol>	
(a) retain nutrients (b) hold organic materials	[1992]	(a) Kaziranga (b) Ranthambore	

### Trueman's AIPMT Biology Rebooster Specific

- 12. Bulk fixation of carbon through photosynthesis takes place in [1994]
  - (a) tropical rain forests(b) tropical rain forests and crop plants
  - (c) crop plants

256

- (d) oceans
- 13. Deforestation does not lead to [1994]
  - (a) quick nutrient cycling
  - (b) soil erosion
  - (c) alteration of local weather conditions
  - (d) destruction of natural habitat of wild animals
- 14. Largest amount of fresh water is found in [1994]
  - (a) lakes and streams
  - (b) underground
  - (c) polar ice and glaciers
  - (d) rivers
- 15. Ranthambore National Park is situated in [1994]
  - (a) Maharashtra
- (b) Rajasthan
- (c) Gujarat
- (d) UP
- 16. Wild life is destroyed most when [1994,2002]
  - (a) there is lack of proper care
  - (b) mass scale hunting for foreign trade
  - (c) its natural habitat is destroyed
  - (d) natural calamity
- 17. Which animal has become extinct from In-
  - (a) Snow leopard (b) Hippopotamus
  - (c) Wolf
- (d) Cheetah
- 18. Tropical forests occur in India [1994]
  - (a) Jammu and Kashmir
  - (b) Rajasthan
  - (c) Kerala and Assam
  - (d) The forests do not occur in India
- **19**. Which of the following is the main factor of desertification? [1995]
  - (a) Tourism
- (b) Irrigated agriculture
- (c) Over grazing
- (d) All of the above

- 20. Which of the following is the correct matching pair of a sanctuary and its main protected wild animal?
  - (a) Gir
- lion
- (b) Sariska
- Tiger
- (c) Sunderban (d) Kaziranga
- Rhino Musk deer
- 21. Flamingoes breed in
- [1996]
- (a) Rann of Kutch (b) Chilka lake
- (c) Sambhar lake (d) Lake Mansarover
- 22. A number of natural reserves have been created to conserve specific wild life species. Identify the correct combination from the following [1996]
  - (a) Gir forest Tiger
  - (b) Kaziranga Elephants
  - (c) Rann of Kutch Wild ass
  - (d) Manas Wild Life Sanctuary Musk deer
- 23. MAB stands for

[1997]

- (a) Man And Biology programme
- (b) Man And Biosphere programme
- (c) Mammals And Biosphere
- (d) Mammals And Biology programme
- **24**. Which of the following is mainly responsible for extinction of wild life? [1999]
  - (a) Destruction of habitats
  - (b) Pollution of air and water
  - (c) Hunting for flesh
  - (d) All of the above
- 25. Land mass occupied by forests is about

[1999]

- (a) 60%
- (b) 30%
- (c) 22%
- (d) 11%
- 26. The endangered largest living lemur *Idri idri* is inhabitant of [2000]
  - (a) Madagascar
- (b) Mauritius
- (c) Sri Lanka
- (d) India
- 27. Which endangered animal is the source of the world's finest, lightest, warmest and most expensive wool – the shahtoosh?

[2003]

- (a) Kashmiri goat (b) Chiru
- (c) Nilgai (d) Cheetal
- **28**. Which group of vertebrates comprises the highest number of endangered species?

[2003]

- (a) Reptiles
- (b) Birds
- (c) Mammals
- (d) Fishes
- **29**. In your opinion, which is the most effective way to conserve the plant diversity of an area? [2004]
  - (a) By tissue culture method
  - (b) By creating biosphere reserve
  - (c) By creating botanical garden
  - (d) By developing seed bank
- **30**. One of the most important function of botanical garden is that **[2005]** 
  - (a) one can observe tropical plants there
  - (b) they allow ex situ conservation of germplasm
  - (c) they provide the natural habitat for wild life
  - (d) they provide a beautiful area for recreation
- 31. Biodiversity act of India was passed by the Parliament in the year [2005]
  - (a) 1996
- (b) 1992
- (c) 2002
- (d) 2000
- **32.** According to IUCN red list, what is the status of red panda (*Athurus fulgens*)? **[2005]** 
  - (a) Vulnerable species
  - (b) Critically endangered species
  - (c) Extinct species
  - (d) Endangered species
- 33. Which of the following pairs of an animal and a plant represents endangered organisms in India? [2006]
  - (a) Bentinckia nicobarica and red panda
  - (b) Tamarind and rhesus monkey
  - (c) Cinchona and leopard
  - (d) Banyan and black buck

- **34**. Which one of the following is not included under *in situ* conservation? **[2006]** 
  - (a) Sanctuary
  - (b) Botanical Gardens
  - (c) Biosphere reserve
  - (d) National Park
- **35**. Which of the following is considered a hotspot of biodiversity in India? **[2006]** 
  - (a) Western ghats (b) Indo-Gangetic plain
  - (c) Eastern ghats (d) Aravalli hills
- **36**. ICBN stands for

[2007]

- (a) Indian Congress of Biological Names
- (b) International Code of Botanical Nomenclature
- (c) International Congress of Biological Names
- (d) Indian Code of Botanical Nomenclature
- **37**. Identify the odd combination of the habitat and the particular animal concerned **[2007]** 
  - (a) Dachigam National Park Snow leopard
  - (b) Sunderbans Bengal tiger
  - (c) Periyar Elephant
  - (d) Rann of Kutch Wild ass
- **38**. One endangered species of Indian medicinal plants is that of **[2007]** 
  - (a) Podophyllum
- (b) Ocimum
- (c) Garlic
- (d) Nepenthes
- **39**. Which one of the following is not observed in biodiversity hotspots? **[2008]** 
  - (a) Endemism
  - (b) Accelerated species loss
  - (c) Lesser interspecific competition
  - (d) Species richness
- **40.** Chipko movement was launched for the protection of: [2009]
  - (a) Livestock
- (b) Wetlands
- (c) Grasslands
- (d) Forests
- **41.** Tiger is not a resident in which one of the following national park? [2009]

# www.freejobsportal.in

257

## Trueman's AIPMT Biology Rebooster Specific

258

- (b) Jim Corbett
- (c) Ranthambhor (d) Sunderbans
- **42.** Which one of the following is an example of ex-situ conservation? [Pre. 2010]
  - (a) Wildlife sanctuary
  - (b) Seed bank

(a) Gir

- (c) Sacred groves (d) National park
- 43. A renewable exhaustible natural resource is [Pre. 2010]
  - (a) Coal
- (b) Petroleum
- (c) Minerals
- (d) Forest
- 44. The Indian Rhinoceros is a natural inhabitant of which one of the Indian states?

#### [Mains 2010]

- (a) Uttar Pradesh
- (b) Himachal Pradesh
- (c) Assam
- (d) Uttarakhand
- **45.** Which one of the following expanded forms of the following acronyms is correct?

#### [Pre. 2011]

- (a) IPCC = International Panel for Climate Change
- (b) UNEP=United Nations Environmental Policy
- (c) EPA=Environmental Pollution Agency
- (d) IUCN = International Union for Conservation of Nature and Natural Resources
- **46.** A collection of plants and seeds having divers alleles of all the genes of a crop is called [Pre. 2011]
  - (a) Herbarium
- (b) Germplasm
- (c) Gene library
- (d) Genome
- **47.** Which one of the following statements for pyramid of energy is incorrect, whereas the remaining three are correct? [Pre. 2011]
  - (a) Its base is broad
  - (b) It shows energy content of different trophic level organisms
  - (c) It is inverted in shape
  - (d) It is upright in shape
- 48. Biodiversity of a geographical region repre-[2011]
  - (a) Species endemic to the region

- (b) Endangered species found in the region
- (c) The diversity in the organisms living in the region.
- (d) Genetic diversity present in the dominant species of the region.
- **49.** Select the correct statement about biodiversity [Mains 2012]
  - (a) Large scale planting of Bt cotton has no adverse effect on biodiversity
  - (b) Western Ghats have a very high degree of species richness and endemism
  - (c) Conservation of biodiversity is just a fad pursued by the developed countries
  - (d) The desert areas of Rajasthan and Gujarat have a very high level of desert animal species as well as numerous rare animals
- 50. Sacred grooves are specially useful in [Mains 2012]
  - (a) preventing soil erosion
  - (b) year-round flow of water in rivers
  - (c) conserving rare and threatened species
  - (d) generating environmental awareness
- **51.** The highest number of species in the world represented by [Pre. 2012]
  - (a) Algae
- (b) Lichens
- (c) Fungi
- (d) Mosses
- **52.** Which one of the following areas in India, is hot spot of biodiversity? [Pre. 2012]
  - (a) Sunderbans
- (b) Western Ghats
- (c) Eastern Ghats (d) Gangetic plain
- **53.** Which one of the following is not used for *ex* situ plant conservation? [2013]
  - (a) Field gene banks
  - (b) Seed banks
  - (c) Shifting cultivation
  - (d) Botanical Gardens
- **54.** Which of the following represent maximum number of species among global biodiversity?
  - (a) Algae
- (b) Lichens


[2013]

- (c) Fungi
- (d) Mosses and Ferns

55. An example of ex situ conservation is -

#### [AIPMT 2014]

- (a) National Park
- (b) Seed Bank
- (c) Wildlife Sanctuary
- (d) Sacred Groove
- **56.** A species facing extremely high risk of extinction in the immediate future is called
  - [AIPMT 2014]
  - (a) Vulnerable
  - (b) Endemic
  - (c) Critically Endangered
  - (d) Extinct
- 57. The organization which publishes the Red List of species is [AIPMT 2014]
  - (a) ICFRE
- (b) IUCN
- (c) UNEP
- (d) WWF
- 58. Just as a person moving from Delhi to Shimla to escape the heat for the duration of hot summer, thousands of migratory birds from Siberia and other extremely cold northern regions move to [AIPMT 2014]
  - (a) Western Ghats
  - (b) Meghalaya
  - (c) Corbett National Park
  - (d) Keoladeo National Park
- 59. Given below is the representation of the extent of global diversity of invertebrates. What groups the four portions (A-D) represent respectively? [AIPMT 2014]



	A	В	C	D
(1)	Insects	Crustaceans	Other animal Groups	Molluscs
(2)	Crustaceans	Insects	Molluscs	Other animal Groups
(3)	Molluscs	Other animal Groups	Crustaceans	Insects
(4)	Insects	Molluscs	Crustaceans	Other animal Groups

- **60.** Cryopreservation of gametes of threatened species in viable and fertile condition can be referred to as:- [AIPMT 2015]
  - (a) Advanced ex-situ conservation of biodiversity
  - (b) In situ conservation by sacred groves
  - (c) In situ cryo-conservation of biodiversity
  - (d) In situ conservation of biodiversity
- **61.** In which of the following, both pairs have correct combination: [AIPMT 2015]
  - (a) In situ conservation : Cryopreservation, Ex situ conservation : Wildlife Sanctuary
  - (b) In situ conservation : Seed Bank, Ex situ conservation : National Park
  - (c) In situ conservation : Tissue culture, Ex situ conservation : Sacred groves
  - (d) In situ conservation : National Park, Ex situ conservation : Botanical Garden
- **62.** The species confined to a particular region and not found elsewhere is termed as:

### [RE-AIPMT 2015]

- (a) Rare
- (b) Keystone
- (c) Alien
- (d) Endemic

## Trueman's AIPMT Biology Rebooster Specific

(	Q A	nswers .								
	1-d	2 -d 12 -d 22 -d	3 -a	4 -a	5 -c	6 -d	7 -c	8 -c	9 <b>-</b> d	10 -b
	11 <b>-</b> a	12 <b>-</b> d	13 -a	14 -c	15 <b>-</b> b	16 <b>-</b> c	17 <b>-</b> d	18 -c	19 <b>-</b> c	20 -b
	21 -b	22 -c	23 -b	24 -a	25 <b>-</b> c	26 -a	27 -b	28 -c	29 <b>-</b> b	30 -b
	31 -с	32 <b>-</b> d	33 -a	34 -b	35 -a	36 -b	37 -a	38 -a	39 <b>-</b> c	40 -d
	41 -a	42 -b	43 -d	44 -с	45 -d	46 -b	47 -c	48 -c	49 <b>-</b> b	50 -c
	51 -c	52 -b	53 <b>-</b> c	54 -c	55 -b	56 -c	57 <b>-</b> b	58 -d	59 <b>-</b> d	60 -a
	61 <b>-</b> d	62 -d								

# www.freejobsportal.in

260

### **ENVIRONMENTAL ISSUES**

1.	Lichens indicate SO <sub>2</sub> pollution because they
	[1989, 92]

- (a) show association between algae and fungi
- (b) grow faster than others
- (c) are sensitive to SO<sub>2</sub>
- (d) flourish in SO<sub>2</sub> rich environment
- 2. Acid rains are produced by [1989, 91]
  - (a) excess NO<sub>2</sub> and SO<sub>2</sub> from burning fossil fuels
  - (b) excess production of NH<sub>3</sub> by industry and coal gas
  - (c) excess release of carbon monoxide by incomplete combustion
  - (d) excess formation of CO<sub>2</sub> by combustion and animal respiration
- 3. Green-house effect is warming due to [1989,91,94]
  - (a) infra-red rays reaching earth
  - (b) moisture layer in atmosphere
  - (c) increase in temperature due to increase in carbon dioxide concentration of atmosphere
  - (d) ozone layer of atmosphere
- 4. Major aerosol pollutant in jet plane emission is [1990]
  - (a) sulphur dioxide
  - (b) carbon monoxide

- (c) methane
- (d) chlorofluoro-carbons
- 5. Gas released during Bhopal tragedy was [1990]
  - (a) methyl isocyanate
  - (b) potassium isothiocyanate
  - (c) sodium isothiocyanate
  - (d) ethyl isothiocyanate
- 6. Domestic waste constitutes [1991]
  - (a) non-biodegradable pollution
  - (b) biodegradable pollution
  - (c) effluents
  - (d) air pollution
- 7. Which one is not a pollutant normally? [1992]
  - (a) Hydrocarbons
  - (b) Carbon dioxide
  - (c) Carbon monoxide
  - (d) Sulphur dioxide
- 8. Most hazardous metal pollutant of automobile exhausts is [1992]
  - (a) mercury
- (b) cadmium
- (c) lead
- (d) copper
- Ultraviolet radiations from sunlight cause a reaction which produces [1993]
  - (a) O<sub>3</sub>
- (b) SO<sub>2</sub>
- (c) CO
- (d) CH<sub>4</sub>

- 10. Drawback of DDT as pesticide is [1994,99]
  - (a) it becomes ineffective after some time
  - (b) it is less effective than others
  - (c) it is not easily/rapidly degraded in nature
  - (d) its high cost
- 11. Highest DDT deposition shall occur in

- (a) phytoplankton (b) sea gull/birds
- (c) crab
- (d) eel
- 12. Fish die in water bodies polluted by sewage [1994]
  - (a) pathogens
  - (b) clogging of gills by silt
  - (c) reduction in oxygen
  - (d) fuel smell
- 13. Disease caused by eating fish found in water contaminated with industrial waste having mercury is [1994]
  - (a) Minamata disease
  - (b) Blight's disease
  - (c) Hashimoto's disease
  - (d) Osteosclerosis
- 14. Sound becomes hazardous noise pollution at level [1994]
  - (a) above 30 dB
- (b) above 80 dB
- (c) above 100 dB (d) above 120 dB
- 15. Atmosphere of big/metropolitan cities is polluted most by [1994]
  - (a) automobile exhausts
  - (b) pesticide residue
  - (c) household waste
  - (d) radioactive fall-out
- **16**. When huge amount of sewage is dumped into a river, its BOD will [1995]
  - (a) increase
  - (b) decrease
  - (c) sharply decrease
  - (d) remain unchanged

- 17. In Minamata Bay of Japan, the animals which remained free from Minamata disease, [1995] are
  - (a) pigs
- (b) rabbits
- (c) dogs
- (d) cats
- 18. The Taj Mahal is threatened due to the effect [1995]
  - (a) oxygen
- (b) hydrogen
- (c) chlorine
- (d) sulphur dioxide
- 19. Sewage drained into water bodies kill fishes because
  - (a) excessive carbon dioxide is added to water
  - (b) it gives off a bad smell
  - (c) it removes the food eaten by fish
  - (d) it increases competition with fishes for dissolved oxygen
- 20. The major contributor of green-house gases to the atmosphere is [1996,2002]
  - (a) Russia
- (b) USA
- (c) Germany
- (d) Brazil
- 21. The worst environmental hazards were created by accidents in nuclear power plant and MIC gas tragedy respectively in [1996]
  - (a) Russia in 1990 and Bhopal in 1986
  - (b) Ukrain in 1988 and USA in 1984
  - (c) Bhopal in 1984 and Russia in 1990
  - (d) Ukrain in 1986 and Bhopal in 1984
- 22. If the forest cover is reduced to half, what is most likely to happen on a long term basis? [1996]
  - (a) Tribals living in these areas will starve to death
  - (b) Cattle in these and adjoining areas will die due to lack of fodder
  - (c) Large areas will become deserts
  - (d) Crop breeding programmes will suffer due to a reduced availability of variety of germplasm
- 23. The most common indicator organism which represents polluted water is

263

- (a) Escherichia coli
- (b) Salmonella typhi
- (c) Vibrio cholerae
- (d) Entamoeba histolytica
- **24**. Phosphate pollution is mainly caused by
  - (a) phosphate rock only

[1997]

- (b) agricultural fertilizers only
- (c) sewage and phosphate rocks
- (d) sewage and agricultural fertilizers
- **25**. The CO<sub>2</sub>content by volume, in the atmospheric air is about [1997]
  - (a) 0.0314%
- (b) 0.34%
- (c) 3.34%
- (d) 4%
- 26. Formation of ozone hole is maximum over
  - (a) India
- (b) Antarctica
- (d) Africa (c) Europe
- 27. In coming years, skin related disorders will be more common due to
  - (a) air pollution
  - (b) use of detergents
  - (c) water pollution
  - (d) depletion of ozone layer
- 28. Which one of the following organism is used as indicator of water quality?
  - (a) Beggiatoa
- (b) Chlorella
- (c) Azospirillum (d) Escherichia
- 29. Which important green-house gas, other than methane, is being produced from the agricultural fields? [1998]
  - (a) Arsine
- (b) Sulphur dioxide
- (c) Ammonia
- (d) Nitrous oxide
- **30**. The supersonic jets cause pollution by the [1998] thinning of
  - (a) CO<sub>2</sub> layer
- (b) SO<sub>2</sub> layer
- (c) O<sub>2</sub> layer
- (d)  $O_3$  layer
- 31. Warm ocean surge of the peru current recurring every 5 to 8 year or so in the East Pacific of South America is widely known as [1998]
  - (a) Magnox
- (b) Gull stream
- (c) El Nino
- (d) Aye aye

- **32**. Carbon monoxide is a pollutant because
  - (a) it reacts with O<sub>2</sub>

- (b) it inhibits glycolysis
- (c) it reacts with haemoglobin
- (d) it makes nervous system inactive
- 33. If there was no CO<sub>2</sub> in the earth's atmosphere the temperature of earth's surface would be
  - (a) same as present

- (b) less than the present
- (c) higher than the present
- (d) dependent on the amount of oxygen in the atmosphere
- 34. A sewage treatment process in which a portion of the decomposer bacteria present in the waste is recycled into the beginning of the process, is called [1998]
  - (a) cyclic treatment
  - (b) primary treatment
  - (c) activated sludge treatment
  - (d) tertiary treatment
- **35**. Which of the following is the use of lichens in case of pollution?
  - (a) Lichens are not related with pollution
  - (b) They act as bioindicators of pollution
  - (c) They treat the polluted water
  - (d) They promote pollution
- **36**. Which of the following is a secondary pollutant? [1999]
  - (a) Aerosol
- (b) CO
- (c) PAN
- (d)  $CO_2$
- 37. Green-house effect refers to

[1999]

- (a) production of cereals
- (b) cooling of earth
- (c) trapping of UV rays
- (d) warming of earth
- 38. In 1984, Bhopal gas tragedy was caused due to the leakage of [1999]
  - (a) potassium isocyanate
  - (b) sodium monoxide
  - (c) sodium thiocyanate
  - (d) methyl isocyanate

_			- 33
39.	Which of the following is pollution related disorder? [1999]	47.	In 1984, the Bhopal gas tragedy took place because methyl isocyanate [2004]
	(a) Fluorosis (b) Leprosy		(a) reacted with DDT
	(c) Pneumonicosis (d) Silicosis		(b) reacted with ammonia
<b>40</b> .	Relative Biological Effectiveness [RBE] usu-		(c) reacted with CO <sub>2</sub>
	ally refers to the damages caused by [2000]		(d) reacted with water
	<ul><li>(a) low temperature</li><li>(b) high temperature</li></ul>	48.	Prolonged liberal irrigation of agricultural fields is likely to create the problem of $[2005]$
	(c) radiation (d) pollution		(a) acidity (b) aridity
41.	What is the intensity of sound in normal con-		(c) metal toxicity (d) salinity
	versation? [2001]	<b>49</b> .	Which of the following is not used for disin-
	(a) 10-20 dB (b) 30-60 dB		fection of drinking water? [2005]
	(c) 70-90 dB (d) 120-150 dB		(a) Phenyl (b) Chloramine
<b>42</b> .	What is BOD? [2001]		(c) Chlorine (d) Ozone
	(a) The amount of $O_2$ utilized by organisms in water	50.	Which one of the following pair is mismatched? [2005]
	(b) The amount of O <sub>2</sub> utilized by microorganisms for decomposition		<ul> <li>(a) Biomass burning — Release of CO<sub>2</sub></li> <li>(b) Fossil fuel burning — Release of CO<sub>2</sub></li> </ul>
	(c) The total amount of O <sub>2</sub> present in water		(c) Nuclear power — Radioactive wastes
	(d) All of the above		(d) Solar energy — Green-house effect
43.	Which of the following is absent in polluted water? [2002]	51.	Photochemical smog pollution does not contain [2006]
	(a) Hydrilla (b) Water hyacinth		(a) ozone
	(c) Larva of stone fly		(b) nitrogen dioxide
	(d) Blue-green algae		(c) carbon dioxide
<b>44</b> .	Fluoride pollution mainly affects [2003]		(d) PAN [Peroxy Acyl Nitrate]
	(a) teeth (b) kidney	52.	Limit of BOD prescribed by Central Pollu-
	(c) brain (d) heart		tion Control Board for the discharge of in- dustrial and municipal waste water into
<b>45</b> .	If by radiation all nitrogenase enzymes are		natural surface water, is [2006]
	inactivated, then there will be no [2004]		(a) $< 3.0 \text{ ppm}$ (b) $< 10 \text{ ppm}$
	(a) fixation of nitrogen in legumes		(c) $< 100 \text{ ppm}$ (d) $< 30 \text{ ppm}$
	(b) fixation of atmospheric nitrogen	53.	Montreal Protocol which calls for appropri-
	(c) conversion from nitrate to nitrite in legumes		ate action to protect the ozone layer from
	(d) conversion from ammonium to nitrate in		human activities was passed in the year
	soil		[2006]
46	Lead concentration in blood is considered		(a) 1986 (b) 1987
10.	alarming if it is [2004]		(c) 1988 (d) 1985
	(a) 20mg/100mI (b) 30mg/100mI	<b>54</b> .	In a coal fired power plant electrostatic pre-

# www.freejobsportal.in

of

cipitators are installed to control emission

[2007]

(a) 20mg/100mL (b) 30mg/100mL

(c) 4-6mg/100mL (d) 10mg/100mL

- (a)  $SO_2$
- (b)  $NO_X$
- (c) SPM
- (d) CO
- 55. Which one of the following is not a bioindicator of water pollution? [2007]
  - (a) Sludge worms (b) Blood worms
  - (c) Stone flies
- (d) Sewage fungus
- **56**. In which one of the following the BOD (Biochemical Oxygen Demand) of Sewage (S), Distillery Effluent (DE), Paper mill Effluent (PE) and Sugar mill Effluent (SE) have been arranged in ascending order? [2007]
  - (a) SE < S < PE < DE (b) SE < PE < S < DE
- - (c) PE < S < SE < DE (d) S < DE < PE < SE
- 57. A lake near a village suffered heavy mortality of fishes within a few days. Consider the following reasons for this [2008]
  - (1) Lots of urea and phosphate fertilizer were used in the crops in the vicinity.
  - (2) The area was sprayed with DDT by an aircraft.
  - (3) The lake water turned green and stinky.
  - (4) Phytoplankton populations in the lake declined initially thereby greatly reducing photosynthesis.

Which two of the above were the main causes of fish mortality in the lake?

- (a) 2, 3
- (b) 3, 4
- (c) 1, 3
- (d) 1, 2.
- 58. World Summit on Sustainable Development [2002] was held in [2008]
  - (a) Brazil
- (b) Sweden
- (c) Argentina
- (d) South Africa
- 59. According to Central Pollution Control Board (CPCB), which paniculate size in diameter (in micrometers) of the air pollutants is responsible for greatest harm to human health? [2008]
  - (a) 2.5 or less
- (b) 1.5 or less
- (c) 1.0 or less
- (d) 5.2 or 2.5
- 60. Which one of the following is the correct percentage of the two (out of the total of 4) greenhouse gases that contribute to the total global warming? [2008]

- (a) CFCs 14%, CH<sub>4</sub> 20%
- (b) CO<sub>2</sub> 40%, CFCs 30%
- (c) N<sub>2</sub>O 6%, CO2 86%
- (d) CH<sub>4</sub> 20%, N2O 18%
- **61.** Steps taken by the Government of India to control air pollution include: [2009]
  - (a) Permission to use only pure diesel with a maximum of 500 ppm sulphur as fuel for vehicles.
  - (b) use of non-polluting Compressed Natural Gas (CNG) only as fuel by all buses and trucks.
  - (c) compulsory mixing of 20% ethyl alcohol with petrol & 20% biodiesel with diesel.
  - (d) compulsory PUC (Pollution Under Control) certification of petrol driven vehicles which tests for carbon monoxide and hydrocarbons.
- 62. Biochemical Oxygen Demand (BOD) in a river water: [2009]
  - (a) gives a measure of salmonella in the water.
  - (b) increases when sewage gets mixed with river water.
  - (c) remains unchanged when algal bloom
  - (d) has no relationship with concentration of oxygen in the water.
- 63. DDT residues are rapidly passed through food chain causing bio-magnification because DDT is [2009]
  - (a) non-toxic to aquatic animals
  - (b) water soluble
  - (c) lipo soluble (d) moderately toxic
- **64.** Global agreement in specific control strategies to reduce the release of ozone depleting [2009] substances, was adopted by
  - (a) The Kyoto Protocol
  - (b) The Vienna Convention
  - (c) Rio de Janerio Conference
  - (d) The Montreal Protocol
- 65. Montreal Protocol aims at

[2009]

- (a) Control of water pollution
- (b) Control of CO<sub>2</sub> emission

- (c) Reduction of ozone depleting substances
- (d) Biodiversity conservation
- **66.** Select the correct statement from the following [Pre. 2010]
  - (a) Biogas is produced by the activity of aerobic bacteria on animal waste
  - (b) *Methanobacterium* is an aerobic bacterium found in rumen of cattle
  - (c) Biogas, commonly called gobar gas, is pure methane
  - (d) Activated sludge-sediment in settlement tanks of sewage treatment plant is a rich source of aerobic bacteria.
- **67.** dB is a standard abbreviation used for the quantitative expression of **[Pre. 2010]** 
  - (a) the density of bacteria in a medium
  - (b) a particular pollutant
  - (c) the dominant Bacillus in a culture
  - (d) a certain pesticide
- **68.** The two gases making highest relative contribution to the greenhouse gases are

[Pre. 2010]

- (a)  $CO_2$  and  $CH_4$  (b)  $CH_4$  and  $N_2O$
- (c) CFC and N<sub>2</sub>O (d) CO<sub>2</sub> and N<sub>2</sub>O
- 69. Stirred-tank bioreactors have been designed for [Pre. 2010]
  - (a) Addition of preservatives to the product
  - (b) Purification of the product
  - (c) Ensuring anaerobic conditions in the culture vessel
  - (d) Availability of oxygen throughout the process
- **70.** When domestic sewage mixes with river water [2010]
  - (a) The increased microbial activity releases micro-nutrients such as iron.
  - (b) The increased microbial activity uses up dissolved oxygen.
  - (c) The river water is still suitable for drinking as impurities are only about 0.1%
  - (d) Small animals like rats will die after drinking river water.

- 71. Which one of the following pairs of gases are the major cause of "Greenhouse effect"?

  [Pre. 2011]
  - (a)  $CO_2$  and  $O_3$  (b)  $CO_2$  and CO
  - (c) CFCs and SO<sub>2</sub> (d) CO<sub>2</sub> and N<sub>2</sub>O
- 72. Secondary sewage treatement is mainly a
  - (a) Physical process

[Pre. 2011]

- (b) Mechanical process
- (c) Chemical process
- (d) Biological process
- **73.** Which of the following is mainly produced by the activity of anaerobic bacteria on sewage? [Pre. 2011]
  - (a) Laughing gas (b) Propane
  - (c) Mustard gas (d) Marsh gas
- **74.** Continuous addition of sugars in 'fed batch fermentation is done to **[Pre. 2011]** 
  - (a) Produce methane
  - (b) Obtain antibiotics
  - (c) Purify enzymes (d) Degrade sewage
- **75.** Which one of the following statements is wrong in case of Bhopal tragedy? [Pre. 2011]
  - (a) Methyl Isocyanate gas leakage took place
  - (b) Thousands of human beings died
  - (c) Radioactive fall out engulfed Bhopal
  - (d) It took place in the night of December 2 / 3,1984
- 76. "Good ozone" is found in the [Mains 2011]
  - (a) Ionosphere (b)
- (b) Mesosphere
  - (c) Troposphere
- (d) Stratosphere
- 77. The domestic sewage in large cities

### [Mains 2012]

- (a) is processed by aerobic and then anaerobic bacteria in the secondary treatment in Sewage Treatment Plant (STPs)
- (b) When treated in STPs does not really require the aeration step as the sewage contains adequate oxygen
- (c) has very high amounts of suspended solids and dissolved salts
- (d) has a high BOD as it contains both aerobic and anaerobic bacteria.

- **78.** Which one of the following is a wrong statement **[Pre. 2012]** 
  - (a) Greenhouse effect is a natural phenomenon
  - (b) Eutrophication is a natural phenomenon in freshwater bodies
  - (c) Most of the forests have been lost in tropical areas
  - (d) Ozone in upper part of atmosphere is harmful to animals
- **79.** In an area were DDT had been used extensively the population of birds declined significantly because [Pre. 2012]
  - (a) Cobras were feeding exclusively on birds
  - (b) Many of the eggs laid, did not hatch
  - (c) Bird stopped laying eggs
  - (d) Earthworms in the area got eradicated
- **80.** Measuring Biochemical Oxygen Demand (BOD) is a method used for: [2012]
  - (a) Measuring the activity of *Saccharomyces cerevisae* in producing curd on a commercial scale.
  - (b) Working out the efficiency of R.B.Cs. about their capacity to carry oxygen.
  - (c) Estimating the amount of organic matter in sawage water.
  - (d) Working out the efficiency of oil driven automobile engines.
- **81.** Kyoto-Protocol was endorsed at [2013]
  - (a) CoP-3
- (b) CoP-5
- (c) CoP-6
- (d) CoP-4
- **82.** During sewage treatment, biogases are produced which include **[2013]** 
  - (a) methane, hydrogen sulphide, carbon dioxide
  - (b) methane, oxygen, hydrogen sulphide
  - (c) hydrogen sulphide, methane, sulphur dioxide
  - (d) hydrogen sulphide, nitrogen, methane
- **83.** Global warming can be controlled by

[2013]

- (a) Reducing deforestation, cutting down use of fossil fuel
- (b) Reducing reforestation, increasing the use of fossil fuel
- (c) Increasing deforestation, slowing down the growth of human population
- (d) Increasing deforestation, reducing efficiency of energy usage
- **84.** The Air Prevention and Control of pollution act came into force in [2013]
  - (a) 1975
- (b) 1981
- (c) 1985
- (d) 1990
- **85.** A location with luxuriant growth of lichens on the trees indicates that the

#### [AIPMT 2014]

- (a) Trees are very healthy
- (b) Trees are heavily infested
- (c) Location is highly polluted
- (d) Location is not polluted
- **86.** The zone of atmosphere in which the ozone layer is present is called **[AIPMT 2014]** 
  - (a) Ionosphere
- (b) Mesosphere
- (c) Stratosphere
- (d) Troposphere
- **87.** A scrubber in the exhaust of a chemical industrial plant removes **[AIPMT 2014]** 
  - (a) Gases like sulphur dioxide
  - (b) Particulate matter of the size 5 micrometer or above
  - (c) Gases like ozone and methane
  - (d) Particulate matter of the size 2.5 micrometer or less
- **88.** High value of BOD (Biochemical Oxygen Demand) indicates that : [AIPMT 2015]
  - (a) Water is highly polluted
  - (b) Water is less polluted
  - (c) Consumption of organic matter in the water is higher by the microbes
  - (d) Water is pure
- **89.** The UN Conference of Parties on climate change in the year 2011 was held in :-

[AIPMT 2015]

### Trueman's AIPMT Biology Rebooster Specific

- (a) South Africa
- (b) Peru
- (c) Qatar

268

- (d) Poland
- **90.** Rachel Carson's famous book "Silent Spring" is related to [AIPMT 2015]
  - (a) Noise pollution
  - (b) Population explosion
  - (c) Ecosystem management
  - (d) Pesticide pollution
- **91.** Which of the following is not one of the prime health risks associated with greater UV radiation through the atmosphere due to depletion of stratospheric ozone? [AIPMT 2015]
  - (a) Reduced Immune System
  - (b) Damage to eyes
  - (c) Increased liver cancer
  - (d) Increased skin cancer
- **92.** Eutrophication of water bodies leading to killing of fishes is mainly due to non-availability of: [RE-AIPMT 2015]
  - (a) oxygen

- (b) food
- (c) light
- (d) essential minerals
- **93.** Acid rain is caused by increase in the atmospheric concentration of :

#### [RE-AIPMT 2015]

- (a) O<sub>3</sub> and dust
- (b) SO<sub>2</sub> and NO<sub>2</sub>
- (c) SO<sub>3</sub> and CO
- (d) CO<sub>2</sub> and CO
- **94.** Increase in concentration of the toxicant at successive trophic levels is known as :

#### [RE-AIPMT 2015]

- (a) Biogeochemical cycling
- (b) Biomagnification
- (c) Biodeterioration
- (d) Biotransformation
- **95.** The UN conference of Parties on climate change in the year 2012 was held at:

### [RE-AIPMT 2015]

- (a) Warsaw
- (b) Durban
- (c) Doha
- (d) Lima

Q Ar	nswers .								
1-c	2 -a	3 -c	4 -d	5 -a	6 -b	7 <b>-</b> b	8 -c	9 -a	10 -с
11 -b	12 -c	13 -a	14 -b	15 -a	16 -a	17 -b	18 <b>-</b> d	19 <b>-</b> d	20 -b
21 -d	22 -c	23 -a	24 -d	25 -a	26 -b	27 -d	28 -d	29 -d	30 -d
31 -c	32 -c	33 -b	34 -с	35 -b	36 -с	37 -d	38 -d	39 -a	40 -с
41 -b	42 -b	43 -с	44 -a	45 -a	46 -b	47 -d	48 -d	49 -a	50 -d
51 -c	52 -b	53 -b	54 -c	55 -c	56 -d	57 -с	58 -d	59 -a	60 -a
61 <b>-</b> d	62 -b	63 -c	64 -d	65 -c	66 -b	67 -b	68 -a	69 -d	70 -b
71 <b>-</b> d	72 -d	73 -d	74 -b	75 -c	76 -d	77 -a	78- d	79 -b	80 -c
81 -a	82 -a	83 -a	84 -b	85 -d	86 -c	87 -a	88 -a	89 -a	90 -d
91 <b>-</b> c	92 -a	93 -b	94 -b	95 -с					

### GROWTH AND REGENERATION

**1.** Auxetic growth is

[1994]

- (a) increase in cell volume only
- (b) increase in cell number only
- (c) increase in fatty tissue
- (d) increase in intercellular material
- According to the "immunity theory" of ageing, the process starts with the gradual atrophy and disappearance of [1996]
  - (a) thyroid
  - (b) parathyroid
  - (c) thymus
  - (d) islets of Langerhans
- **3.** The process of series of changes from larva to adult, after embryonic development is called [1999]
  - (a) regeneration
  - (b) metamorphosis
  - (c) growth
  - (d) ageing
- **4.** During regeneration, modification of an organ to other organ is known as **[2001]** 
  - (a) morphogenesis

- (b) epimorphosis
- (c) morphallaxis
- (d) acretionary growth
- 5. The semilog of per minute growing bacteria is plotted against time. What will be the shape of graph? [2002]
  - (a) Sigmoid
  - (b) Hyperbola
  - (c) Ascending straight line
  - (d) Descending straight line
- **6.** Choose the correct sequence of stages of growth curve for bacteria [2002]
  - (a) lag, log, stationary, decline phase
  - (b) lag, log, stationary phase
  - (c) stationary, lag, log, decline phase
  - (d) decline, lag, log phase
- 7. The maximum growth rate occurs in [2004]
  - (a) stationary phase
  - (b) senescent phase
  - (c) lag phase
  - (d) exponential phases

### PESTICIDES AND FERTILIZERS

		_
-1	I The rot	
	i neron	enone is

#### [1995]

- (a) an insect hormone
- (b) a bioherbicide
- (c) a natural herbicide
- (d) a natural insecticide
- One of the major difficulties in the biological control of insect pests is the [1995]
  - (a) practical difficulty of introducing the predator to specific areas
  - (b) method is less effective as compared with the use of insecticides
  - (c) predator does not always survive when transferred to a new environment
  - (d) the predator develops a preference to other diets and may itself become a pest
- **3**. A biofertilizer is

#### [1997]

- (a) a cyanobacterium like Anabaena sp. living in cavities of Azolla leaves
- (b) symbiotic bacteria like Azotobacter which fix atmospheric nitrogen
- (c) farm yard manure consisting of mixture of cattle dung and crop
- (d) green manure in which a quickly growing crop is cultivated and ploughes under
- 4. Which one among the following chemicals is used for causing defoliation of forest trees? [1998]

- (a) Amo-1618
- (b) Phosphon-D
- (c) Malic hydrazide
- (d) 2, 4-D
- 5. Biological control component is central to advanced agricultural production. Which of the following is used as a third generation pesticide? [1998]
  - (a) Pathogens
  - (b) Pheromones
  - (c) Insect repellents
  - (d) Insect hormone analogues
- 6. Which of the following is non-symbiotic biofertilizer? [1998]
  - (a) VAM
  - (b) Azotobacter
  - (c) Anabaena
  - (d) Rhizobium
- 7. Which of the following pesticides is an acetylcholinesterase inhibitor? [1998]
  - (a) Aldrin
  - (b) Y-BHC
  - (c) Endosulfan
  - (d) Malathion
- 8. Fanners have reported over 50% higher yields of rice by using which of the following biofertilizer? [1998, 99,2000]

- (a) Mycorrhiza
- (b) Azolla pinnata
- (c) Cyanobacteria
- (d) Legume-Rhizobium symbiosis
- 9. The aquatic fern, which is an excellent biofertilizer, is [1999, 2001]
  - (a) Azolla
- (b) Pteridium
- (c) Salvinia
- (d) Marselia
- **10**. DDT is [1999]
  - (a) a non-degradable pollutant
  - (b) an antibiotic
  - (c) a biodegradable pollutant
  - (d) not a pollutant
- **11.** Which of the following plants are used as green manure in crop fields and in sandy soils? [2003]
  - (a) Saccharum munja and Lantana camara
  - (b) Dichanthium annulatum and Azolla nilotica
  - (c) Crotalaria juncea and Alhagi comelorum
  - (d) Calotropis procera and Phyllanthus niruri
- **12**. During anaerobic digestion of organic waste, such as in producing bio gas, which one of the following is left undegraded? [2003]
  - (a) Hemicellulose
  - (b) Cellulose
  - (c) Lipids
  - (d) Lignin
- 13. The most likely reason for the development of resistance against pesticides in insect damaging a crop is [2004]
  - (a) random mutations
  - (b) genetic recombinations
  - (c) directed mutations
  - (d) acquired heritable changes
- 14. A free-living nitrogen-fixing cyanobacterium which can also form symbiotic association with the water fern Azolla is [2004]
  - (a) Tolypothrix
- (b) Chlorella
- (c) Nostoc
- (d) Anabaena

- **15**. Bacillus thuringiensis (Bt) strains have been used for designing novel **[2005]** 
  - (a) biometallurgical techniques
  - (b) biomineralization processes
  - (c) bioinsecticidal plants
  - (d) biofertilizers
- 16. Which one of the following is being utilized as a source of bio- diesel in the Indian countryside? [2007]
  - (a) Euphorbia
- (b) Beet root
- (c) Sugarcane
- (d) Pongamia
- **17.** Which one of the following statements is correct? **[2007]** 
  - (a) Extensive use of chemical fertilizers may lead to eutrophication of nearby water bodies
  - (b) Both Azotobacter and Rhizobium fix atmospheric nitrogen in root nodules of plants
  - (c) Cyanobacteria such as Anabaena and Nostoc are important mobilizers of phosphates and potassium for plant nutrition in soil
  - (d) At present it is not possible to grow maize without chemical fertilizers
- **18**. Which one of the following is linked to the discovery of Bordeaux mixture as a popular fungicide? [2008]
  - (a) Bacterial leaf blight of rice
  - (b) Downy mildew of grapes
  - (c) Loose smut of wheat
  - (d) Black rust of wheat
- **19.** Which of the following is not used as a biopesticide? **[2009]** 
  - (a) Nuclear Polyhedrosis Virus (NPV)
  - (b) Xanthomonas campestris
  - (c) Bacillus thuringiensis
  - (d) Trichoderma harzianum
- **20.** A common biocontrol agent for the control of plant diseases is : **[Pre. 2010]** 
  - (a) Baculovirus
- (b) Bacillus thuringiensis
- (c) Glomus
- (d) Trichoderma

www.freejobsportal.in

271

### Trueman's AIPMT Biology Rebooster Specific

- **21.** Consider the following statement (A-D) about organic farming: [Mains 2011]
  - (A) Utilizes genetically modified crops like Bt cotton
  - (B) Uses only naturally produced inputs like compost
  - (C) Does not use pesticides and urea
  - (D) Produces vegetables rich in vitamins and minerals

Which of the above statement are correct?

(a) (A) and (B) only

272

- (b) (B), (C) and (D)
- (c) (C) and (D) only
- (d) (B) and (C) only
- **22.** *Bacillus thuringiensis* forms protein crystals which contain insecticidal protein.

[Mains 2011]

### This protein:

- (a) does not kill the carrier bacterium which is itself resistant to this toxin
- (b) binds with epithelial cells of midgut of the insect pest ultimately killing it
- (c) is coded by several genes including the gene cry
- (d) is activated by acid pH of the foregut of the insect pest

- 23. Which one of the following is not a biofertilizer? [Pre. 2011]

  - (a) Agrobacterium (b) Rhizobium
  - (c) Nostoc
- (d) Mycorrhiza
- 24. An organism used as a biofertilizer for rais-[Pre. 2011] ing soyabean crop is
  - (a) Azotobacter
- (b) Azospirillum
- (c) Rhizobium
- (d) Nostoc
- 25. In gobar gas, the maximum amount is that of [Mains 2012]
  - (a) Methane
- (b) Propane
- (3) Carbon dioxide (d) Butane
- **26.** Which of the following Bt crops is being grown in India by the farmers? [2013]
  - (a) Maize
- (b) Cotton
- (c) Brinjal
- (d) Soyabean
- 27. In plant breeding programmes, the entire collection (of plants/seeds) having all the diverse alleles for all genes in a given crop is called
  - (a) selection of superior recombinants
  - (b) cross-hybridisation among the selected parents
  - (c) evaluation and selection of parents
  - (d) germplasm collection

#### Answers 2 -d 4 -d 5 -b 6-b 7 -d 10 -a 3 -a 9 -a 11 -c 12 -d 13 -a 14 -d 15 -c 16 -a 17 -a 18-b 19-b 20-b 21 -d 22 -b 23 - a24 -c 25 -a 26 -b 27 -d